

N = 1024 | SNR = 13 dB | fixed sources 1-4/16

Paid header included | E = 2N | no class/text side information

Original



Source 00 | true class 0
Original R50 class 0

SwinJSCC: exact 80k



PSNR 17.20 LPIPS 0.536 DINO-L 0.261
R50 class 693 | p=0.100
Header accepted




Source 25 | true class 267
Original R50 class 267



PSNR 24.10 LPIPS 0.562 DINO-L 0.294
R50 class 927 | p=0.067
Header accepted



Source 50 | true class 558
Original R50 class 683



PSNR 21.61 LPIPS 0.422 DINO-L 0.399
R50 class 456 | p=0.025
Header accepted



Source 75 | true class 791
Original R50 class 791



PSNR 20.22 LPIPS 0.592 DINO-L 0.805
R50 class 807 | p=0.114
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 1024 | SNR = 13 dB | fixed sources 5-8/16

Paid header included | E = 2N | no class/text side information

Original



Source 04 | true class 57
Original R50 class 57

SwinJSCC: exact 80k




PSNR 19.65 LPIPS 0.649 DINO-L 0.004
R50 class 35 | p=0.097
Header accepted



Source 21 | true class 229
Original R50 class 229




PSNR 21.88 LPIPS 0.605 DINO-L 0.379
R50 class 190 | p=0.086
Header accepted



Source 24 | true class 253
Original R50 class 253



PSNR 22.56 LPIPS 0.497 DINO-L 0.265
R50 class 253 | p=0.399
Header accepted



Source 29 | true class 314
Original R50 class 314



PSNR 23.98 LPIPS 0.500 DINO-L 0.128
R50 class 314 | p=0.229
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 1024 | SNR = 13 dB | fixed sources 9-12/16

Paid header included | E = 2N | no class/text side information

Original



Source 33 | true class 344
Original R50 class 344


SwinJSCC: exact 80k



PSNR 22.41 LPIPS 0.637 DINO-L 0.318
R50 class 408 | p=0.115
Header accepted




Source 41 | true class 443
Original R50 class 443



PSNR 23.98 LPIPS 0.400 DINO-L 0.333
R50 class 416 | p=0.128
Header accepted



Source 52 | true class 570
Original R50 class 570



PSNR 19.85 LPIPS 0.534 DINO-L 0.648
R50 class 691 | p=0.095
Header accepted



Source 60 | true class 650
Original R50 class 593



PSNR 18.56 LPIPS 0.563 DINO-L 0.375
R50 class 865 | p=0.039
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 1024 | SNR = 13 dB | fixed sources 13-16/16

Paid header included | E = 2N | no class/text side information

Original



Source 64 | true class 689
Original R50 class 669

SwinJSCC: exact 80k



PSNR 26.57 LPIPS 0.517 DINO-L 0.121
R50 class 965 | p=0.040
Header accepted



Source 87 | true class 890
Original R50 class 890



PSNR 23.61 LPIPS 0.264 DINO-L 0.766
R50 class 890 | p=0.577
Header accepted



Source 92 | true class 937
Original R50 class 937



PSNR 19.85 LPIPS 0.724 DINO-L 0.599
R50 class 936 | p=0.042
Header accepted



Source 95 | true class 961
Original R50 class 415



PSNR 22.19 LPIPS 0.369 DINO-L 0.520
R50 class 960 | p=0.187
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.