

N = 1024 | SNR = 7 dB | fixed sources 1-4/16

Paid header included | E = 2N | no class/text side information

Original



Source 00 | true class 0
Original R50 class 0

SwinJSCC: exact 80k



PSNR 16.51 LPIPS 0.574 DINO-L 0.151
R50 class 822 | p=0.031
Header accepted




Source 25 | true class 267
Original R50 class 267



PSNR 23.29 LPIPS 0.592 DINO-L 0.243
R50 class 927 | p=0.097
Header accepted




Source 50 | true class 558
Original R50 class 683



PSNR 20.47 LPIPS 0.480 DINO-L 0.248
R50 class 345 | p=0.035
Header accepted



Source 75 | true class 791
Original R50 class 791



PSNR 19.66 LPIPS 0.613 DINO-L 0.664
R50 class 974 | p=0.335
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 1024 | SNR = 7 dB | fixed sources 5-8/16

Paid header included | E = 2N | no class/text side information

Original



Source 04 | true class 57
Original R50 class 57

SwinJSCC: exact 80k




PSNR 19.17 LPIPS 0.684 DINO-L -0.031
R50 class 353 | p=0.051
Header accepted



Source 21 | true class 229
Original R50 class 229




PSNR 20.92 LPIPS 0.655 DINO-L 0.238
R50 class 152 | p=0.076
Header accepted




Source 24 | true class 253
Original R50 class 253



PSNR 21.32 LPIPS 0.521 DINO-L -0.017
R50 class 253 | p=0.190
Header accepted



Source 29 | true class 314
Original R50 class 314



PSNR 23.20 LPIPS 0.563 DINO-L 0.112
R50 class 314 | p=0.215
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 1024 | SNR = 7 dB | fixed sources 9-12/16


Paid header included | E = 2N | no class/text side information

Original



Source 33 | true class 344
Original R50 class 344


SwinJSCC: exact 80k



PSNR 21.73 LPIPS 0.653 DINO-L 0.254
R50 class 148 | p=0.031
Header accepted




Source 41 | true class 443
Original R50 class 443



PSNR 23.14 LPIPS 0.439 DINO-L 0.282
R50 class 400 | p=0.091
Header accepted



Source 52 | true class 570
Original R50 class 570



PSNR 19.42 LPIPS 0.573 DINO-L 0.640
R50 class 691 | p=0.041
Header accepted



Source 60 | true class 650
Original R50 class 593



PSNR 17.88 LPIPS 0.610 DINO-L 0.303
R50 class 1 | p=0.113
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 1024 | SNR = 7 dB | fixed sources 13-16/16

Paid header included | E = 2N | no class/text side information

Original



Source 64 | true class 689
Original R50 class 669

SwinJSCC: exact 80k



PSNR 25.53 LPIPS 0.526 DINO-L 0.113
R50 class 936 | p=0.132
Header accepted



Source 87 | true class 890
Original R50 class 890



PSNR 22.06 LPIPS 0.328 DINO-L 0.633
R50 class 928 | p=0.036
Header accepted



Source 92 | true class 937
Original R50 class 937



PSNR 19.20 LPIPS 0.744 DINO-L 0.057
R50 class 392 | p=0.063
Header accepted



Source 95 | true class 961
Original R50 class 415



PSNR 20.92 LPIPS 0.420 DINO-L 0.443
R50 class 961 | p=0.416
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.