

N = 2048 | SNR = 1 dB | fixed sources 1-4/16

Paid header included | E = 2N | no class/text side information

Original



Source 00 | true class 0
Original R50 class 0

SwinJSCC: exact 80k



PSNR 16.02 LPIPS 0.541 DINO-L 0.157
R50 class 689 | p=0.035
Header accepted




Source 25 | true class 267
Original R50 class 267



PSNR 22.57 LPIPS 0.560 DINO-L 0.265
R50 class 247 | p=0.097
Header accepted



Source 50 | true class 558
Original R50 class 683



PSNR 20.01 LPIPS 0.460 DINO-L 0.244
R50 class 500 | p=0.045
Header accepted



Source 75 | true class 791
Original R50 class 791



PSNR 19.39 LPIPS 0.589 DINO-L 0.151
R50 class 974 | p=0.291
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 2048 | SNR = 1 dB | fixed sources 5-8/16

Paid header included | E = 2N | no class/text side information

Original



Source 04 | true class 57
Original R50 class 57

SwinJSCC: exact 80k




PSNR 19.05 LPIPS 0.622 DINO-L -0.023
R50 class 728 | p=0.034
Header accepted



Source 21 | true class 229
Original R50 class 229




PSNR 20.44 LPIPS 0.589 DINO-L 0.486
R50 class 188 | p=0.248
Header accepted



Source 24 | true class 253
Original R50 class 253



PSNR 20.49 LPIPS 0.490 DINO-L 0.118
R50 class 173 | p=0.365
Header accepted



Source 29 | true class 314
Original R50 class 314



PSNR 22.83 LPIPS 0.530 DINO-L 0.090
R50 class 126 | p=0.024
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 2048 | SNR = 1 dB | fixed sources 9-12/16

Paid header included | E = 2N | no class/text side information

Original



Source 33 | true class 344
Original R50 class 344

SwinJSCC: exact 80k



PSNR 21.40 LPIPS 0.603 DINO-L 0.350
R50 class 974 | p=0.200
Header accepted



Source 41 | true class 443
Original R50 class 443



PSNR 23.10 LPIPS 0.419 DINO-L 0.533
R50 class 862 | p=0.140
Header accepted



Source 52 | true class 570
Original R50 class 570



PSNR 19.28 LPIPS 0.539 DINO-L 0.639
R50 class 691 | p=0.100
Header accepted



Source 60 | true class 650
Original R50 class 593



PSNR 17.46 LPIPS 0.545 DINO-L 0.077
R50 class 996 | p=0.031
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 2048 | SNR = 1 dB | fixed sources 13-16/16

Paid header included | E = 2N | no class/text side information

Original



Source 64 | true class 689
Original R50 class 669


SwinJSCC: exact 80k



PSNR 25.03 LPIPS 0.505 DINO-L 0.082
R50 class 936 | p=0.095
Header accepted



Source 87 | true class 890
Original R50 class 890



PSNR 21.12 LPIPS 0.319 DINO-L 0.453
R50 class 430 | p=0.091
Header accepted



Source 92 | true class 937
Original R50 class 937



PSNR 18.76 LPIPS 0.725 DINO-L 0.055
R50 class 552 | p=0.027
Header accepted



Source 95 | true class 961
Original R50 class 415



PSNR 20.21 LPIPS 0.403 DINO-L 0.293
R50 class 961 | p=0.085
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.