

N = 2048 | SNR = 13 dB | fixed sources 1-4/16


Paid header included | E = 2N | no class/text side information

Original



Source 00 | true class 0
Original R50 class 0

SwinJSCC: exact 80k



PSNR 18.39 LPIPS 0.421 DINO-L 0.543
R50 class 472 | p=0.091
Header accepted




Source 25 | true class 267
Original R50 class 267



PSNR 25.48 LPIPS 0.469 DINO-L 0.464
R50 class 222 | p=0.049
Header accepted



Source 50 | true class 558
Original R50 class 683



PSNR 23.61 LPIPS 0.300 DINO-L 0.563
R50 class 558 | p=0.031
Header accepted



Source 75 | true class 791
Original R50 class 791



PSNR 20.83 LPIPS 0.518 DINO-L 0.876
R50 class 807 | p=0.121
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 2048 | SNR = 13 dB | fixed sources 5-8/16

Paid header included | E = 2N | no class/text side information

Original



Source 04 | true class 57
Original R50 class 57

SwinJSCC: exact 80k




PSNR 20.74 LPIPS 0.516 DINO-L 0.545
R50 class 469 | p=0.031
Header accepted



Source 21 | true class 229
Original R50 class 229




PSNR 23.46 LPIPS 0.486 DINO-L 0.694
R50 class 229 | p=0.187
Header accepted



Source 24 | true class 253
Original R50 class 253



PSNR 24.42 LPIPS 0.389 DINO-L 0.588
R50 class 253 | p=0.256
Header accepted



Source 29 | true class 314
Original R50 class 314



PSNR 25.49 LPIPS 0.404 DINO-L 0.529
R50 class 314 | p=0.428
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 2048 | SNR = 13 dB | fixed sources 9-12/16

Paid header included | E = 2N | no class/text side information

Original



Source 33 | true class 344
Original R50 class 344


SwinJSCC: exact 80k



PSNR 23.66 LPIPS 0.530 DINO-L 0.406
R50 class 525 | p=0.069
Header accepted



Source 41 | true class 443
Original R50 class 443



PSNR 25.67 LPIPS 0.316 DINO-L 0.823
R50 class 702 | p=0.159
Header accepted



Source 52 | true class 570
Original R50 class 570



PSNR 20.82 LPIPS 0.416 DINO-L 0.834
R50 class 691 | p=0.287
Header accepted



Source 60 | true class 650
Original R50 class 593



PSNR 20.33 LPIPS 0.405 DINO-L 0.589
R50 class 558 | p=0.066
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 2048 | SNR = 13 dB | fixed sources 13-16/16

Paid header included | E = 2N | no class/text side information

Original



Source 64 | true class 689
Original R50 class 669

SwinJSCC: exact 80k



PSNR 27.82 LPIPS 0.409 DINO-L 0.173
R50 class 117 | p=0.133
Header accepted



Source 87 | true class 890
Original R50 class 890



PSNR 26.13 LPIPS 0.157 DINO-L 0.867
R50 class 890 | p=0.684
Header accepted



Source 92 | true class 937
Original R50 class 937



PSNR 20.66 LPIPS 0.646 DINO-L 0.620
R50 class 937 | p=0.400
Header accepted



Source 95 | true class 961
Original R50 class 415



PSNR 23.87 LPIPS 0.265 DINO-L 0.734
R50 class 961 | p=0.207
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.