

N = 2048 | SNR = 7 dB | fixed sources 1-4/16


Paid header included | E = 2N | no class/text side information

Original



Source 00 | true class 0
Original R50 class 0

SwinJSCC: exact 80k



PSNR 17.77 LPIPS 0.447 DINO-L 0.523
R50 class 472 | p=0.039
Header accepted




Source 25 | true class 267
Original R50 class 267



PSNR 24.55 LPIPS 0.495 DINO-L 0.404
R50 class 927 | p=0.102
Header accepted



Source 50 | true class 558
Original R50 class 683



PSNR 22.31 LPIPS 0.371 DINO-L 0.690
R50 class 593 | p=0.043
Header accepted



Source 75 | true class 791
Original R50 class 791



PSNR 20.52 LPIPS 0.537 DINO-L 0.871
R50 class 974 | p=0.041
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 2048 | SNR = 7 dB | fixed sources 5-8/16


Paid header included | E = 2N | no class/text side information

Original



Source 04 | true class 57
Original R50 class 57

SwinJSCC: exact 80k




PSNR 20.21 LPIPS 0.532 DINO-L 0.214
R50 class 331 | p=0.092
Header accepted




Source 21 | true class 229
Original R50 class 229




PSNR 22.35 LPIPS 0.514 DINO-L 0.731
R50 class 194 | p=0.338
Header accepted



Source 24 | true class 253
Original R50 class 253



PSNR 23.14 LPIPS 0.413 DINO-L 0.340
R50 class 173 | p=0.353
Header accepted



Source 29 | true class 314
Original R50 class 314



PSNR 24.44 LPIPS 0.419 DINO-L 0.542
R50 class 314 | p=0.251
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 2048 | SNR = 7 dB | fixed sources 9-12/16

Paid header included | E = 2N | no class/text side information

Original



Source 33 | true class 344
Original R50 class 344

SwinJSCC: exact 80k



PSNR 22.90 LPIPS 0.556 DINO-L 0.335
R50 class 460 | p=0.072
Header accepted



Source 41 | true class 443
Original R50 class 443



PSNR 24.95 LPIPS 0.349 DINO-L 0.472
R50 class 702 | p=0.195
Header accepted



Source 52 | true class 570
Original R50 class 570



PSNR 20.40 LPIPS 0.454 DINO-L 0.757
R50 class 691 | p=0.583
Header accepted



Source 60 | true class 650
Original R50 class 593



PSNR 19.44 LPIPS 0.459 DINO-L 0.396
R50 class 413 | p=0.208
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.

N = 2048 | SNR = 7 dB | fixed sources 13-16/16

Paid header included | E = 2N | no class/text side information

Original



Source 64 | true class 689
Original R50 class 669

SwinJSCC: exact 80k



PSNR 26.99 LPIPS 0.426 DINO-L 0.108
R50 class 936 | p=0.151
Header accepted



Source 87 | true class 890
Original R50 class 890



PSNR 24.36 LPIPS 0.213 DINO-L 0.809
R50 class 890 | p=0.322
Header accepted



Source 92 | true class 937
Original R50 class 937



PSNR 20.11 LPIPS 0.668 DINO-L 0.614
R50 class 936 | p=0.093
Header accepted



Source 95 | true class 961
Original R50 class 415



PSNR 22.74 LPIPS 0.316 DINO-L 0.531
R50 class 961 | p=0.443
Header accepted

Original registered fixed16 sources; noise seed 2001; no image-quality selection.
DINO-L = DINOv2 ViT-L/14. R50 uses an independent ImageNet classifier.
User selected exact 80k; training safely paused at 81,551; no convergence claim.
Swin-only release. HiFi and the full matched comparison are still pending.