

ANDRIANOROJAONA Miary 185I25

MIARINDRANTO Diarizo Alinjaka 308I25

ZAFINIRINA Marie Estelle 262I25

Base de donnees cinema

```
Microsoft Windows [version 10.0.26200.7623]
(c) Microsoft Corporation. Tous droits réservés.

C:\wamp64\bin\mysql\mysql9.1.0\bin>mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 25
Server version: 9.1.0 MySQL Community Server - GPL

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
```

```
mysql> create database gestion_cinema;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> USE gestion_cinema;
Database changed
```

Creation de la table VILLE :

```
CREATE TABLE VILLE(CodePostal VARCHAR(3) NOT NULL PRIMARY KEY , NomVille VARC' à la ligne 1
mysql> CREATE TABLE VILLE(CodePostal VARCHAR(3) NOT NULL PRIMARY KEY , NomVille VARCHAR(25) NOT NULL);
Query OK, 0 rows affected (0.02 sec)
```

Creation de la table CINEMA

```
mysql> CREATE TABLE CINEMA(NumCine INT NOT NULL PRIMARY KEY , NomCine VARCHAR(30) NOT NULL , Adresse VARCHAR(30) , CodePostal VARCHAR(3) NOT NULL, FOREIGN
KEY (CodePostal) REFERENCES VILLE(CodePostal));
Query OK, 0 rows affected (0.01 sec)
```

Creation de la table SALLE

```
mysql> CREATE TABLE SALLE (NumSalle INT NOT NULL PRIMARY KEY , Capacite INT NOT NULL , NumCine INT NOT NULL , FOREIGN KEY (NumCine) REFERENCES CINEMA(NumCin
e));
Query OK, 0 rows affected (0.02 sec)
```

Creation de la table FILM

```
mysql> CREATE TABLE FILM (NumExploit INT(3) NOT NULL PRIMARY KEY , Titre VARCHAR(40) NOT NULL, duree SMALLINT);
Query OK, 0 rows affected, 1 warning (0.01 sec)
```

Creation de la table PROJECTION

```
mysql> CREATE TABLE PROJECTION(NumExploit INT(3) NOT NULL , NumSalle INT NOT NULL , NumSemaine SMALLINT , NbEntrees SMALLINT , FOREIGN KEY(NumExploit) REFERENCES FILM(NumExploit), FOREIGN KEY (NumSalle) REFERENCES SALLE(NumSalle));
Query OK, 0 rows affected, 1 warning (0.02 sec)
```

INSERTION DE DONNNEES

```
mysql> INSERT INTO VILLE VALUES ('101', 'Antananarivo');
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO VILLE VALUES ('102', 'Toamasina');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('103', 'Fianarantsoa');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('104', 'Mahajanga');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('105', 'Toliara');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('106', 'Antsirabe');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('107', 'Nosy Be');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('108', 'Morondava');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('109', 'Sambava');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('110', 'Manakara');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('111', 'Ambanja');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('112', 'Farafangana');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('113', 'Ambositra');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO VILLE VALUES ('115', 'Tsiroanomandidy');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('116', 'Maintirano');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('117', 'Moramanga');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('118', 'Ambatondrazaka');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('119', 'Amboasary');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO VILLE VALUES ('120', 'Betafo');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM VILLE;
```

CodePostal	NomVille
101	Antananarivo
102	Toamasina
103	Fianarantsoa
104	Mahajanga
105	Toliara
106	Antsirabe
107	Nosy Be
108	Morondava
109	Sambava
110	Manakara
111	Ambanja
112	Farafangana
113	Ambositra
114	Antalaha
115	Tsiroanomandidy
116	Maintirano
117	Moramanga
118	Ambatondrazaka
119	Amboasary
120	Betafo

```
20 rows in set (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (1, 'Cine Tana 1', 'Analakely', '101');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (2, 'Cine Tana 2', 'Behoririka', '101');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (3, 'Cine Tamatave', 'Centre Ville', '102');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (4, 'Cine Fianara', 'Tanambao', '103');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (5, 'Cine Majunga', 'Mahabibo', '104');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (6, 'Cine Tulear', 'Sanfil', '105');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (7, 'Cine Antsirabe', 'Ville Haute', '106');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (8, 'Cine Nosy Be', 'Ambatoloaka', '107');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (9, 'Cine Morondava', 'Centre', '108');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (10, 'Cine Sambava', 'Bazary', '109');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (11, 'Cine Manakara', 'Ville Basse', '110');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (12, 'Cine Ambanja', 'Centre', '111');  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO CINEMA VALUES (13, 'Cine Farafangana', 'Tanambao', '112');  
Query OK, 1 row affected (0.00 sec)
```

```

mysql> INSERT INTO CINEMA VALUES (14, 'Cine Ambositra', 'Centre', '113');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO CINEMA VALUES (15, 'Cine Antalaha', 'Ville Haute', '114');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO CINEMA VALUES (16, 'Cine Tsiroa', 'Centre', '115');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO CINEMA VALUES (17, 'Cine Maintirano', 'Centre', '116');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO CINEMA VALUES (18, 'Cine Moramanga', 'Ville Haute', '117');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO CINEMA VALUES (19, 'Cine Ambato', 'Centre', '118');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO CINEMA VALUES (20, 'Cine Amboasary', 'Centre', '119');
Query OK, 1 row affected (0.00 sec)

```

```
mysql> SELECT * FROM CINEMA;
```

NumCine	NomCine	Adresse	CodePostal
1	Cine Tana 1	Analakely	101
2	Cine Tana 2	Behoririka	101
3	Cine Tamatave	Centre Ville	102
4	Cine Fianara	Tanambao	103
5	Cine Majunga	Mahabibo	104
6	Cine Tulear	Sanfil	105
7	Cine Antsirabe	Ville Haute	106
8	Cine Nosy Be	Ambatoloaka	107
9	Cine Morondava	Centre	108
10	Cine Sambava	Bazary	109
11	Cine Manakara	Ville Basse	110
12	Cine Ambanja	Centre	111
13	Cine Farafangana	Tanambao	112
14	Cine Ambositra	Centre	113
15	Cine Antalaha	Ville Haute	114
16	Cine Tsiroa	Centre	115
17	Cine Maintirano	Centre	116
18	Cine Moramanga	Ville Haute	117
19	Cine Ambato	Centre	118
20	Cine Amboasary	Centre	119

```
20 rows in set (0.00 sec)
```

```
mysql> INSERT INTO SALLE VALUES (1, 150, 1);
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO SALLE VALUES (2, 200, 1);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (3, 120, 2);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (4, 180, 3);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (5, 220, 4);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (6, 160, 5);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (7, 140, 6);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (8, 130, 7);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (9, 250, 8);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (10, 175, 9);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (11, 190, 10);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (12, 210, 11);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (13, 110, 12);
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO SALLE VALUES (14, 170, 13);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (15, 230, 14);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (16, 145, 15);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (17, 155, 16);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (18, 165, 17);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO SALLE VALUES (19, 185, 18);
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM SALLE;
```

NumSalle	Capacite	NumCine
1	150	1
2	200	1
3	120	2
4	180	3
5	220	4
6	160	5
7	140	6
8	130	7
9	250	8
10	175	9
11	190	10
12	210	11
13	110	12
14	170	13
15	230	14
16	145	15
17	155	16
18	165	17
19	185	18

```
19 rows in set (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (1, 'Avengers', 120);  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO FILM VALUES (2, 'Titanic', 195);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (3, 'Inception', 148);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (4, 'Interstellar', 169);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (5, 'Gladiator', 155);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (6, 'Joker', 122);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (7, 'Avatar', 162);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (8, 'The Matrix', 136);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (9, 'Frozen', 102);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (10, 'Coco', 105);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (11, 'Black Panther', 134);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (12, 'The Lion King', 118);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO FILM VALUES (13, 'Fast & Furious', 130);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO FILM VALUES (14, 'Harry Potter', 152);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO FILM VALUES (15, 'Spider-Man', 140);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO FILM VALUES (16, 'Doctor Strange', 115);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO FILM VALUES (17, 'The Batman', 176);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO FILM VALUES (18, 'Top Gun', 131);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO FILM VALUES (19, 'Jurassic Park', 127);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO FILM VALUES (20, 'Mission Impossible', 147);
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM FILM;
```

NumExploit	Titre	duree
1	Avengers	120
2	Titanic	195
3	Inception	148
4	Interstellar	169
5	Gladiator	155
6	Joker	122
7	Avatar	162
8	The Matrix	136
9	Frozen	102
10	Coco	105
11	Black Panther	134
12	The Lion King	118
13	Fast & Furious	130
14	Harry Potter	152
15	Spider-Man	140
16	Doctor Strange	115
17	The Batman	176
18	Top Gun	131
19	Jurassic Park	127
20	Mission Impossible	147

```
20 rows in set (0.00 sec)
```

```
mysql> INSERT INTO PROJECTION VALUES (1, 1, 1, 120);
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO PROJECTION VALUES (2, 2, 1, 150);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (3, 3, 2, 90);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (4, 4, 2, 130);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (5, 5, 3, 200);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (6, 6, 3, 140);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (7, 7, 4, 160);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (8, 8, 4, 110);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (9, 9, 5, 220);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (10, 10, 5, 170);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (11, 11, 6, 180);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (12, 12, 6, 190);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (13, 13, 7, 100);
Query OK, 1 row affected (0.00 sec)
```



```

mysql> INSERT INTO PROJECTION VALUES (14, 14, 7, 150);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (15, 15, 8, 210);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (16, 16, 8, 130);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (17, 17, 9, 140);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (18, 18, 9, 160);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (19, 19, 10, 175);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PROJECTION VALUES (20, 20, 10, 185);
Query OK, 1 row affected (0.00 sec)

```

```
mysql> SELECT * FROM PROJECTION;
```

NumExploit	NumSalle	NumSemaine	NbEntrees
1	1	1	120
2	2	1	150
3	3	2	90
4	4	2	130
5	5	3	200
6	6	3	140
7	7	4	160
8	8	4	110
9	9	5	220
10	10	5	170
11	11	6	180
12	12	6	190
13	13	7	100
14	14	7	150
15	15	8	210
16	16	8	130
17	17	9	140
18	18	9	160
19	19	10	175
20	20	10	185

```
20 rows in set (0.00 sec)
```

TP UPDATE

```
mysql> UPDATE SALLE SET Capacite = 300 WHERE NumSalle = 1;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE SALLE SET Capacite = 250 WHERE NumSalle = 2;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE SALLE SET Capacite = 180 WHERE NumSalle = 3;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE SALLE SET Capacite = 200 WHERE Capacite = 150;
Query OK, 0 rows affected (0.00 sec)
Enregistrements correspondants: 0 Modifi@s: 0 Warnings: 0

mysql> UPDATE SALLE SET Capacite = Capacite + 20 WHERE NumSalle = 5;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE SALLE SET Capacite = Capacite - 10 WHERE NumSalle = 6;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE CINEMA SET Adresse = 'Nouvelle Adresse' WHERE NumCine = 3;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE CINEMA SET Adresse = 'Centre Ville' WHERE NumCine = 4;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE CINEMA SET CodePostal = '101' WHERE NumCine = 10;
Query OK, 1 row affected (0.00 sec)
```

```
mysql> UPDATE CINEMA SET CodePostal = '102' WHERE NumCine = 15;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE FILM SET Duree = 130 WHERE NumExploit = 1;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE FILM SET Duree = 210 WHERE NumExploit = 2;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE FILM SET Duree = Duree + 5 WHERE NumExploit = 3;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE FILM SET Duree = Duree - 10 WHERE NumExploit = 4;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE FILM SET Duree = 120;
Query OK, 20 rows affected (0.00 sec)
Enregistrements correspondants: 20 Modifi@s: 20 Warnings: 0

mysql> UPDATE FILM SET Titre = 'Gladiator 2' WHERE NumExploit = 5;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE FILM SET Titre = 'Joker 2' WHERE NumExploit = 6;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE FILM SET Titre = 'Avatar 2' WHERE NumExploit = 7;
Query OK, 1 row affected (0.00 sec)
```

```
mysql> UPDATE PROJECTION SET NbEntrees = 200 WHERE NumExploit = 1;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE PROJECTION SET NbEntrees = 150 WHERE NumSalle = 2;
Query OK, 0 rows affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 0 Warnings: 0

mysql> UPDATE PROJECTION SET NbEntrees = NbEntrees + 20 WHERE NumExploit = 3;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE PROJECTION SET NbEntrees = NbEntrees + 30 WHERE NumSemaine = 2;
Query OK, 2 rows affected (0.00 sec)
Enregistrements correspondants: 2 Modifi@s: 2 Warnings: 0

mysql> UPDATE PROJECTION SET NbEntrees = 180 WHERE NumSemaine = 5;
Query OK, 2 rows affected (0.00 sec)
Enregistrements correspondants: 2 Modifi@s: 2 Warnings: 0

mysql> UPDATE PROJECTION SET NumSemaine = 12 WHERE NumSalle = 1;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0

mysql> UPDATE PROJECTION SET NumSemaine = 8 WHERE NumExploit = 4;
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifi@s: 1 Warnings: 0
```

```
mysql> UPDATE VILLE SET NomVille = 'Betafo Ville' WHERE NomVille = 'Betafo';
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifié@s: 1 Warnings: 0

mysql> UPDATE VILLE SET NomVille = 'Nosy Be Centre' WHERE NomVille = 'Nosy Be';
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifié@s: 1 Warnings: 0

mysql> UPDATE VILLE SET NomVille = 'Morondava Ville' WHERE NomVille = 'Morondava';
Query OK, 1 row affected (0.00 sec)
Enregistrements correspondants: 1 Modifié@s: 1 Warnings: 0

mysql> UPDATE SALLE SET Capacite = 200 WHERE Capacite < 150;
Query OK, 4 rows affected (0.00 sec)
Enregistrements correspondants: 4 Modifié@s: 4 Warnings: 0

mysql> UPDATE PROJECTION SET NbEntrees = NbEntrees + 50 WHERE NbEntrees < 120;
Query OK, 2 rows affected (0.00 sec)
Enregistrements correspondants: 2 Modifié@s: 2 Warnings: 0
```

TP DELETE

```
mysql> DELETE FROM PROJECTION WHERE NumExploit = 1;
Query OK, 1 row affected (0.00 sec)
```

```
mysql> DELETE FROM PROJECTION WHERE NumSalle = 2;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> DELETE FROM PROJECTION WHERE NumSemaine = 5;
Query OK, 2 rows affected (0.00 sec)
```

```
mysql> DELETE FROM FILM WHERE NumExploit = 3;
Query OK, 1 row affected (0.00 sec)
```

```
mysql> DELETE FROM PROJECTION WHERE NumSalle = 4;
Query OK, 1 row affected (0.00 sec)
```

```
mysql> DELETE FROM VILLE WHERE NomVille = "Ambatondrazaka";
Query OK, 1 row affected (0.00 sec)
```

```
mysql> DELETE FROM PROJECTION WHERE NbEntrees < 150;
Query OK, 3 rows affected (0.00 sec)
```

```
mysql> DELETE FROM PROJECTION WHERE NumSemaine = 10;
Query OK, 2 rows affected (0.00 sec)
```