

Amis localization sheet — Container “File” (file)

Language:

Translator(s):

Date:

Container caption [file] > **File₁:**

Action [ID_MENU_FILE_OPEN]₂

Caption > Open...:

Description > **Open a Daisy book from the local file system:**

- 1 This is the menu header "File"
- 2 This is going to be a menu item and a toolbar item

<hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black;"/>							
<p>Action [ID_MENU_FILE_LOADCD]₃</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 35%;">Caption</td> <td style="width: 10%; text-align: center;">></td> <td style="width: 45%; text-align: center;">Load</td> <td style="width: 10%; text-align: right;">CD:</td> </tr> </table> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Description</td> <td style="width: 10%; text-align: center;">></td> <td style="width: 75%; text-align: center;">Load a DAISY book from CD ROM:</td> </tr> </table> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/>	Caption	>	Load	CD:	Description	>	Load a DAISY book from CD ROM:
Caption	>	Load	CD:				
Description	>	Load a DAISY book from CD ROM:					
<p>Action [ID_MENU_FILE_SEARCHDRIVE]₄</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 45%;">Caption</td> <td style="width: 10%; text-align: center;">></td> <td style="width: 45%; text-align: right;">Search...:</td> </tr> </table> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Description</td> <td style="width: 10%; text-align: center;">></td> <td style="width: 75%; text-align: center;">Search local drives for DAISY books:</td> </tr> </table> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/>	Caption	>	Search...:	Description	>	Search local drives for DAISY books:	
Caption	>	Search...:					
Description	>	Search local drives for DAISY books:					

3 This is going to be a menu item and a toolbar item

4 This is going to be a menu item

Action [ID_MENU_FILE_PREFERENCES]₅

Caption > **Preferences....:**

Description > **This is the application preferences dialog.:**

Container caption [recentBooksList] > **Recent**₆:

Action [ID_FILE_RECENT_EMPTY]₇

Caption > **Empty:**

5 This is going to be a menu item

6 This is the menu header for the recent books sub-menu.

7 This is going to be a menu item

<hr/> <hr/> <hr/>			
Description	>	There are no recently read books.:	
<hr/> <hr/> <hr/> <hr/>			

Action [ID_MENU_FILE_EXIT] ⁸			
Caption		>	Exit:
<hr/> <hr/> <hr/>			
Description		>	Exit AMIS:
<hr/> <hr/> <hr/>			

8 This is going to be a menu item

Amis localization sheet — Container “View” (view)

Language:

Translator(s):

Date:

Container caption [view] > **View₁:**

Action [ID_MENU_VIEW_SIDEBAR_ONOFF]₂

Caption > **Sidebar:**

Description	> Turn the sidebar on or off.:
-------------	--------------------------------

- 1 This is the menu header "View"
- 2 This is going to be a menu item

Action [ID_MENU_VIEW_BASIC]₃

Caption

>

Basic

View

Mode:

Description

>

Switch the view to basic mode.:

Action [ID_MENU_VIEW_CONTRAST]₄

Caption

>

High

Contrast:

Description

>

Use high contrast colors for the text display.:

3 This is going to be a menu item

4 This is going to be a menu item

Action [ID_MENU_VIEW_LARGEFONT]⁵

Caption > Increase Font Size:

Description > Gradually increase the font size.:

Action [ID_MENU_VIEW_RESETFONT]⁶

Caption > Reset Font Size:

Description > Set the font size to the default setting.:

5 This is going to be a menu item and toolbar item

6 This is going to be a menu item

7

<hr/> <hr/>

Amis localization sheet — Container “Play” (play)

Language:

Translator(s):

Date:

Container	caption	[play]	>	Play ¹ :
-----------	---------	--------	---	----------------------------

Action [ID_MENU_PLAYPAUSE]₂

Caption	>	Play :
---------	---	---------------

Description	>	Start	synchronized	playback.:
-------------	---	--------------	---------------------	-------------------

1 This is the menu header "Play"

2 This is going to be a menu item and toolbar item

<hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/>					
<div> Action [ID_MENU_PLAYPAUSE]₃ </div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 10px;"> <div style="width: 45%;"> Caption </div> <div style="width: 10%; text-align: center;"> > </div> <div style="width: 45%; text-align: right;"> Pause: </div> </div> <div style="margin-top: 10px;"> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> </div> <div style="margin-top: 10px;"> <div> Description </div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 10px;"> <div style="width: 15%; text-align: center;"> > </div> <div style="width: 85%;"> Pause playback of this DAISY book.: </div> </div> <div style="margin-top: 10px;"> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> </div> </div> <tr> <td colspan="3" style="padding: 10px;"> <div> Action [ID_MENU_PLAY_ESCAPE]₄ </div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 10px;"> <div style="width: 45%;"> Caption </div> <div style="width: 10%; text-align: center;"> > </div> <div style="width: 45%; text-align: right;"> Escape: </div> </div> <div style="margin-top: 10px;"> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> </div> <div style="margin-top: 10px;"> <div> Description </div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 10px;"> <div style="width: 15%; text-align: center;"> > </div> <div style="width: 85%;"> Jump out of the currently playing item or structure.: </div> </div> <div style="margin-top: 10px;"> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> </div> </div> </td></tr>			<div> Action [ID_MENU_PLAY_ESCAPE]₄ </div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 10px;"> <div style="width: 45%;"> Caption </div> <div style="width: 10%; text-align: center;"> > </div> <div style="width: 45%; text-align: right;"> Escape: </div> </div> <div style="margin-top: 10px;"> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> </div> <div style="margin-top: 10px;"> <div> Description </div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 10px;"> <div style="width: 15%; text-align: center;"> > </div> <div style="width: 85%;"> Jump out of the currently playing item or structure.: </div> </div> <div style="margin-top: 10px;"> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> </div> </div>		
<div> Action [ID_MENU_PLAY_ESCAPE]₄ </div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 10px;"> <div style="width: 45%;"> Caption </div> <div style="width: 10%; text-align: center;"> > </div> <div style="width: 45%; text-align: right;"> Escape: </div> </div> <div style="margin-top: 10px;"> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> </div> <div style="margin-top: 10px;"> <div> Description </div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 10px;"> <div style="width: 15%; text-align: center;"> > </div> <div style="width: 85%;"> Jump out of the currently playing item or structure.: </div> </div> <div style="margin-top: 10px;"> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> </div> </div>					

3 This is going to be a menu item and toolbar item

4 This is going to be a menu item

<hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black;"/>
<p>Action [ID_MENU_PLAY_FASTER]⁵</p> <p>Caption > Faster:</p> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black;"/> <p>Description > Increase the playback rate.:</p> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black;"/>
<p>Action [ID_MENU_PLAY_SLOWER]⁶</p> <p>Caption > Slower:</p> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black;"/> <p>Description > Slow down the playback rate.:</p> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-bottom: 10px;"/> <hr style="border: 0; border-top: 1px solid black;"/>

5 This is going to be a menu item and toolbar item

6 This is going to be a menu item and toolbar item

<hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/>											
<p>Action [ID_MENU_PLAY_NORMALSPEED]⁷</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">Caption</td> <td style="width: 10%; text-align: center;">></td> <td style="width: 40%; text-align: center;">Normal</td> <td style="width: 20%; text-align: right;">Speed:</td> </tr> </table> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">Description</td> <td style="width: 10%; text-align: center;">></td> <td style="width: 40%; text-align: center;">Reset the playback rate to normal.:</td> <td style="width: 20%;"></td> </tr> </table> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/>				Caption	>	Normal	Speed:	Description	>	Reset the playback rate to normal.:	
Caption	>	Normal	Speed:								
Description	>	Reset the playback rate to normal.:									
<p>Action [ID_MENU_PLAY_VOLUP]⁸</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">Caption</td> <td style="width: 10%; text-align: center;">></td> <td style="width: 40%; text-align: center;">Increase</td> <td style="width: 20%; text-align: right;">Volume:</td> </tr> </table> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">Description</td> <td style="width: 10%; text-align: center;">></td> <td style="width: 40%; text-align: center;">Gradually raise the volume.:</td> <td style="width: 20%;"></td> </tr> </table> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/> <hr style="border: 0; border-top: 1px solid black; margin-top: 10px;"/>				Caption	>	Increase	Volume:	Description	>	Gradually raise the volume.:	
Caption	>	Increase	Volume:								
Description	>	Gradually raise the volume.:									

7 This is going to be a menu item and toolbar item

8 This is going to be a menu item

Action [ID_MENU_PLAY_VOLDOWN]⁹

Caption > Decrease Volume:

Description > Gradually lower the volume.:

9 This is going to be a menu item

Amis localization sheet — Container “Navigate” (navigate)

Language:

Translator(s):

Date:

Container caption [navigate] > **Navigate**¹:

Action [ID_MENU_NAV_PREVSECTION]₂

Caption > **Previous** **Section:**

Description > **Go to the previous section.:**

1 This is the menu header "Navigate"

2 This is going to be a menu item and toolbar item

Action [ID_MENU_NAV_NEXTSECTION]₃

Caption > **Next** **Section:**

Description > **Go to the next section.:**

Container caption [sectiondepth] > **Show Section Depth**₄:

Action [ID_EMPTY]₅

Caption > **Empty:**

3 This is going to be a menu item and toolbar item

4 This is the "show section depth" sub-menu pop-up

5 This is going to be a menu item

<div style="border-bottom: 1px solid black; margin-bottom: 10px;"></div> <div style="display: flex; justify-content: space-between;"> Description > There are no section levels.: </div> <div style="border-bottom: 1px solid black; margin-bottom: 10px;"></div> <div style="border-bottom: 1px solid black; margin-bottom: 10px;"></div> <div style="border-bottom: 1px solid black;"></div>			
<div style="margin-bottom: 10px;">Action [ID_MENU_NAV_PREVPHRASE]₆</div> <div style="display: flex; justify-content: space-between;"> Caption > Previous Phrase: </div> <div style="border-bottom: 1px solid black; margin-bottom: 10px;"></div> <div style="border-bottom: 1px solid black; margin-bottom: 10px;"></div> <div style="border-bottom: 1px solid black;"></div> <div style="margin-top: 20px; display: flex; justify-content: space-between;"> Description > Go to the previous phrase.: </div> <div style="border-bottom: 1px solid black; margin-bottom: 10px;"></div> <div style="border-bottom: 1px solid black; margin-bottom: 10px;"></div> <div style="border-bottom: 1px solid black;"></div>			
<div style="margin-bottom: 10px;">Action [ID_MENU_NAV_NEXTPHRASE]₇</div> <div style="display: flex; justify-content: space-between;"> Caption > Next Phrase: </div> <div style="border-bottom: 1px solid black; margin-bottom: 10px;"></div> <div style="border-bottom: 1px solid black; margin-bottom: 10px;"></div> <div style="border-bottom: 1px solid black;"></div>			

6 This is going to be a menu item and toolbar item

7 This is going to be a menu item and toolbar item

Description	>	Go	to	the	next	phrase.:
<hr/>						
<hr/>						
<hr/>						

Action [ID_MENU_NAV_PREVPAGE] ⁸						
Caption	>	Previous			Page:	
<hr/>						
<hr/>						
<hr/>						
Description	>	Go	to	the	previous	page.:
<hr/>						
<hr/>						
<hr/>						

Action [ID_MENU_NAV_NEXTPAGE] ⁹						
Caption	>	Next			Page:	
<hr/>						
<hr/>						
<hr/>						
Description	>	Go	to	the	next	page.:

8 This is going to be a menu item and toolbar item

9 This is going to be a menu item and toolbar item

<hr/> <hr/> <hr/>				
Action [ID_MENU_NAV_GOTOPAGE] ¹⁰				
Caption	>	Go	to	Page...:
<hr/> <hr/> <hr/>				
Description	>	Go	to	a specific page.:
<hr/> <hr/> <hr/>				
Action [ID_MENU_NAV_FINDINTEXT] ¹¹				
Caption	>	Find	in	Text:
<hr/> <hr/> <hr/>				
Description	>	Search for a word or phrase in the text.:		
<hr/>				

10 This is going to be a menu item

11 This is going to be a menu item

Amis localization sheet — Container “Bookmarks” (bookmarks)

Language:

Translator(s):

Date:

Container caption [bookmarks] > **Bookmarks**¹:

Action [ID_MENU_BMK_ADD]²

Caption > **Add** **Bookmark:**

Description > **Bookmark** **your** **current** **position.:**

1 This is the menu header "Bookmarks"

2 This is going to be a menu item and toolbar item

<hr/>

Amis localization sheet — Container “Info” (info)

Language:

Translator(s):

Date:

Container caption [info] > **Info**₁:

Action [ID_MENU_INFO_SKIP]₂

Caption > **Skippable** **Items...:**

Description > **View the skippable items for this publication.:**

1 This is the menu header "Info"

2 This is going to be a menu item

<hr/> <hr/>			
Action [ID_MENU_INFO_SUMMARY] ₃			
Caption	>	Full	Summary:
<hr/> <hr/> <hr/>			
Description	>	Get all summary info for this publication.:	
<hr/> <hr/> <hr/> <hr/>			
Action [ID_MENU_INFO_CURRENTPOSITION] ₄			
Caption	>	Current	Position:
<hr/> <hr/> <hr/>			
Description	>	Get information about your current position.:	
<hr/>			

3 This is going to be a menu item and toolbar item

4 This is going to be a menu item

Action [ID_MENU_INFO_NAVOPTIONS]⁵

Caption

>

Navigation

Options:

Description > **Learn about your navigation options for this publication.:**

5 This is going to be a menu item

Amis localization sheet — Container “Help” (help)

Language:

Translator(s):

Date:

Container caption [help] > **Help¹:**

Action [ID_MENU_HELP_CONTENTS]₂

Caption > **Contents:**

Description > **Get help using AMIS:**

1 This is the menu header "Help"

2 This is going to be a menu item and toolbar item

Action [ID_MENU_HELP_ABOUT]₃

Caption > About AMIS:

Description > Find out about AMIS and DAISY-for-All.:

3 This is going to be a menu item

Amis localization sheet — Dialog “Find in Text” (IDD_FIND)

Language:

Translator(s):

Date:

Caption > **Find** **in** **Text:**

Description > **Here you can search the full text in either direction.:**

Prompt item > **After typing in your search, press enter to begin searching.:**

Control description [IDOK] > **Press to begin searching for text in the file.:**

Control description [IDC_SEARCHSTRING] > **Type the text to search for.:**

Control caption [IDC_FINDNEXT] > **Find Next:**

Control caption [IDC_FINDPREV] > **Find Previous:**

Amis localization sheet — Dialog “Multiple books found” (IDD_CDSEARCH)

Language:

Translator(s):

Date:

Caption > **Multiple books found:**

Description > **More than one book was found on this CD. Please select a book from the list below and press Alt + O to open.:**

Control [IDC_OPENBOOK]

Caption > **Open:**

Description > **Press to close this dialog and open the selected book.:**

Control description [IDC_BOOKLIST] > **Use the arrow keys to move around this list of titles.:**

Amis localization sheet — Dialog “About AMIS” (IDD_ABOUTBOX)

Language:

Translator(s):

Date:

Caption

>

About

AMIS:

Description > **Dialog with information about AMIS software.:**

Control caption [IDC_AMISNAME] > **AMIS: \nAdaptive Multimedia Information
System:**

Control caption [IDC_VERSION] > **Version 2.0**: This item need not be translated.

Control caption [IDC_VERSIONNOTE] > **Release Date: 23 Oct 2005**: This item need not be translated.

Control caption [IDC_COPYRIGHT] > **Copyright © 2006 DAISY for All**: This item need not be translated.

Amis localization sheet — Dialog “Search for DAISY Books” (IDD_SEARCHDAISY)

Language:

Translator(s):

Date:

Caption > **Search for DAISY Books:**

Description > **You can search your computer for DAISY books. Enter a path or browse for a folder to search, then press Search to begin searching.:**

Control description [IDD_SEARCHPATH] > **Type the path to the folder in this**

field.:

Control [IDC_STARTSEARCH]

Caption > Search:

Description > **Press to start searching.:**

Control [IDC_STOPSEARCH]

Caption > Stop:

Description > **Press to stop searching.:**

Control caption [condition: default] > **Ready:**

Control caption [condition: WhileSearching] > **Searching...:**

Control caption [condition: SearchAborted] > **Search stopped.:**

Control caption [condition: SearchCompleteNoFilesFound] > **Search complete: No
files found.:**

Control caption [condition: SearchCompleteOneFileFound] > **Search complete: One
file found.:**

Prompt item > **files were found.**¹:

Control description [IDC_FILESFOUND] > **Use the arrow keys to move around**
this list of titles.:

Control [IDC_OPENBOOK]

Caption > **Open:**

Description > **Press to open the selected title.:**

1 This is used in the sentence "7 files were found"

Amis localization sheet — Dialog “Skippable Items” (IDD_SKIP)

Language:

Translator(s):

Date:

Dialog	caption	[IDD_SKIP]	>	Skippable	Items ¹ :
--------	---------	------------	---	-----------	----------------------

Control description [condition: hasSkippableStructures] > **This book contains the following special structures. Check the ones you want skipped.:**

Control description [condition: hasNoSkippableStructures] > **This publication has no skippable elements.:**

¹ This dialog lets the user control rendering of skippable structures.

Control [IDC_SKIPS]

Caption

>

Skippable

items:

Description > **Use the arrow keys to move around this list of skippable items.:**

Amis localization sheet — Dialog “Language” (IDD_PROPPAGE4)

Language:

Translator(s):

Date:

Caption

>

Language:

Description > **Here you can change the language of the software. New
language packs are detected automatically.:**

Control [IDC_BTN_SELECTLANG]

Caption

>

Select

Language:

Description > **Press to confirm your language selection for the AMIS user interface:**

Control [IDC_LANGLIST]

Caption > **Your language choices are::**

Description > **Use the arrow keys to move around this list of languages.:**

Prompt item > **You are currently using AMIS in:**

Amis localization sheet — Dialog “Set Colors” (IDD_PROPPAGE2)

Language:

Translator(s):

Date:

Caption > **Set Colors:**

Description > **Here you can set color options for AMIS.:**

Control caption [IDC_PHRASES] > **Phrase Highlighting:**

Control caption [IDC_TEXTFG] > **Text Foreground::**

Control	caption	[IDC_TEXTBG]	>	Text	Background::
---------	---------	--------------	---	-------------	---------------------

Control	caption	[IDC_BORDER]	>	Selection	Border::
---------	---------	--------------	---	------------------	-----------------

Control	caption	[IDC_CONTRAST]	>	High	Contrast	Settings:
---------	---------	----------------	---	-------------	-----------------	------------------

Control	caption	[IDC_PAGEFG]	>	Page	Foreground::
---------	---------	--------------	---	-------------	---------------------

Control	caption	[IDC_PAGEBG]	>	Page	Background::
---------	---------	--------------	---	-------------	---------------------

Control	caption	[IDC_BTN_RESETCOLORS]	>	Reset	Colors:
---------	---------	-----------------------	---	--------------	----------------

Control caption [IDC_PHRASEPREVIEW] > **Preview of phrase highlight colors.:**

Control caption [IDC_CONTRASTPREVIEW] > **Preview of page contrast colors.:**

Amis localization sheet — Dialog “Current Position” (IDD_CURRENTPOSITION)

Language:

Translator(s):

Date:

Dialog caption [IDD_CURRENTPOSITION] > **Current Position¹:**

Control caption [IDC_SUMMARY] > **This is a list of data about your current position.:**

Prompt item > **Your current section is titled::**

¹ This dialog gives the user information about their current position in the publication.

Prompt item > **Number of pages in this section::**

Prompt item > **Number of subsections in this section::**

Amis localization sheet — Dialog “General Preferences” (IDD_PROPPAGE1)

Language:

Translator(s):

Date:

Caption > **General** **Preferences:**

Description > **Here you can set general preferences for AMIS.:**

Control caption [IDD_SELFVOICING] > **Use** **self-voicing:**

Control [IDD_TTSVOICE]

Caption > **Select TTS voice::**

Description > **Use the arrow keys to move around this list of voices:**

Control caption [IDC_BASIC] > **Start AMIS in the basic view mode.:**

Control caption [IDC_PROMPTONBASICVIEW] > **Upon switching to basic view, tell the user how to go back to the default view.:**

Control caption [IDC_LOADLASTDTB] > **Load the most recently read book when the software starts.:**

Control [IDC_BMKDIR]

Caption > **Bookmarks** **directory::**

Description > **Type the path to the bookmarks folder in this field.:**

Amis localization sheet — Dialog “Navigation Options” (IDD_NAVIGATIONOPTIONS)

Language:

Translator(s):

Date:

Dialog caption [IDD_NAVIGATIONOPTIONS] > **Navigation Options**¹:

Control caption [IDC_SUMMARY] > **This is a list of items to which you may
navigate directly.:**

¹ This dialog lists navigation options for the current publication.

Amis localization sheet — Dialog “Go To Page” (IDD_GOTOPAGE)

Language:

Translator(s):

Date:

Caption	>	Go	To	Page:
---------	---	----	----	-------

Description > **Here you can jump to a page number or page label.:**

Prompt item > **After typing in your page number, press enter to go there.:**

Control description [IDOK] > **Press this button to go to the desired page.:**

Control [IDC_PAGENUM]

Caption > **Enter a page number::**

Description > **Type the number or label of the page you want to go to.:**

Amis localization sheet — Dialog “Publication Summary” (IDD_FULLSUMMARY)

Language:

Translator(s):

Date:

Dialog caption [IDD_FULLSUMMARY] > **Publication Summary**¹:

Control caption [IDC_SUMMARY] > **This is a list of publication metadata.:**

Prompt item > **This book is titled::**

Prompt item > **Written by::**

¹ This dialog lists key publication metadata.

Prompt item > **Published** **by::**

Prompt item > **Description::**

Prompt item > **Number of navigation points in the table of contents::**

Prompt item > **Maximum** **section** **depth::**

Prompt item > **Front** **matter** **pages::**

Prompt item > **Regular** **pages::**

Prompt	item	>	Special	pages::
--------	------	---	----------------	----------------

Prompt	item	>	Total	duration::
--------	------	---	--------------	-------------------

Amis localization sheet — Prompt items

Language:

Translator(s):

Date:

Prompt item [altC_to_close] > **Press Alt + C to close the dialog.:**

Prompt item [altC_to_cancel] > **Press Alt + C to cancel the dialog.:**

Prompt item [thisItem] > **This item:**

Prompt item [spaceToToggle] > **Press the space bar to toggle the value.:**

Prompt item [tabAround] > **Hit tab to move around the options on the dialog.:**

Prompt item [ctrl2_for_colorsdialog] > **Press control + 2 to switch to the colors dialog.:**

Prompt item [ctrl3_for_langsdialog] > **Press control + 3 to switch to the language options dialog.:**

Prompt item [ctrl1_for_prefsdialog] > **Press control + 1 to switch to the general preferences dialog.:**

Prompt item [thisItemIsCurrently] > **This item is currently:**

Prompt item [enter_to_close] > **Press enter to close the dialog.:**

Prompt item [browse_button_caption] > **Browse...:**

Prompt item [browse_button_description] > **Press to open the folder browse dialog.:**

Prompt item [ok_button_caption] > **OK:**

Prompt item [ok_button_description] > **Press OK to close this dialog.:**

Prompt item [cancel_button_caption] > **Cancel:**

Prompt item [cancel_button_description] > **Press to cancel this dialog.:**

Prompt item [list_reads_automatically] > **This list will be read automatically.:**

Prompt item [repeatLastPromptInstr] > **Press Control + R to repeat the last prompt.:**

Prompt item [thisDialogNotSelfVoicing] > **This dialog is not yet self-voicing.:**

Prompt	item	[pages]	>	Pages:
--------	------	---------	---	---------------

Prompt	item	[noterefs]	>	Footnotes:
--------	------	------------	---	-------------------

Prompt	item	[prodnotes]	>	Producer	notes:
--------	------	-------------	---	-----------------	---------------

Prompt	item	[sidebars]	>	Sidebars:
--------	------	------------	---	------------------

Prompt	item	[groups]	>	Grouped	items:
--------	------	----------	---	----------------	---------------

Prompt	item	[navigation_sidebar_caption]	>	Navigation:
--------	------	------------------------------	---	--------------------

Prompt item [ready] > **Ready:**

Prompt item [property_sheet_caption] > **Preferences:**

Prompt item [selfolder_title] > **Select a Folder:**

Prompt item [selfolder_instr] > **Select a folder from the directory below.:**

Prompt item [daisy_books] > **DAISY Books:**

Prompt item [folder_does_not_exist] > **The folder %s does not exist. Do you
want the folder to be created?:**

Prompt item [folder_invalid] > **This folder name is invalid. Please choose another.:**

Prompt item [cant_create_folder] > **This folder can not be created. Please double check.:**

Prompt item [not_available] > **Not available:**

Prompt item [numeric_zero] > **0¹:**

1 All numerals should be translated into numerals, not words.

Prompt item [numeric_one] > **1:**

Prompt item [numeric_two] > **2:**

Prompt item [numeric_three] > **3:**

Prompt item [numeric_four] > **4:**

Prompt item [numeric_five] > **5:**

Prompt item [numeric_six] > **6:**

Prompt item [numeric_seven] > **7:**

Prompt	item	[numeric_eight]	>	8:
--------	------	-----------------	---	-----------

Prompt	item	[numeric_nine]	>	9:
--------	------	----------------	---	-----------

Prompt	item	[deleted]	>	deleted:
--------	------	-----------	---	-----------------

Prompt	item	[will_be_skipped]	>	will	be	skipped:
--------	------	-------------------	---	-------------	-----------	-----------------

Prompt	item	[will_be_played]	>	will	be	played:
--------	------	------------------	---	-------------	-----------	----------------

Prompt	item	[item_on]	>	on:
--------	------	-----------	---	------------

Prompt	item	[item_off]	>	off:
--------	------	------------	---	-------------

Prompt	item	[item_selected]	>	selected:
--------	------	-----------------	---	------------------

Prompt	item	[item_deselected]	>	deselected:
--------	------	-------------------	---	--------------------

Prompt	item	[keyboardShortcut]	>	Keyboard	Shortcut:
--------	------	--------------------	---	-----------------	------------------

Prompt	item	[icon]	>	Icon:
--------	------	--------	---	--------------

Prompt	item	[menu]	>	Menu:
--------	------	--------	---	--------------

Prompt	item	[followedBy]	>	followed	by¹:
--------	------	--------------	---	-----------------	------------------------

Prompt	item	[submenu]	>	Sub	Menu:
--------	------	-----------	---	------------	--------------

Prompt	item	>	Dialog	closed.:
--------	------	---	---------------	-----------------

Prompt	item	>	Text	field	entry	is::
--------	------	---	-------------	--------------	--------------	-------------

Prompt item > **The location of the book you are looking for has changed.
A different book was found instead. Did the contents of your
CD-ROM drive change?:**

1 This is used in the context of a sequence of key presses, as in "Press Alt + V, followed by S"

Prompt item > **An error occurred while trying to open the book.:**

Prompt item > **There is not a CD in the CD-ROM drive.:**

Prompt item > **Plug-in error: init() function not found in the plug-in DLL.:**

Prompt item > **Plug-in error: The following plug-in library could not be loaded.:**

Prompt item > **You are now using the basic view mode. Press F11 to switch back to the default view mode.:**

Prompt items [OpenFile_notSelfVoicing]

Prompt item > **Open File Dialog:**

Prompt item > **Use the "search for books" feature, under the file menu, to find DAISY books on your hard drive.:**

Prompt items [BrowseForFolder_notSelfVoicing]

Prompt item > **Browse for folder dialog:**

Prompt item > **Then, type the path of the folder you want in the text box.:**

Prompt item > **Canceled:**

Prompt item > **Loading:**

Prompt item > **Please restart to see your changes.:**

Prompt item > **No DAISY books were found on this CD-ROM.:**
