

Bid Document

Bid Details	
Bid End Date/Time	18-07-2020 17:00:00
Bid Opening Date/Time	18-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Manipur
Department Name	Health Services Department Manipur
Organisation Name	National Rural Health Mission (nrhm)
Office Name	Lamphelpat
Total Quantity	9
Item Category	ECG Machine
Bidder Turnover (Last 3 Years)	2 Lakh (s)
OEM Average Turnover (Last 3 Years)	4 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
Inspection Required	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Post Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

ECG Machine (9 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certificates	Confirmity to standards	European CE	European CE
	Certification number and date	-	*
	Confirmity to safety of electromagnetic compatibility	IEC-60601-1-2:2001 (or equivalent BIS)	*

	Confirmity to safety standard	IS - 13450 / IEC60601-1-2005	*
Performance Parameters	Purpose	ECG machine is primary equipment to record ECG signal with interpretation which is required for recording and analyzing the waveforms with software.	ECG machine is primary equipment to record ECG signal with interpretation which is required for recording and analyzing the waveforms with software.
	Operating modes of ECG Machine	Automatic, Manual and Rhythm	*
	ECG machine should have ECG lead annotation facility	Yes	*
	Leads which is in ECG machine should be able to acquire simultaneously and interpret them	12	*
	Number of channels	3	3
	ECG machine should acquire lead ECG for both adult and paediatric patients	Yes	*
	The ECG machine should have facility to show lead fail indication	Yes	*
	The ECG machine should have facility to show lead reversal indication	Yes	*
	The ECG machine should have facility to show the impedance to quality check of connection	Yes	*
	Acquisition time for ECG Machine in sec	10 sec	*
	Digital sampling rate for Pacemaker spike detection	40000 s/sec/channel	*
	Recording of digital sampling for pacemaker	1000 s/sec/channel	*
	ECG machine should have real time colour backlit display of ECG waveforms with signal	Yes	*

qualify indication for each lead		
ECG machine should have frequency filters	Artifact, AC and low and high pass frequency filters	*
Number of ECGs which can be store in ECG Machine	151-200	151-200
ECG machine should have full screen preview of ECG report for quality assessment checks prior to print	Yes	Yes
Type of inbuilt screen	LCD	LCD
Size of screen in inches	5	5
Display resolution of ECG machine in pixels	640 x 480	*
ECG machine should have interpretation facility of the amplitudes, duration and morphologies of ECG waveforms and associated rhythm for adult and pediatric patient	Yes	*
ECG machine should have alphanumeric keyboard for patient data entry	Hard keys	Hard keys
Size of printing paper	A4	A4
Resolution of digital array printer using thermal sensitive paper in ECG Machine in dpi	200 dpi x 500 dpi on 25 mm/sec speed	*
ECG machine report format	Report formats of 3x4; 6x2, Rhythm for up to selected leads, 12 lead extended measurement, 1 minute of continuous waveform data for 1 selected lead	*
Provision of battery	Yes	Yes
Battery capacity	50 ECG or 1 hour of continous rhythm	50 ECG or 1 hour of continous rhythm

		recording on single charge	recording on single charge
	Connectivity to ECG Machine	LAN	LAN
	Storage on external portable memories	USB support	*
	The individual patient lead should be change without replacing the whole patient cable assembly	Yes	*
	Noise level in dba	35	*
	Weight of ECG Machine in Kg	2.5	*
	Frequency in Hz	300	*
	Availability of latest interpretation software	Yes	Yes
	Wireless acquisition module with RF technology	No	Yes, No
	System should have the dedicated software to download the ECG form machine in PDF format	Yes	Yes
	Warranty in years	4	4
	User and service manual of ECG Machine	Yes	*
Environmental Parameters	Operating temperature and humidity	temperature of 10-40 degree C and relative humidity of 15-90%	*
Trolley	Provision of trolley	No	No
	Material of Frame of trolley	No Trolley Provided	No Trolley Provided
	Material of Top of trolley	No Trolley Provided	No Trolley Provided
	Number of castors	No Trolley Provided	No Trolley Provided
	Number of brakes for castors	No Trolley Provided	No Trolley Provided
	Height of trolley in inch	No Trolley Provided	No Trolley Provided
	Provision of railing for top shelf	No Trolley Provided	No Trolley Provided
	Availability of suitable cable arm	No Trolley Provided	No Trolley Provided

	having holder for ECG cables when not in use		
Power Supply	Power input	220-240 V AC, 50 Hz fitted with Indian plug	*
	Length of power cable in meter	3	*
	Resettable over current breaker shall be fitted for protection	Yes	*
Accessories	ECG Machine 12 leads with interpretation	1	1
	Patient Cable	2	2
	Chest Electrodes Adult (set of Six)	1	1
	Chest Electrodes Paediatric (set of Six)	2	2
	Limb Electrodes	2 for adults and 2 for paediatric	2 for adults and 2 for paediatric
	Thermal paper for 500 patients	1 SET	1 SET
	Power cable for charging	Yes	Yes
	Supplied with Clip electrode	No	Yes, No
Reports	Manufacturer shall be ISO certified	ISO 13485	*
	ISO certification details such as date and number	-	*
	Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters	No	No
	Test report number , In case test reports not available , put NA	-	*
	Test report date, In case test reports not available , put NA	-	*
	Name of test lab , In case test reports not available , put NA	-	*
	Address of test lab ,	-	*

	Incase test reports not available , put NA		
	Copies of all test reports to be provided to buyer on demand at time of supplies ,	NA ,Incase test reports not available	NA ,Incase test reports not available

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pungsumbam Ibomcha Singh	795004,Medical Directorate, Lamphelpat, Imphal	9	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
2. Bid reserved for Make In India products: Procurement under this bid is reserved for purchase from Class 1 local suppliers as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document 50%. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
3. Indian suppliers of this item are not allowed to participate and/ or compete in procurement by some foreign governments. Bidders / products from such countries are not eligible / not allowed to participate in this bid in terms of clause 1 (d) of Public Procurement (Preference to Make in India) Order, 2017
4. Procurement under this bid is reserved for purchase from Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.
5. Preference to Make In India products (For bids less than 200 Crore):Preference shall be given

to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

6. Warranty period of the supplied products shall be 4 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid
7. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
8. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
9. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
10. Procurement under this bid is reserved for purchase from Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.
11. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
12. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of

CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---