

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 13:00:00
Bid Opening Date/Time	20-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	70 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Indian Coast Guard
Office Name	*****
Total Quantity	2
Item Category	Steel Porta Cabin
Experience Criteria	3 Year (s)
MSE Exemption for Years Of Experience	Yes
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	30 %
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.50
EMD Amount	12750

ePBG Detail

Advisory Bank	State Bank of India

ePBG Percentage(%)	10.00
Duration of ePBG required (Months).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

The Commanding Officer
Cgae , Bhubaneswar / Kolkata, Department of Defence, Indian Coast Guard, Ministry of Defence
(The Commanding Officer, Cgae Bsr)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Steel Porta Cabin (2 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Configuration of Cabin	With one Room and Verandah.	With one Room and Verandah.
	Transportations / Freight charges	Offer Prices are on Free Delivery at Consignee	*

	site basis.	
Approval of Advance sample	No Advance Sample	No Advance Sample
Foundation for Cabin	Building of Foundation at site shall be the responsibility of the Consignee and the Seller shall Install / Erect and Commission the structure on the foundation constructed upto plinth level by the Consignee.	*
Special Condition	Scope of supply includes Supply and Erection of Cabin at consignee site hence Offer Price to include all these cost components. Further Offer Prices are on Free Delivery at Consignee site basis hence Transportation / Freight charges are to be included in Offer price. Building of Foundation at site shall be the responsibility of the Consignee and the Seller shall Erect the structure on the foundation constructed upto plinth level by the Consignee. In case advance sample is required - after award of contract - Seller shall have to get Advance sample approved from Buyer before manufacturing / starting Bulk supplies. Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample. If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval.	*

Time period for completion of Erection work at site by seller	Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work	Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work
Suitability / structural stability / completeness of structures, the structure is intended for use in	In wind condition of 55m/s - in Seismic zone V and ambient temprature range 0 degree C to (+) 50 degree C - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.	In wind condition of 55m/s - in Seismic zone V and ambient temprature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition., In wind condition of 55m/s - in Seismic zone V and ambient temprature range 0 degree C to (+) 50 degree C - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.
Shape of Cabin	Rectangular	*
Type of slope(roof)	Two way slope.	Two way slope.
Insulation of Wall / Roof / door panels	Insulation core of panel to be formed in one piece and provides desired structural and physical properties.	*
Ventilation	Without ventilator.	*
Storage provision	N.A	N.A
Provision for Power Connection	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer.	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer.
Wiring	Concealed wiring	Concealed wiring
Provision for Cable , Switches and Junction box	Seller to make appropriate provisions for cable laying -	Seller to make appropriate provisions for cable laying -

	connection	installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin.	installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin.
	Other requirements	Not required.	Not required.
	Completeness of the work	Any fittings or items which may not be specially mentioned in the specifications but which are necessary for commissioning of Cabin are to be provided by the Seller without any extra charge.	*
	Electricity charges	N.A	*
PANEL MATERIAL	Side wall panel material	1.25 mm thick corrugated HR sheet	1.25 mm thick corrugated HR sheet
	Door panel material	Flush door 32 mm thick water proof.	Flush door 32 mm thick water proof.
	Window panel material	Powder coated aluminium sliding windows with 4 mm tinted Glass	Powder coated aluminium sliding windows with 4 mm tinted Glass
	Door and Window canopy material	1.25 mm thick corrugated HR sheet	1.25 mm thick corrugated HR sheet
	Floor panels material	15 mm heavy duty cement fiber board inside and outside texture paint.	15 mm heavy duty cement fiber board inside and outside texture paint.
	Roof panel material	1.25 m thick corrugated HR sheet	1.25 m thick corrugated HR sheet
	End panel material	1.25 mm thick corrugated HR sheet	*
	Insulation material for sides and End walls	30 mm high density thermocol.	30 mm high density thermocol.
	Insulation material for Roof	30 mm high density thermocol.	30 mm high density thermocol.
	Inside panel material for sides, end walls & roof	Consists of 8 mm thick pre-laminated board.	Consists of 8 mm thick pre-laminated board.
FRAME MATERIAL	Roof frame	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	Side Panel frame	Made of MS having stiffner Top 40 mm x	Made of MS having stiffner Top 40 mm x

		20 mm x 3.2 mm thick	20 mm x 3.2 mm thick
	Floor panel frame	MS having 50 mm x 50 mm x 1.2 mm	MS having 50 mm x 50 mm x 1.2 mm
	Window panel frame	Aluminium glazed sliding window anodized sections frame	*
	Understructure / Base	Made up of MS pipe 50 mm x 50 mm x 1.2 mm thick for vertical and beside - Centre block and outer ride with 25 mm x 25 mm x 2 mm thick MS pipe	*
	Door panel frame	Other than aluminium frame.	*
Dimensions and Thickness	Inside Length ± 15 mm	6100 mm	6100 mm
	Inside Width ± 15 mm	3050 mm	3050 mm
	Total Height (mm) ± 15mm	2590 mm	2590 mm
	Size of Window ± 10 mm	900 mm x 900 mm	*
	Door Width ± 5 mm	915 mm	*
	Door Height ± 10 mm	2135 mm	*
	Size of Door handle	SS 302 Latch 200mm	*
	Size of Tower bolt	SS 302 125 mm	*
	Size of Aldrop	200 mm x 16 mm of SS 302	*
	Size of door hinges	100 mm of SS 302	*
	Size of Door / Window Chajja (projection if any) ± 10 mm	455 mm wide 45 degree slope	*
	Roof projection (if any) ± 10 mm	N.A	N.A
	Total thickness of Wall panel ± 2 mm	40 mm	40 mm
	Total thickness of Door panel ± 2 mm	35 mm	35 mm
	Roof ridge height ± 10 mm	N.A	N.A
	Almirah / Cabinet size ± 5 mm	N.A	N.A
	Verandah size	1800 mm x 1800 mm	*

MISCELENIIOUS	Number of Door hinges	2 nos.	*
	Number of Door handles	2 nos. (1 no. each inside and outside)	*
	Number of Tower bolt	1 nos.	*
	Number of Aldrop on each door	1 nos.	*
	safety Grills (for windows)	Made from MS square bar of 8 mm having equal spacing of 125 mm	*
	Position of door	On one of the longer side	*
	Electric fittings	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided.	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided.
	Number of Doors	1	*
	Number of Windows	2 nos. windows	2 nos. windows
	Doors (against water ingress in closed condition)	Others	*
	Roof slope	1 : 4 (approx) Self Draining Type	*
	Door opening	Internal	*
	Roof ridge	N.A	N.A
	Flashing item (U track, L corner etc)	N.A	N.A
	Locking / Security	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft.	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft.
	Overall covered area by Roof \pm 10 mm	3050 mm x 3960 mm	*
COLOUR AND FINISH	Colour	As per Buyer's choice	As per Buyer's choice
	Top coat	Chlorinated rubber paint 50 microns.	Chlorinated rubber paint 50 microns.
	Paint outside	Two coats of synthetic enamel paint to be	Two coats of synthetic enamel paint to be

		applied on expose structure and all MS items after installation.	applied on expose structure and all MS items after installation.
	Inside finish	As per Buyer's choice	As per Buyer's choice
	Logo (if any)	Approved logo of desired size to be painted as per Buyer's requirement.	Approved logo of desired size to be painted as per Buyer's requirement.
WARRANTY	Guarantee / Warranty of bought out components	OEMs guarantee /warranty of all Bought out components to be extended to the user unit - Seller have to submit related documents to the Buyer alongwith supply of Goods.	*
	Service Maintenance	Replacements / repairs to be borne by the seller in respect of fittings and fixtures during guarantee / warrantee period.	*
	Warranty	1 - Year	*
CERTIFICATION	Test reports to be furnished to buyer's on demand	Yes	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes	Yes
	OEM of offered product is ISO 18001:2007 certified	Yes	Yes

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****KHORDA	2	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
2. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
3. Bid reserved for Make In India products: Procurement under this bid is reserved for purchase from Class 1 local suppliers as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document 50%. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
4. Procurement under this bid is reserved for purchase from Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.
5. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---