

RA Number: GEM/2020/RA/45356

Dated: 16-07-2020

### **RA Document**

KA Document				
RA Details				
RA Technical End Date/Time	27-07-2020 16:00:00			
RA Opening Date/Time	27-07-2020 16:30:00			
RA Life Cycle (From Publish Date)	90 (Days)			
RA Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Ministry Of Petroleum And Natural Gas			
Department Name	Corporate It			
Organisation Name	Balmer Lawrie & Co Ltd			
Office Name	East			
Total Quantity	80			
Item Category	Plain Copier Paper			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Inspection Required	No			

### **EMD Detail**

Required   No
---------------

### ePBG Detail

I		
Required	No	

## **Splitting**

RA splitting not applied.

## Plain Copier Paper (80 ream)

## **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement
			(Allowed Values)

Certification	Conformance to Indian Standard	"Generally conforming to IS14490 : Latest"	*
	Whether ISI Marked	No	No
	Give CML number if ISI marked Write NA if not ISI marked	-	*
	Test Method as per IS:1060	Yes	*
Test Report Details	"Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification"	Yes	*
	"Test Report to be Submitted to the Buyer on demand"	Yes	*
Additional Requirements for eco mark	The material shall be manufactured from pulp containing not less than 60% by mass of pulp made from materials other than bamboo,hard woods ,softwoods and reed or the material shall be manufactured from pulp made from 100%waste paper	Yes	*
Size	Size of paper	A4	A4
	GSM of paper	75	75
Quantity	"Number of sheets per Ream"	500	500
Physical Characteristics	"ISO Brightness,perc ent,Min"	94.77	94.77
	Opacity percent,Min	90	90
	"One minute Cobb test both sides,g/m2,Max"	35	35
	"Tensile Index Machine Direction (MD) ,Nm/g, Min"	45	45
	Tensile Index Cross Direction(CD),Nm/g, Min	30	30
	"Tear Index in mN m²/g,Machine Direction(MD),Min"	4.9	4.9

	"Tear Index in mN m²/g,Cross Direction(CD)Min,"	3.8	3.8
	"Smoothness for both sides (Bendtsen) in ml/min,Max"	245	245
	"Ash content(900°C) ,percent by mass,Max"	20	20
	Thickness in µm,Min	96	96
	"Moisture content,percent,Max	7	7
	"Taber Stiffness ,Machine Direction(MD),Min"	4	4
	Taber Stiffness ,Cross Direction(CD),Min	1	1
	"Surface Strength Dennison (Wax Pick)"	No pick on 12 A	No pick on 12 A
Packing and Marking	"Packing as per clause 6-1 of IS:14490(Latest)"	Yes	*
	Package should be marked with Description, size of Paper, Quantity, Mass of 500/250 sheets including wrapping paper in kg/ream Chargeable wt should be net wt excluding the wt of packing, Lot Number and month/year of manufacturing, Name of manufacturer	Yes	*

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

## **Additional Specification Documents**

## **Consignee/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days	

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

Amit Kumar Mukherjee	600068,Balmer Lawrie & Co Ltd Container Freight Station	15	
Hukherjee	(CFS) No 32, Sattangadu Village, Manali		

# **Bid Specific Additional Terms and Conditions**

1. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

This RA is also governed by the General Terms and Conditions

---Thank You---