

### Bid Document

Bid Details	
Bid End Date/Time	18-07-2020 18:00:00
Bid Opening Date/Time	18-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence Production
Organisation Name	Indian Ordnance Factories
Office Name	*****
Total Quantity	10
Item Category	Almirah Steel
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Almirah Steel ( 10 pieces )

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	No	No
	<b>No of shelves (Nos)</b>	4	4
	<b>Type of Shelves</b>	Fixed	Fixed
	<b>Locker Provided</b>	Yes	Yes
	<b>Locking System with the locker</b>	YES	YES
	Cloth hanging provision in the Almirah	No	*
	<b>Number of Doors (Nos)</b>	2	2
	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes	Yes
	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	3	3
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	N.A	N.A
	<b>Construction</b>	Welded	Welded
	<b>Lock</b>	Three Way bolting device controlled by lock	Three Way bolting device controlled by lock
MATERIAL	<b>Material</b>	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	<b>Material of Almirah Doors</b>	M S Sheet	M S Sheet
	<b>Sheet Thickness of Locker</b>	0.8 mm	0.8 mm
	<b>Length of Glass Sheet <math>\pm 10</math> (mm)</b>	N.A	N.A
	<b>Width of Glass Sheet <math>\pm 10</math> (mm)</b>	N.A	N.A

	<b>Sheet Thickness of door in mm</b>	0.8 mm (Minimum)	0.8 mm (Minimum)
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	0.8 mm (Minimum)	0.8 mm (Minimum)
	<b>Sheet Thickness of Shelves</b>	0.8 mm	0.8 mm
	<b>Sheet Thickness of Pedestal in mm</b>	0.8 mm (Minimum)	0.8 mm (Minimum)
	<b>Material of Lock</b>	Brass and steel finish	Brass and steel finish
	<b>Material of Keys</b>	steel	steel
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	1855	1855
	<b>Width in mm (<math>\pm 7</math> mm)</b>	910	910.0
	<b>Depth in mm (<math>\pm 5</math> mm)</b>	480	480.0
	<b>Inside Height of Locker in mm (<math>\pm 5</math> mm)</b>	370 mm	370 mm
	<b>Inside Width of Locker in mm (<math>\pm 5</math> mm)</b>	455 mm	455 mm
	<b>Inside Depth of Locker in mm (<math>\pm 5</math> mm)</b>	455 mm	455 mm
	<b>Width of Stiffner in mm (<math>\pm 5</math> mm)</b>	N.A	N.A
	<b>Thickness of MS Sheet of Stiffner (in mm)</b>	N.A	N.A
	<b>Stiffened Pedestal height in mm (<math>\pm 2</math> mm)</b>	125	125
	<b>Pedestal Width in mm (<math>\pm 2</math> mm)</b>	70	70
COLOUR & FINISH	<b>Finish</b>	Synthetic enamel	Synthetic enamel
	Colour of Paint	ash gray	*
	Packing:	Gutta Packing	*
CERTIFICATION	ISI marked	No	*
	CM/L No.	-	*
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1	1

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****HOSHANGABAD	10	30

### **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**