

Bid Number: GEM/2020/B/707386

Dated: 12-07-2020

## **Bid Document**

Бій	Document		
Bid Details			
Bid End Date/Time	22-07-2020 15:00:00		
Bid Opening Date/Time	22-07-2020 15:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	30 (Days)		
Ministry/State Name	Rajasthan		
Department Name	Technical Education Department Rajasthan		
Organisation Name	Rajasthan Technical University (rtu) Kota		
Office Name	Rajasthan Technical University Kota		
Total Quantity	2		
Item Category	Multifunction Machines MFM		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	No		
Inspection Required	No		

### **EMD Detail**

Required	No

#### ePBG Detail

## Splitting

Bid splitting not applied.

# Multifunction Machines MFM ( 2 pieces )

### **Technical Specifications**

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Ungrouped	Print Technology	Laser	Laser
	Type of Machine	Multifunction Machine	Multifunction Machine
	Type of Printing	Mono	Mono
	Cartridge Technology	Separate Drum and Toner (Mono Component)	Composite Cartridge, Separate Drum and Toner (Mono Component), Separate Drum and Toner (Dual Component) Or higher
	Developer Unit	Yes	*
	Platen/Flatbed Size	A3	A3 Or higher
	Paper Size (Original/Image)	A3/A3	A3/A3
	RAM size (MB)	1024	*
	Hard Disk Capacity(GB)	0	*
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono	25	25, 26, 27, 28, 30, 31, 35, 36, 38, 40, 43, 45, 46, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 90, 95, 100, 105, 110, 51, 56, 41, 120, 130, 160, 57, 33, 34, 32, 85, 81, 53 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour	0	*
	Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono	12	*
	Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Colour	0	*
	Scanning Feature Availability	Yes	Yes, No Or higher
	Duplexing Feature Availability	Yes	Yes Or higher

Faxing Feature Availability	No	Yes, No Or higher
Speed of Fax, If Fax Feature is available	NA	*
Networking Feature Availability	Yes	Yes Or higher
If yes, Type of Network Interface	Ethernet 10/100/1000	*
Wi-Fi Availability	Yes	Yes Or higher
If yes,Wi-Fi Type	Wi fi 802.11 b/g/n & Wi Fi Direct	*
Original Document Feeder Type	DADF/RADF	DADF/RADF Or higher
Feeder Capacity (Number)	50	*
Number of Main Paper Tray	2	1, 2, 3, 4, 5 Or higher
Each Main Paper Tray Capacity (Number)	500	*
Bypass Facility	Yes	Yes, No Or higher
If Yes, Bypass Tray Capacity	100	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of	2500	*

prints)		
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)	300000	*
Duty Cycle (No of Prints/month)	80000	*
Minimum Operating Temperature (Degree C)	10	*
Maximum Operating Temperature (Degree C)	30	*
Minimum Operating Humidity (%RH)	10	*
Maximum Operating Humidity (%RH)	80	*
BIS Registration under CRS of Meity	Yes	*
BIS Registration Number	-	*
Other Certifications Available	UL,CE,RoHS	*
Dimension (mm x mm x mm)	-	*
Weight (Kg)	-	*
On Site OEM Warranty (Year)	5	1, 2, 3, 4, 5 Or higher

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V V D N Kamesh	324010,Rajasthan Technical University, Rawatbhata Road,	2	30

# **Bid Specific Additional Terms and Conditions**

- 1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 3. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---