

### Bid Document

Bid Details	
Bid End Date/Time	21-07-2020 11:00:00
Bid Opening Date/Time	21-07-2020 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Bihar
Department Name	Urban Development & Housing Department Bihar
Organisation Name	Urban Development And Housing Department
Office Name	Npdalsinghsarai
Total Quantity	14
Item Category	FRP Urinal Cabin
Bidder Turnover (Last 3 Years)	4 Lakh (s)
OEM Average Turnover (Last 3 Years)	20 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years Of Experience	Yes
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	Yes
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## FRP Urinal Cabin ( 14 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Cofiguration</b>	Urinals without washbasin	Urinals without washbasin
	<b>Design &amp; Function of the urinal</b>	Flat back urinal - designed to fix in the wall with a screw i.e low in weight and small in shape.	Flat back urinal - designed to fix in the wall with a screw i.e low in weight and small in shape.
	<b>Mode of Supply</b>	Assembled Ready To Use	Assembled Ready To Use
	<b>Number of urinal Cabins</b>	1 no.	1 no.
	<b>Number of Urinals</b>	1 no.	1 no.
	<b>Water facility</b>	Direct connection from external supply	Direct connection from external supply

<b>Sewage facility</b>	No sludge tank / directly connected to septic tank	No sludge tank / directly connected to septic tank
<b>Ventilation</b>	Full size ventilation above door plus half size ventilation on other side for cross ventilation	Full size ventilation above door plus half size ventilation on other side for cross ventilation
<b>Lifting hook</b>	One number heavy lifting hook provided	One number heavy lifting hook provided
Roof shape	Flat	*
<b>Projection of Roof</b>	No projection	No projection
<b>Installation and commissioning</b>	To be done by seller	To be done by seller
<b>Plumbing and Sanitary fitting connection</b>	To be done by Consignee himself	To be done by Consignee himself
<b>Electrical connection</b>	To be done by Consignee himself	To be done by Consignee himself
<b>Waste extraction fittings</b>	To be done by Consignee himself	To be done by Consignee himself
<b>Civil foundation</b>	No foundation required	No foundation required
Transpotations / Freight charges	Offer Prices are on Free Delivery at Consignee site basis.	*
Shape of cabin	Square	*
<b>Materials used to produce urinals for Men's</b>	Ceramic	Ceramic
<b>Materials used to produce urinals for Women's</b>	FRP	FRP
<b>Number of cabins having urinals without washbasin</b>	1 no.	1 no.
<b>Number of urinal cabins having one number inside washbasin</b>	1 no.	1 no.
<b>Number of urinal cabins having two numbers inside washbasin</b>	1 no.	1 no.
<b>Number of urinal cabins having one number outside washbasin</b>	1 no.	1 no.

	<b>Number of urinal cabins having two numbers outside washbasin</b>	1 no.	1 no.
	<b>Water spreader facility</b>	Water spreader available ( For Gent's urinal )	Water spreader available ( For Gent's urinal )
	<b>Partition for Gent's urinal</b>	Yes	Yes
	<b>Type of mounting</b>	Wall mount - Fixed in a wall	Wall mount - Fixed in a wall
	<b>Unit type</b>	Portable	Portable
	Sensor urinal - Automatic water flushing urinal	No	*
FRAME MATERIAL	<b>Bottom frame material</b>	No bottom frame structure	No bottom frame structure
	<b>Bottom frame support material</b>	No support structure	No support structure
	<b>Side panel frame material</b>	No side frame structure	No side frame structure
	<b>Top(roof) frame material</b>	No roof frame structure	No roof frame structure
	<b>Top(roof) support frame structure</b>	No support structure	No support structure
	<b>Partition frame material</b>	No partition frame structure	No partition frame structure
	<b>Ventilation frame material</b>	No ventilation frame material	No ventilation frame material
	<b>Door frame material</b>	No door frame material	No door frame material
	<b>Support material for Door panel fixing</b>	No support material	No support material
	<b>Door hinges(two numbers)</b>	75mm size with 1.2-1.5mm thickness MS	75mm size with 1.2-1.5mm thickness MS
	<b>Tank holder frame material</b>	No Support	No Support
	<b>Unit understructure</b>	Without understructure	Without understructure
	<b>Stairs frame material</b>	No stairs	No stairs
	<b>Stairs material</b>	No stair material	No stair material
	<b>Door Tee material</b>	No door Tee material	No door Tee material
PANEL MATERIAL	<b>Side panel material</b>	Single layer 3mm thick FRP	Single layer 3mm thick FRP
	<b>Top(Roof) panel</b>	Single layer 3mm thick	Single layer 3mm thick

	<b>material</b>	FRP	FRP
	<b>Door panel material</b>	Single layer 3mm thick FRP	Single layer 3mm thick FRP
	<b>Partition panel material</b>	Single layer 3mm thick FRP	Single layer 3mm thick FRP
	<b>Floor material</b>	5mm thick FRP material	5mm thick FRP material
DIMENSION	<b>Cabin size for Gent's urinal (LXWXH) ± 25mm</b>	840 mm X 890 mm X 1980 mm (for 1 no. urinal)	840 mm X 890 mm X 1980 mm (for 1 no. urinal)
	<b>Door size(WxH) ± 20mm</b>	585 mm x 1830 mm	585 mm x 1830 mm
	<b>Ventilation size (WXH) ± 10mm</b>	No ventilation	No ventilation
	<b>Partition height for cabin ± 20mm</b>	No partition	No partition
	<b>Gent's urinal pot size ± 10mm</b>	455 mm	455 mm
	<b>Stairs size ± 10mm</b>	610mm X 230mm having 1-step	610mm X 230mm having 1-step
	<b>Leg height ±10mm</b>	455 mm	455 mm
	<b>Partition size for Gent's urinal</b>	455 mm X 762 mm X 7 mm	455 mm X 762 mm X 7 mm
	<b>Cabin size for Ladies urinal (LXWXH) ± 25mm</b>	No urinal for ladies	No urinal for ladies
MISC	<b>Door locking bolts</b>	Size 100 mm of MS	Size 100 mm of MS
	<b>Towerbolt locking</b>	Towerbolt of MS size 75mm	Towerbolt of MS size 75mm
	<b>Overhead tank material</b>	No tank	No tank
	<b>Wash basin material</b>	No wash basin	No wash basin
	<b>Dia of lifting hook</b>	NO lifting hook	NO lifting hook
	<b>Electric provision</b>	No electric provision	No electric provision
	<b>Sewage provision</b>	Not provided	Not provided
	<b>Level indicator provision</b>	N.A	N.A
	Water supply connection	UPVC pipe connection with all toilet interconnecting	*
	<b>Soap stand</b>	No soap stand	No soap stand
	<b>Tap</b>	No tap	No tap
COLOUR & FINISH	Colour of cabin	As per buyer's choice	*
CERTIFICATION	<b>Test reports to be</b>	NO	NO

	<b>furnished to buyer's on demand</b>		
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
WARRANTY	<b>Warranty period</b>	3 - year	3 - year

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anuj Kumar Sinha	848114,Nagar Panchayat Dalsinghsarai, Ward 10, Near Dalsinghsarai Railway Station,	14	30

### Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
3. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
4. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
5. Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without

Liquidated Damages.

6. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
7. ISO 9001: The bidder must have ISO 9001 certification.
8. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
9. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
10. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**