

Bid Number: GEM/2020/B/714689 Dated: 17-07-2020

Bid Document

Bid Document			
Bid Details			
27-07-2020 17:00:00			
27-07-2020 17:30:00			
90 (Days)			
30 (Days)			
Ministry Of Railways			
Na			
N/a			
Western Railway			
4			
Steel Tables (PAC Only)			
No			
No			
OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
No			
No			

EMD Detail

Required	No

ePBG Detail

Poquired	No
Required	NO NO

Splitting

Bid splitting not applied.

Steel Tables (4 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriot-9table

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Foot Rest Material	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)	*
	Handles Material	Plastic (Not as per IS 8126)	*
	Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	2.0 mm	*
	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)	0.6 mm M S Sheet (Not as per IS 8126)
	Shoes Material	nylon	*
GENERIC	Conformity to Indian Standard IS: 8126 Latest	No	*
	Storage	both side	both side
	Total Number of Storage Units	five storage	five storage
	Cup Board / Locker type Storage Units	five	*
	Type of Storage Units	OTHER DESIGNS	*
	Lock on all storage units	Provided	*
	Loading capacity of table top in KG (±5 Kg)	100 KG	*
	Table Top Material and Thickness (±2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)	18 mm thick prelaminated Particle Board (Not as per I 8126)
	Padestal (Under structure)	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)
	Table Top Length ±10(mm)	1360	1360.0
	Table Top Width ±10(mm)	690	690.0
	Table Height ±5(mm)	735	735.0
DIMENSION	Width of Storage Unit ±5(mm)	355	*
	Depth of Storage Unit ±10(mm)	600	600.0
	Overall Height of Storage Units ±10 mm	460 mm	*
	Height of smallest Storage Compartment / Drawer ±3 mm	165 mm	*
	Height of medium size Storage Compartment / Drawer ±5 mm	SAME AS SMALLEST	*
	Height of Largest Storage	280 mm	*

	Compartment / Drawer ±5 mm		
	Width of Locker / Cupboard type Storage unit	350 mm	350 mm
	Depth of Locker / Cupboard type Storage unit	600 mm	600 mm
	Height of Locker / Cupboard type Storage unit	N.A	*
MISC	Foot Rest Provided	YES	*
COLOUR & FINISH	Colour of Lamination	AS PER BUYER CHOICE	*
	Paint	Powder coated	*
	Colour of Paint	AS PER BUYER CHOICE	*
CERTIFICATION	ISI Marked	No	No
	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
	Green guard certification	NO	NO
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

Additional Specification Documents

Consignees/Reporting Officer and Quantity

	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	,	400008,DIVISIONAL RAILWAY MANAGER, MUMBAI CENTRAL, MUMBAI, MAHARASTRA-400008	4	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.