



Bid Document

Did Deteile					
Bid Details					
27-07-2020 12:00:00					
27-07-2020 12:30:00					
90 (Days)					
30 (Days)					
Punjab					
Transport Department Punjab					
N/a					
Chandigarh					
2					
Revolving Chair (PAC Only)					
No					
	27-07-2020 12:00:00 27-07-2020 12:30:00 90 (Days) 30 (Days) Punjab Transport Department Punjab N/a Chandigarh 2 Revolving Chair (PAC Only) No No				

EMD Detail

Required	No

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Revolving Chair (2 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriolasedemidbackchair

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name		Bid Requirement (Allowed Values)
---------------	--------------------	--	-------------------------------------

MATERIAL	Pedestal Base	Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size	Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	pu foam bonded chrome coted	pu foam bonded chrome coted
	seat material	PU Foam Covered With pure leather	PU Foam Covered With pure leather
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45	*
	Material of Fabric Back Cover / Material for Backrest	pure leather	pure leather
	Material of Fabric of Seat Cover	pure leather	pure leather
	GSM/Thickness of fabric ±5%(Gram/Square meter)	Genuine leather of 0.8-1.0 mm thickness	*
GENERAL	Chair Type	Advance Bio Synchronic	Advance Bio Synchronic
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 100 mm	up to 100 mm
	Arm	With	With
	Type of backrest support	backrest symmetrical lumber support	backrest symmetrical lumber support
	Arm Type	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	black	*
	Ergonomic Seat Design	Yes	Yes
	Back type	height adjustable	height adjustable
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame	*
	backrest has separate adjustable headrest	No	No
	Seat type	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	tilt limitor	*
	Number of arm movement	2(up & down)	2(up & down)
	Lumber support	N.A	N.A
DIMENSION	Overall Chair Height ±15mm	950	950
	Backrest Height ±15mm	600	600.0
	Backrest Width ±10mm	440	440.0
	Seat Height ±15 mm	450	450
	Seat Width ±10 mm	480	480

	Seat Depth ±10 mm	500	500.0
	Thickness of MS Plate Joining the under structure with Seat	1	1.0
	Thickness of Plywood used in Seat ±1(mm)	N.A	N.A
	Thickness of Plywood used in Backrest ± 1(mm)	N.A	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm	50 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	50 mm	50 mm
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA Certification	YES	YES
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
	Green guard certification	YES	YES
	Aiota	YES	YES

Additional Specification Documents

Consignees/Reporting Officer and Quantity

	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Gagandeep Pajni	160017,SCO 177-178, Sector 17-C, Chandigarh	2	15

Bid Specific Additional Terms and Conditions

1.Scope of supply (Bid price to include all cost components) : Only supply of Goods

This Bid is also governed by the General Terms and Conditions

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Thank You	7	ſha	nk	Yo	u
-----------	---	-----	----	----	---