

### Bid Document

Bid Details	
Bid End Date/Time	21-07-2020 09:00:00
Bid Opening Date/Time	21-07-2020 09:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Indian Air Force
Office Name	*****
Total Quantity	9500
Item Category	CAT 6 Cable for Indoor use
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

## CAT 6 Cable For Indoor Use ( 9500 meter )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Cate 6 cable conforming to ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest	Yes	*
	<b>Cable category: Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshielded twisted pair or Category 6 Shielded /Foiled Twisted Pair</b>	CAT6 U/UTP	CAT6 U/UTP
	<b>Cable colour</b>	Grey	Grey
	<b>Conductor diameter</b>	0.57 mm (23 AWG)	0.57 mm (23 AWG)
	Conductor count (in Nos.,)	8	*
	<b>Length of cable in a bundle (Mtrs)</b>	305 mtrs.	305 mtrs.
CONSTRUCTIONAL	"CAT6 Cable can transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz and suitable for 10BASE-T, 100BASE-TX Fast Ethernet and 1000BASE-T / 1000BASE-TX (Gigabit Ethernet)."	Yes	*
	Maximum DC resistance - in Ohm/Km	Max. 100 Ohm/Km	*
	Conductor Materail	Bare Copper	*
	Conductor Insulation Material	Polyethylene	*
	<b>Cable jacket material</b>	Low Smoke zero halogen (LSZH)	Low Smoke zero halogen (LSZH)
	Conductor stranding	Solid	*
	Cable should have internal cross separator	Yes	*

	Storage temperature range	minus 20 degree C to plus 60 degree C	*
	Operating temperature range	minus 20 degree C to plus 60 degree C	*
	Each meter printed with sequential length counter of cable apart from marking requirement as per relevant specifications and certifications	Yes	*
CERTIFICATIONS	Category 6 cable shall have valid verified certificate from ERTL/ETL /Intertek/3P /GHMT /Delta/UL as per CAT 6 standards ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest	Yes	*
	If "Yes" Certificate Number - Must declare	-	*
	<b>UL Marking on Cable</b>	Yes	Yes
	Availability of complete and satisfactory type test Report from Central Government / NABL/ ILAC accredited laboratory to conformity of the Specification	Yes	*
	Test report Number	-	*
	Report date	-	*
	Name and address of Lab	-	*
	All the test reports and certificates shall furnish to the buyer/consignee on demand	Yes	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti	Address	Quantity	Delivery Days
-------	-------------------	---------	----------	---------------

	ng Officer			
1	*****	*****GWALIOR	9500	15

### **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
3. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
4. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
5. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**