

Bid Number: GEM/2020/B/708724

Dated: 13-07-2020

Bid Document

EMD Detail

Required	No

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Multifunction Machines MFM (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Ungrouped	Print Technology	Laser	Laser
	Type of Machine	Digital Copier	Multifunction Machine, Digital Copier
	Type of Printing	Mono	Mono
	Cartridge Technology	Separate Drum and Toner (Dual Component)	Composite Cartridge, Separate Drum and Toner (Mono Component), Separate Drum and Toner (Dual Component) Or higher
	Developer Unit	Yes	*
	Platen/Flatbed Size	A4	A4, A3, Legal Or higher
	Paper Size (Original/Image)	A4/A4	A3/A3, A4/A4, Legal/Legal
	RAM size (MB)	2048	1024, 2048, 4096, 6144, 3072, 1536, 1500, 1250, 2560, 7168, 5120, 8192, 16384, 2816, 4000, 2000, 10240 Or higher
	Hard Disk Capacity(GB)	320	256, 320, 500, 1024, 250, 640, 1000, 2000, 3000 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono	50	50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 90, 95, 100, 105, 110, 51, 56, 120, 130, 160, 57, 85, 81, 53 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour	0	12, 15, 16, 18, 20, 22, 23, 24, 25, 26, 27, 28, 30, 31, 35, 36, 4, 4.4, 5, 5.7, 5.8, 6.8, 10, 10.4, 15.5, 40, 50, 60, 5.5, 11, 46, 120, 130, 160, 65, 45, 7, 34, 55, 38, 56, 75, 81, 19, 71, 0, 21, 53 Or higher
	Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono	0	*
	Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Colour	0	*
	Scanning Feature Availability	Yes	Yes Or higher
	Duplexing Feature	Yes	Yes Or higher

Availability		
Faxing Feature Availability	yes	Yes Or higher
Speed of Fax, If Fax Feature is available	33.6 kbps	*
Networking Feature Availability	Yes	Yes Or higher
If yes, Type of Network Interface	Ethernet 10/100/1000	*
Wi-Fi Availability	No	Yes, No Or higher
If yes,Wi-Fi Type	NA	*
Original Document Feeder Type	DADF/RADF	DADF/RADF Or higher
Feeder Capacity (Number)	50	*
Number of Main Paper Tray	2	2, 3, 4, 5 Or higher
Each Main Paper Tray Capacity (Number)	600	*
Bypass Facility	Yes	Yes Or higher
If Yes, Bypass Tray Capacity	100	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of	10000	*

prints)		
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)	500000	*
Duty Cycle (No of Prints/month)	250000	*
Minimum Operating Temperature (Degree C)	10	*
Maximum Operating Temperature (Degree C)	32	*
Minimum Operating Humidity (%RH)	15	*
Maximum Operating Humidity (%RH)	80	*
BIS Registration under CRS of Meity	Yes	*
BIS Registration Number	-	*
Other Certifications Available	UL	*
Dimension (mm x mm x mm)	-	*
Weight (Kg)		*
On Site OEM Warranty (Year)	1	1, 2, 3, 4, 5 Or higher

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may no	te that In respect of no	n-golden Parameters	, the specifications	'Values' chosen by
Buyer will generall	y be preferred over 'Bi	d requirement (allow	red Values) by the	Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	*****	*********BELGAUM	1	90

Bid Specific Additional Terms and Conditions

- 1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 4. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 5. For clothing and allied items, if pre-dispatch Inspection clause has been selected in the Bid, the Inspection Agency shall forward sample from the accepted lot duly identified/ sealed by it, as Reference Sample to each consignee (one reference sample per consignee) for comparing the lot received at consignee end with such reference sample. Such reference samples will be treated as part of supplied quantity from the lot and cost shall be borne by the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---