

### Bid Document

Bid Details	
Bid End Date/Time	23-07-2020 15:00:00
Bid Opening Date/Time	23-07-2020 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Power
Department Name	Contracts And Materials
Organisation Name	Aravali Power Company Private Limited
Office Name	Apcpl
Total Quantity	2000
Item Category	bleaching powder stable
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Bleaching Powder Stable ( 2000 kilogram )

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Conforming to Indian Standard IS 1065 : latest	Yes	*
	ISI Marking	Yes	*
	CM/L Number	5045754	*
Test Report Details	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification, to be submitted to the Buyer on demand	Yes	*
	Test Report Number	-	*
	Test Report Date	-	*
	Name of the Lab	-	*
	Address of the Lab	-	*
Grade and Material	<b>Grade</b>	Grade 2	Grade 2
	Manufacturing Process	Chlorination of Slacked Lime	*
	Appearance	White to Slightly Yellowish - White	*
	The material shall be free from hard lumps and any visible impurities	Yes	*
	The material shall be dry and free-flowing	Yes	*
Requirements For Bleaching Powder Stable	<b>Available Chlorine (Percent by Mass)</b>	32	32
	<b>Moisture (Percent by Mass)</b>	0.5	0.5
Keeping Quantity	The material comply with the minimum available chlorine content for not less than 30 days from the date of manufacture which should be specified on the container	Yes	*
	After the period of more than 30 days the minimum available	Yes	*

	chlorine shall be as agreed between the purchaser and the supplier		
	<b>Keeping Quality (&gt; = 30) (Days)</b>	90	90
Packing and Marking	<b>Quantity of Material (Kgs)</b>	25	25.0
	Packing Material	The material shall be packed in the laminated HDPE bags having two inner liners and tied at the mouth of each inner bag separately with nylon rope and then the outer laminated HDPE woven sack is stitched using polypropylene twisted thread with two rows - each row being done separately - one being above the other for the protection during transit	*
	The packages used shall be free from dirt or other foreign materials which are likely to cause decomposition of stable bleaching powder	Yes	*
	Marking : The containers shall be securely packed and marked with the name of the manufacturer, grade, mass of the material in the package, recognized trade-mark, if any, batch number and the date of packing and dispatch	Yes	*
	Storage : While shipping, the material shall be stored away from the boilers or any other head source	Yes	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

## Additional Specification Documents

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rahul Gajbe	124106,INDIRA GANDHI SUPER THERMAL POWER PROJECT - APCPL, JHARLI DISTRICT - JHAJJAR , HARYANA	2000	45

### Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**