

Dated: 01-07-2020



## **Bid Document**

Bid Document				
Bid Details				
Bid End Date/Time	11-07-2020 16:00:00			
Bid Opening Date/Time	2020-07-11 16:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	75 (Days)			
Ministry/State Name	Ministry Of Petroleum And Natural Gas			
Department Name	Indian Oil Corporation Limited			
Organisation Name	loc - Gujarat Refinery			
Office Name	locl- Gujarat Refinery			
Total Quantity	200			
Item Category	bicycle			
Bidder Turnover (Last 3 Years)	6 Lakh (s)			
Experience Criteria	2 Year (s)			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Experience Criteria, Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			
Estimated Bid Value	1200000			

## **EMD Detail**

Advisory Bank	State Bank of India
EMD Percentage(%)	1.00
EMD Amount	12000

## ePBG Detail

Advisory Bank	State Bank of India

ePBG Percentage(%)	10.00
Duration of ePBG required (Months).	14

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### **Beneficiary:**

AM(MAT)

IOCL- Gujarat Refinery, INDIAN OIL CORPORATION LIMITED, IOC - Gujarat Refinery, Ministry of Petroleum and Natural Gas (Mahendra Gajanan Bokade)

## **Splitting**

Bid splitting not applied.

#### **MSE Purchase Preference**

ı		
	MSE Purchase Preference	Yes

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

# Bicycle ( 200 pieces )

## **Technical Specifications**

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Generic parameters	Туре	Two Wheeled Cycles for Men	Two Wheeled Cycles for Men
	Weight of Bicycle (kg)	19	19
	Applicable Indian Standard	IS 10613:2004 With Latest Amdmnt.	IS 10613:2004 With Latest Amdmnt.
	Size of Frame (cm)	45	45
	Reflector	Yes	Yes
Accessories parameters	Bell	Yes	Yes
	Lock	Yes	Yes
	Stand	Yes	Yes
	Basket	No	Yes, No
	B.B. Lock Ring as per IS 1131: 2004	Yes	Yes
	Saree Gurad	No	Yes, No
Constructional parameters	Thickness of Crank at Axle Hole (mm)	19.5	Any applicable numeric value
	Type of Rim	Beaded Edge(BE)	Beaded Edge(BE), Straight Side(SS), Hooked Bead(HB), Crotchet ( C )
	Material of Rim	Steel	Steel
	Size Designation of Rim	-	Any applicable text(s)
	Thickness of tube (mm)	1.22	1.22
	Top Tube Diameter (mm)	40	Any applicable numeric value
	No. of Holes in Rear Wheel	36	0 - 9999999
	Front Axle Length (mm)	140	Any applicable numeric value
	Hub Axle Diameter for Front Wheel (mm)	9.52	Any applicable numeric value
	Material of Nipple	Brass Conforming to IS 2704	Brass Conforming to IS 2704

Aaterial of Spokes Steel Wire Conforming to IS 6902 Steel Wire Conforming to IS 6902		Steel Wire Conforming to IS 6902	
ISO Chain Number (A)	8A	*	
ISO Chain Number (B)	5B	*	
Type of Chain	Simple	Simple	
Rear Axle Length (mm)	177	Any applicable numeric value	
No.of Holes in Front Wheel	36	0 - 9999999	
Spoke Diameter (mm)	2.02	Any applicable numeric value	
Pitch of Chain (mm)	12.7	Any applicable numeric value	
Pitch of Spokes (mm)	1.2	Any applicable numeric value	
Thickness of Crank at Pedal Axle Hole (mm)	19.5	Any applicable numeric value	
Heavy Duty Wider Comfortable with two coil springes based saddle with PVC Top as per IS 626:2009 with latest amdmnt.	Yes	*	
Type of Steel Tube	Electric Resistance Welded and Induction Welded Tubes( ERW)	Electric Resistance Welded and Induction Welded Tubes( ERW)	
Cone to Cone Distance (mm)	108	Any applicable numeric value	
Chain Cover	Half Chain Cover	Half Chain Cover	
Width of Mudgurad (mm)	51	51.0	
Sprocket Tooth thickness of Free wheel (mm)	2	Any applicable numeric value	
Thickness of Mudgurad (mm)	0.5	0.5	
Thickness of Head Tube (mm)	1.22	1.22	
Material of Washers	Steel Wire Conforming to IS 513	Steel Wire Conforming to IS 513	
Depth of Mudgurad (mm)	18	18.0	
Mounded Rubber Brake Shoe for	Yes	Yes	

enhanced Life as per IS 10613:2004 with latest amndmnt.			
Hub Axle Diameter for Rear Wheel (mm)	9.52	Any applicable numeric value	
Type of Pneumatic Tube	-	jointed	
Type of Handle Bar as per IS 625:2006 Handle Bar Handle Bar		Drop Handle Bar, Flat Handle Bar, Upright Handle Bar, High Rise Handle Bar, Handle Bar for Young Childern Integral Type, Brake Lever Combined Handle Bar, Handle Bar Stem, Swaged Type Handle Bar, Others	
Bottom Tube Diameter (mm)	28.58	Any applicable numeric value	
Type of Tyre	Type B	Туре В	
Type of Hub Assembly	Ph-Type as per IS 12205:1988	R-Type as per IS 629:1988, Ph-Type as per IS 12205:1988, Others	
Bottom Bracket and Fixed Cup as per IS 1131: 2005	Yes	Yes	
Anti Skid Designed Rubber Blocks Conforming to IS 628:1193 with latest amndmts.	Yes	Yes	
Heavy Duty Wide Rubber Block Pedal with Steel Side plates for Reinforcement Conforming to IS 628:1193 with latest amndmts.	Yes	Yes	
Nature of Operation	Standard Duty	Heavy Duty, Standard Duty	
Seat Tube Diameter (mm)	11	Any applicable numeric value	
Bottom Bracket Axle as per IS 1131: 2006	Yes	Yes	
No.of Sprocket Tooth of Free wheel	18	0 - 9999999	
Shape of Mudgurads ( Front and Rear)	-	Any applicable text(s)	

	Type of Hub used in Front Wheel	Thin Barrel Hub	*
	Head Tube Diameter (mm)	31.75	Any applicable numeric value
	Type of Hub used in Rear Wheel	Thin Barrel Hub	*
	Roller Diameter of Chain (mm)	7.75	Any applicable numeric value
	Material of Mudgurad	Steel	Steel
	Finishing Material	Steel	Steel
	Cottor Pin Hole Diameter (mm)	9.5	Any applicable numeric value
	Extra Long Soft Synthetic Resin Handle Grip	Yes	Yes
	Tyre Designation	-	Any applicable text(s)
	Thickness of Seat Fitting Tube (mm)	1.02	Any applicable numeric value
	Type of Seat Pillers as per IS 626:2009 with latest amdmnt.	Straight Seat Pillers	Straight Seat Pillers, Lay Back Seat Pillers, Seat Pillers with Back Rest
	Circular Pitch (mm)	14.28	Any applicable numeric value
	Seat Fitting Tube Diameter as per IS 626:2009 with latest amdmnt. (mm)	25.25	Any applicable numeric value
	Saddle as per IS 10613: 2004 with latest amdmnt.	Saddle with Adjustment Clamp	Saddle with Adjustment Clamp, Saddle without Adjustment Clamp
	Fork Columun and Fork Blades Material of Tube "	ERW-Cl of IS 2039/1991	ERW-CI of IS 2039/1991, ERW-C3 of IS 2039/1991
Certification	Warranty	12	12
parameters	ISI Marked Bicycle Fork and Tubeto IS 2039:1991with latest amdmnt.	Yes	Yes
	ISI Marked Bicycle Frame to IS 623:2008 with latest amdmnt.	Yes	Yes
	ISI Marked Hub Assembly to IS 629/1988 with latest amdmnt.	Yes	*

ISI Marked Chain to IS 2403:1991 with latest amdmnt.	Yes	Yes
ISI Marked Bicycle Tyre and Tubeto IS 2414:2005 with latest amdmnt.	Yes	Yes
ISI Marked Bicycle Spokes to IS 630:2003 with latest amdmnt.	Yes	*
ISI Marked Bicycle Rim to IS 624:2003 with latest amdmnt.	Yes	Yes
ISI Marked Steel Tubes to IS 2039/1991 with latest amdmnt.	Yes	Yes
Availability of Test Report from Central Govt./NABL/ILAC accredited lab to prove conformity to specification	Yes	Yes
Test Report No.	-	Any applicable text(s)
Test Report Date	-	Any applicable text(s)
Name of the Lab	-	Any applicable text(s)
Address of the Lab	-	Any applicable text(s)

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

## **Additional Specification Documents**

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Prashant Kumar	391320,P.O Jawaharnagar 391320	200	15

# **Bid Specific Additional Terms and Conditions**

1. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

- having highest value should meet this criterion.
- 2. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 3. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

This Bid is also governed by the General Terms and Conditions

---Thank You---