

Bid Number: GEM/2020/B/709299

Dated: 14-07-2020

Bid Document

Bid Document					
Bid Details					
Bid End Date/Time	24-07-2020 12:00:00				
Bid Opening Date/Time	24-07-2020 12:30:00				
Bid Life Cycle (From Publish Date)	90 (Days)				
Bid Offer Validity (From End Date)	80 (Days)				
Ministry/State Name	Ministry Of Railways				
Department Name	Na				
Organisation Name	N/a				
Office Name	Southern Railway				
Total Quantity	12				
Item Category	chairs-office				
MSE Exemption for Years of Experience and Turnover	No				
Startup Exemption for Years of Experience and Turnover	No				
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer				
Bid to RA enabled	No				
Inspection Required	No				

EMD Detail

Required	No

ePBG Detail

Splitting

Bid splitting not applied.

Chairs-office (12 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	teak wood	teak wood
	Material of Fabric Back Cover	knitted with cane	knitted with cane
	Thickness of Plywood used in Backrest IN MM (±1 mm)	18 mm	*
	Frame Material	CRCA pipe with wooden sheet	CRCA pipe with wooden sheet
	Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M)	N.A	*
	Material of Fabric of Seat Cover	knitted with cane	knitted with cane
	Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	N.A	*
	Thickness of Plywood used in Seat ±1(mm)	18 mm	18 mm
	GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	N.A	N.A
	Arm Material	wooden teak	wooden teak
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	N.A	N.A
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	15 mm	15 mm
	Shoe Type	rubber	*
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	No	*

	Chair Type	With Arms	With Arms
1		Made of Polythene cane	Made of Polythene cane
	Frame Type	Cantilever	Cantilever
	Castors	Without	Without
DIMENSION	Size of Material (mm)	40 mm teak wood	40 mm teak wood
	Chair Height ±15(mm)	1050 mm	1050 mm
	Seat Depth ±10(mm)	550 mm	550 mm
	Seat Width ±10 (mm)	550 mm	550 mm
	Seat Height IN MM ±5(mm)	480	480
	Backrest Width ±10(mm)	450 mm	450 mm
	Backrest Height ±10(mm)	550 mm	550 mm
	Arm Length ±5(mm)	400 mm	400 mm
	Arm Width ±2(mm)	75 mm	75 mm
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	N.A	*
	Paint Type	N.A	N.A
	Colour of Paint	NA	*
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	YES	*
	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	NO	NO
	OEM of offered product is ISO 14001:2015 certified	NO	NO
	OEM of offered product is ISO 18001:2007 certified	NO	NO
WARRANTY	Warranty period in number of years	1	1

^{*} Specifications highlighted in bold are the Golden Parameters.

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Denny K Joseph	600023,Office of the Deputy Chief Materials Manager Carriage Stores Depot Perambur	12	30

Bid Specific Additional Terms and Conditions

- 1. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
- 2. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 3. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 4 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

---Thank You---