

Bid Document

Bid Details	
Bid End Date/Time	21-07-2020 11:00:00
Bid Opening Date/Time	21-07-2020 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Coal
Department Name	Materials Management
Organisation Name	Northern Coalfields Limited
Office Name	Singrauli
Total Quantity	79
Item Category	Revolving Chair
Experience Criteria	1 Year (s)
MSE Exemption for Years Of Experience	Yes
Startup Exemption for Years Of Experience	Yes
Document required from seller	Experience Criteria,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or

similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Revolving Chair (79 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter	Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	aluminium covered with pu	aluminium covered with pu
	seat material	PU Foam covered with Fabric	PU foam covered with mesh fabric, PU Foam covered with Fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45	*
	Material of Fabric Back Cover / Material for Backrest	mesh fabric	mesh fabric
	Material of Fabric of Seat Cover	100% polyester fabric	100% polyester fabric, foam laminated mesh fabrics
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram	*
GENERAL	Chair Type	360 Degree swivel,posture control with multilocking position synchronized	360 Degree swivel,posture control with multilocking position synchronized

		mechanism	mechanism
	Tilt Tension Adjustment	Yes	*
	Height Adjustment \pm 5(mm)	up to 120 mm	up to 120 mm
	Arm	With	With
	Type of backrest support	Backrest With Adjustable Lumber Support	Backrest With Adjustable Lumber Support
	Arm Type	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	black	*
	Ergonomic Seat Design	Yes	Yes
	Back type	push back	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame	*
	backrest has separate adjustable headrest	Yes	Yes
	Seat type	fixed	fixed
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	5-Position Locking	*
	Number of arm movement	2(up & down)	2(up & down)
	Lumber support	external & adjustable	external & adjustable
DIMENSION	Overall Chair Height \pm15mm	1180	1180
	Backrest Height \pm15mm	520	520.0
	Backrest Width \pm10mm	500	500.0
	Seat Height \pm15 mm	520	520
	Seat Width \pm10 mm	500	500
	Seat Depth \pm10 mm	480	480.0
	Thickness of MS Plate Joining the under structure with Seat	0.8	0.8, 1.0
	Thickness of Plywood used in Seat \pm1(mm)	15 mm	15 mm
	Thickness of	15 mm	15 mm

	Plywood used in Backrest ± 1(mm)		
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	45 mm	45 mm, 50 mm, 55 mm, 60
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	45 mm	45 mm
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	NO
	BIFMA Certification	YES	YES
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
	Green guard certification	YES	YES
	Aiota	-	NO

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prabodh Rai	231222,REGIONAL STORES, KHADIA PROJECT NCL PO - KHADIA, SHAKTINAGAR	79	30

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---