

### Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 13:00:00
Bid Opening Date/Time	20-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Indian Army
Office Name	*****
Total Quantity	250
Item Category	Plain Copier Paper ( <b>PAC Only</b> )
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Plain Copier Paper ( 250 ream ) ( Under PAC )

Make	jkcopier
Model	jkcopiera475gsm

## Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Conformance to Indian Standard	Conforming to IS14490 : Latest	*
	<b>Whether ISI Marked</b>	Yes	Yes
	Give CML number if ISI marked Write NA if not ISI marked	5200074588	*
	Test Method as per IS:1060	Yes	*
Test Report Details	"Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification"	Yes	*
	"Test Report to be Submitted to the Buyer on demand"	Yes	*
Additional Requirements for eco mark	The material shall be manufactured from pulp containing not less than 60% by mass of pulp made from materials other than bamboo,hard woods ,softwoods and reed or the material shall be manufactured from pulp made from 100%waste paper	Yes	*
Size	<b>Size of paper</b>	A4	A4
	<b>GSM of paper</b>	75	75
	"If any other GSM, please specify"	NA	*
Quantity	<b>"Number of sheets per Ream"</b>	500	500
Physical Characteristics	<b>"ISO Brightness,percent,Min"</b>	92	92
	<b>Opacity percent,Min</b>	90	90
	<b>"One minute Cobb test both sides,g/m2,Max"</b>	75	75

	<b>"Tensile Index Machine Direction (MD) ,Nm/g, Min"</b>	45	45
	<b>Tensile Index Cross Direction(CD),Nm/g, Min</b>	28	28
	<b>"Tear Index in mN m<sup>2</sup>/g,Machine Direction(MD),Min"</b>	4.5	4.5
	<b>"Tear Index in mN m<sup>2</sup>/g,Cross Direction(CD)Min,"</b>	4.5	4.5
	<b>"Smoothness for both sides (Bendtsen) in ml/min,Max"</b>	250	250
	<b>"Ash content(900°C) ,percent by mass,Max"</b>	70	70
	<b>Thickness in µm,Min</b>	100	100
	<b>"Moisture content,percent,Max "</b>	5	5
	<b>"Taber Stiffness ,Machine Direction(MD),Min"</b>	2.2	2.2
	<b>Taber Stiffness ,Cross Direction(CD),Min</b>	2.1	2.1
	<b>"Surface Strength Dennison (Wax Pick)"</b>	No pick on 12 A	No pick on 12 A
Packing and Marking	"Packing as per clause 6-1 of IS:14490(Latest)"	Yes	*
	Package should be marked with Description,size of Paper,Quantity,Mass of 500/250 sheets including wrapping paper in kg/ream Chargeable wt should be net wt excluding the wt of packing,Lot Number and month/year of manufacturing,Name of manufacturer	Yes	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****KAMRUP	250	30

#### **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**