

Bid Document

Bid Details	
Bid End Date/Time	02-07-2020 12:00:00
Bid Opening Date/Time	2020-07-02 12:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	70 (Days)
Ministry/State Name	Ministry Of Home Affairs
Department Name	Central Armed Police Forces
Organisation Name	Sashastra Seema Bal (ssb)
Office Name	Fhq Ssb New Delhi
Total Quantity	140
Item Category	Multipurpose Knife/Tool
Bidder Turnover (Last 3 Years)	4 Lakh (s)
OEM Average Turnover (Last 3 Years)	8 Lakh (s)
Experience Criteria	1 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	5.00
EMD Amount	35000

ePBG Detail

Advisory Bank	State Bank of India
---------------	---------------------

ePBG Percentage(%)	10.00
Duration of ePBG required (Months).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

DDO

Fhq Ssb New Delhi, Central Armed Police Forces, Sashastra Seema Bal (SSB), Ministry of Home Affairs
(Ac/min)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

Multipurpose Knife/Tool (140 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)

GENERAL	Compact, Robust, Hand Held, Multipurpose Personal Kit item intended for use by a soldier in the performance of Broad Range of Daily Field Activities	Yes	*
Operational & Physical Characteristics	Drop Point Blade (Hardness: 54-60 RCS) Min 55mm long	Yes	*
	Serrated Sheep Foot Blade (Hardness: 54-60 RCS) Min 55 mm Long	Yes	*
	Flat Blade Screw Driver (Hardness: 47-57 RCS) should be able to drive and remove slotted screws with minimum slot length of (mm)	4.76	*
	Cross tip screw Driver (Hardness: 47-57 RCS) should be able to drive and remove cross screws of No 2 Industrial Designation ISO 7045 tips with precision screws	Yes	*
	Wire Cutter (Hardness: 49-57 RCS)	Yes	*
	Wire Cutter shall be able to cut (i) Binding wire up to 12 gauge (ii) 15 Amp electric copper wire	Yes	*
	Wire Cutter shall be able to cut JWD cable of overall diameter (mm)	4.74	*
	Wire Cutter shall be able to cut 4 Annealed tinned copper conductor Strands with minimum diameter of each strand as (mm)	0.285	*
	Wire Cutter shall be able to cut 3 Galvanized Steel conductor strands with minimum diameter of each strand as (mm)	0.3	*
	Wire Cutter shall be	2.37	*

able to cut HDPE insulated Conductor up to outer diameter (mm)		
Needle/Long nose Plier with universal/Special detonator Crimper (Hardness of Nose and handle 49-57 RCS & 41-50 RCS respectively) should be capable of screwing and removing maximum 14 mm (9/16 inch) nuts/bolts and crimping universal size detonators	Not Applicable	Yes, Not Applicable
Combination file (Minimum Hardness - 60 RCS) should be usable for	Filing of wood (3 mm), Plastic (2 mm) and light metal (0. 5 mm)	*
Combination file shall be double faced with one face single (smooth or second cut) and the other face double (smooth or second cut) with file area of each face as minimum 500 sq mm It shall have a toothed edge of minimum 38 mm with 30-48 teeth per inch	Yes	*
Saw (hardness: 47-57 RCS) Shall permit controlled sawing of (i) wood - Minimum 25 mm dia (ii) plastic- minimum 10 mm dia	Yes	*
Saw should have saw tooth edge of minimum 55 mm and tooth edge must have 10-18 teeth per inch	Yes	*
Can opener (Hardness - 47-57 RCS) should permit opening of commercially available canned goods	Yes	*
Bottle opener (Hardness 47-57 RCS) should permit	Yes	*

	controlled opening of compressed bottle top(eg soda bottle)		
	Linear Measurement scale should have scales for measurement in centimeters (9 cm with point 2 cm resolution) and in inches (3 inches with 1/8 inch resolution) and the incremental calibrations must be identified by numerals indicating total distance from zero point	Yes	*
	Electric wire stripper (Hardness 47-57 RCS) with Strip Electrical wire ranging from 24 to 12 gauges	Yes	*
Proficiency	The product shall provide independent and Automatic locking of components in operational and closed position and it should not pinch or cur soldier's hand when used with bare hands as per instruction manual	Yes	*
Dimesions	Maximum length in closed position (mm)	150 mm	*
Weight	Maximum weight of the product (without sheath)	350 grams	*
Color	Colour of the product	-	*
Material	Material of all the components, handles and security hardware should be the minimum series of Stainless Steel of 400 (as designated by American Iron and Steel Institute (AISI) or equivalent)	Yes	*
	Material for low load bearing parts should be minimum series of stainless steel of 300 (Yes	*

	as designated by American Iron and Steel Institute (AISI) or equivalent)		
Carriage	Carriage should have a durable sheath with loop to fit on issue belts of Military/ Para Military Forces	Yes	*
Maintenance	The product should require minimal user maintenance, lubricating and tightening of assemble screw(s) and should be capable of maintaining its performance in Sand and Dust	Yes	*
Environmental Tolerance	The product should be capable of trouble free performance in the operating and storage temperature from -20 to + 45 degree Celsius	Yes	*
	The product should be capable of trouble free performance in the Humidity of 95% at 25 degree Celsius	Yes	*
Miscellaneous	Availability of detailed drawing indicating the high and low load bearing parts of their product offered	Yes	*
	Each Knife/Tool should be provided with the Instruction Manual in English containing the description and function of each attachment along with its maintenance procedure, if required	Yes	*
Optional-Additional Tools	Crate opener with screw of 7 point 5 mm	-	*
	Screw driver of 2 mm	-	*
	Reamer and Punch	-	*
CERTIFICATIONS	Availability of Test Reports of the product from central govt/NABL/ILAC accredited lab showing	Yes	*

	compliance to the specification		
	The material composition should be certified by the manufacturer	Yes	*
	All Test Reports, drawings and approvals to be furnished to the buyer on demand	Yes	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajeev Sharma	110047,O/O The Commandant, 25th Bn SSB Delhi, Ghitorni	140	30

Bid Specific Additional Terms and Conditions

1. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
3. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than

- 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 50% of total value.
6. Preference to Make In India products: Preference shall be given to local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a local supplier, should be as per relevant notification / order issued by the nodal ministry as available on the website of Department of Promotion of Industries and Internal Trade (DPIIT). If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 29.5.2019.
7. Scope of supply (Bid price to include all cost components) : Only supply of Goods
8. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---