

Bid Document

Bid Details	
Bid End Date/Time	23-07-2020 19:00:00
Bid Opening Date/Time	23-07-2020 19:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	Stores Ncr Hq
Total Quantity	12
Item Category	Almirah Steel
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Almirah Steel (12 pieces)**Technical Specifications**

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	Yes	Yes
	No of shelves (Nos)	5	5
	Type of Shelves	Fixed	Fixed
	Locker Provided	No	Yes, No
	Locking System with the locker	NA	NA
	Cloth hanging provision in the Almirah	No	*
	Number of Doors (Nos)	2	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A	N.A
	Construction	Welded	Welded
	Lock	Three Way bolting device controlled by lock	Three Way bolting device controlled by lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet	M S Sheet
	Sheet Thickness of Locker	0.8 mm	0.8 mm

	Length of Glass Sheet ± 10 (mm)	N.A	N.A
	Width of Glass Sheet ± 10 (mm)	N.A	N.A
	Sheet Thickness of door in mm	0.8 mm (Minimum)	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.8 mm	0.8 mm
	Sheet Thickness of Pedestal in mm	0.8 mm (Minimum)	0.8 mm (Minimum)
	Material of Lock	Brass and steel finish	Brass and steel finish
	Material of Keys	brass and steel finish	brass and steel finish
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	2000	2000
	Width in mm (± 7 mm)	910	910.0
	Depth in mm (± 5 mm)	455	455.0
	Inside Height of Locker in mm (± 5 mm)	N.A	N.A
	Inside Width of Locker in mm (± 5 mm)	N.A	N.A
	Inside Depth of Locker in mm (± 5 mm)	N.A	N.A
	Width of Stiffner in mm (± 5 mm)	125 mm	125 mm
	Thickness of MS Sheet of Stiffner (in mm)	0.8 mm	0.8 mm
	Stiffened Pedestal height in mm (± 2 mm)	120	120
	Pedestal Width in mm (± 2 mm)	75	75
COLOUR & FINISH	Finish	powder coated	powder coated
	Colour of Paint	steel gray	*
	Packing:	Corrogeted Paper Packing	*
CERTIFICATION	ISI marked	No	*

	CM/L No.	-	*
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Lamingston Francis	284003,Operating Movement Section, DRM Office campus North Central Railway Jhansi	12	15

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---