

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 18:00:00
Bid Opening Date/Time	20-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Steel
Department Name	Nmdc Limited
Organisation Name	Nmdc Limited
Office Name	Hyderabad
Total Quantity	60
Item Category	Adjustable single ended open jaw wrench
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	80 %
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Adjustable Single Ended Open Jaw Wrench (60 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Performance Paramteres	Types of Wrenches	Type A	Type A
	Grade of Wrenches	Normal duty	Normal duty
	Nominal size of Wrenches (length in mm)	150	150
	The opening of jaws shall be easily and conveniently adjustable at any opening up to the maximum opening of wrench and shall remain in the required position till further adjustment	Yes	*
	The Worm shall rotate freely and the jaw shall slide smoothly for the entire range of the wrench	Yes	*
	Wrenches shall not have forging defects, such as over heating, unfilling, scales, pits, laps and cracks	Yes	*
	Incase of cast iron	NA for Heavy duty and	NA for Heavy duty and

	wrenches, the casting shall be of uniform quality and reasonably smooth finish free from casting defects, such as blow holes, porosity, shrinkage, cold shut and cracks	Normal duty wrenches	Normal duty wrenches
	All parts of the wrenches shall be adequately protected against corrosion and rust	yes	*
	Tolerance on Width across Flats shall be as per IS 6149	Yes	*
	Wrenches (Spanners) shall be finished smooth all over and sharp corners shall be removed	Yes	*
	Wrenches (spanners) and sockets shall be free from burrs, cracks, seams or other manufacturing defects	Yes	*
	Warranty (Years)	1	*
	The adjustable wrenches shall be clearly and legibly marked nominal width across flats and manufactures initials or trade mark or both	Yes	*
Standards	Conformity to IS: 6131 (1980) for technical requirements for Hand operated wrenches and IS: 6149 (1984) Adjustable Single-ended open jaw wrenches (Spanners)	Yes	Yes
	BIS marked	Yes	Yes
	If BIS marked Yes indicate BIS licence no other wise indicate NA	-	*
Dimensional and Material Parameters	Material	Steel conforming to designation 45 C 8 IS: 1875-1978 (for normal	Steel conforming to designation 45 C 8 IS: 1875-1978 (for normal

		duty wrenches)	duty wrenches)
	Material for adjustable Jaws	Steel conforming to Designation 45 C8 of IS : 1875-1978	Steel conforming to Designation 45 C8 of IS : 1875-1978
	Finish/Coating of wrenches	Phosphate Coating	Phosphate Coating
	Maximum opening of adjustable jaw (mm) + Tolerance(3 mm)	18	18
	Weight of Wrenches in gms	240	240.0
Reports	Availability of test certificate from Government/ NABL/ ILAC accerdtited lab to prove confirmity of specifications	No	No
	Copy of Test report shall be furnished to buyer on demand	NA	NA

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Siddaramappa K	583118,NMDC LIMITED DIOM, DONIMALAI PO BELLARY DIST KARNATAKA STATE	60	60

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---