

Bid Document

Bid Details	
Bid End Date/Time	24-07-2020 13:00:00
Bid Opening Date/Time	24-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	South Central Railway
Total Quantity	4395
Item Category	Safety Footwear - BIS Specification
Bidder Turnover (Last 3 Years)	4 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	30 %
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	1.00
EMD Amount	52696

ePBG Detail

Required	No
----------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Sr DFM BZA
South Central Railway, Vijayawada Division , N/A, Ministry of Railways
(Sr Dfm Bza)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Safety Footwear - BIS Specification (4395 pairs)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
SPECIFICATION	Technical Specification of the Product	Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 (Part 2): 2016, Latest	Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 (Part 2): 2016, Latest

	Specification has been seen and Understood	Yes	*
CERTIFICATION	BIS Certification	Yes	Yes
	CM/ L No if BIS marked	-	*
UTILITY	Utility	Men	Men, Women
CLASSIFICATION	Classification	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear)	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear), Class II (All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear), Classification II Hybrid Footwear
DESIGN	Design	A (Low shoe)	A (Low shoe)
PATTERN	Pattern	Derby	*
SIZE	Size	8	8, Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements
MASS	Mass of one pair of Footwear (gram)	-	*
Material	Upper for Class 1 Footwear	Leather	Leather
	Surface Finish of Upper Leather for Class 1 Footwear	Buff Barton Print	Buff Barton Print
	Material for Class II Footwear	All Polyurethane	All Polyurethane
	Any other Polymeric Material for Class II Footwear	-	*
	Vamp Lining	With (Classification I and Classification II Footwear)	With (Classification I and Classification II Footwear)
	Vamp Lining Material	Not Applicable	Leather, Not Applicable
	Quarter Lining	No	Yes, No
	Quarter Lining Material	Leather	Leather
	Toe Cap	(Steel) Metallic	(Steel) Metallic
COLOUR	Colour	As per buyers requirements	*
	Any other Colour as per	-	*

	buyer's requirements		
OTHER REQUIREMENTS	Insole	Yes	Yes
	Insocks	Full Insocks Removable and water permeable	Full Insocks Removable and water permeable
	Tongue (For Designation I Footwear)	Full Bellow Tongue	Full Bellow Tongue
	Collar	Collar with PU Foam padding, 15 mm thick, density 40 kg per cubic meter	Collar with PU Foam padding, 15 mm thick, density 40 kg per cubic meter, Collar with PU Foam padding, 15 mm thick, density 60 kg per cubic meter
LACING/ CLOSING OF SHOES	Closing (Tying)	Laces	Laces
	Lacing of Shoes	Eyelets	Eyelets
	Eyelets (Pairs)	4 pairs	4 pairs
	Material of Eyelets	Powder Coated "D"type steel ring eyelets, riveted	Brass Eyelets, Powder Coated "D"type steel ring eyelets, riveted
	Laces	Nylon	*
	Cross Section Shape of Laces	Round	*
	Breaking Load of Laces (min)	750 N	*
	Length of Laces	130 cm	*
SOLE	Sole Description/ Material	Direct Moulded Single Density Polyurethane	Direct Moulded Double Density Polyurethane, Direct Moulded Single Density Polyurethane
	If Any Other Material of Sole	-	*
	Sole Design	Cleated	Cleated
	Construction	Single	Multi layer, Single
SLIP RESISTANT	Slip Resistant	As per clause 5.3.5.4 of IS 15298 (Part 2)- Slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine	As per clause 5.3.5.2 of IS 15298 (Part 2)- Slip resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution, As per clause 5.3.5.4 of IS 15298 (Part 2)- Slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS-	Additional Requirements for Special Applications-	Penetration Resistance (Metallic anti-penetration insert	Penetration Resistance (Metallic anti-penetration insert),

WHOLE FOOTWEAR	Whole Footwear),Penetration Resistance (Non-metallic anti-penetration insert),Electrical Properties-Conductive Footwear,Anti-static Footwear,Electrically Insulating Footwear,Heat Insulation of Sole Complex,Cold Insulation of Sole Complex,Energy absorption of seat region,Water resistance,Water resistance,Metatarsal protection,Ankle protection,Cut resistance	Penetration Resistance (Non-metallic anti-penetration insert), Electrical Properties-Conductive Footwear, Anti-static Footwear, Electrically Insulating Footwear, Heat Insulation of Sole Complex, Cold Insulation of Sole Complex, Energy absorption of seat region, Water resistance, Metatarsal protection, Ankle protection, Cut resistance
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS (UPPER)	Water penetration and absorption	Yes	Yes
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS (OUTSOLE)	Additional Requirements for Special Applications-Outsole	Resistance to hot contact,Resistance to fuel oil	Resistance to hot contact, Resistance to fuel oil
LOGO AND MARKING	Logo/ Totem/ Emblem Marking	As per buyer's requirements	As per buyer's requirements
	Size, design, Type and Location of Logo as per buyer's requirement	-	*
Test Report	Availability of Test Report from Designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes	Yes
	Name of the Lab	-	*
	Address of the Lab	-	*
	Test Report No	-	*
	Test Report Date	-	*
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes	*
ADVANCE SAMPLE	Agree to provide Advance Sample(s)	Yes	Yes

	for buyer's approval before commencement of supply		
--	---	--	--

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Hemraj Meena	520001,O/o DRM/BZA DRM Office Compound, South Central Railway, Vijayawada - 520001	4395	30

Bid Specific Additional Terms and Conditions

- 1. Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
2. Scope of supply (Bid price to include all cost components) : Only supply of Goods
3. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
4. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
5. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
6. ISO 9001: The bidder must have ISO 9001 certification.
7. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
8. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
9. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): BIS certification and test report FDDI.
10. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
11. After award of contract - Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit 2 samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract

specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

12. Bidders can also submit the EMD with Account Payee Demand Draft in favour of Sr DFM BZA payable at State Bank Of India.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

13. Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of Sr DFM BZA A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter.

Bidder has to upload scanned copy / proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

14. Bidders can also submit the EMD with Banker's Cheque in favour of sr dfm bza payable at State bank of India.

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---