

Bid Document

Bid Details	
Bid End Date/Time	18-07-2020 19:00:00
Bid Opening Date/Time	18-07-2020 19:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	Office Of The Principal Chief Material Manager,north Eastern Railway, Gorakhpur
Total Quantity	6
Item Category	chairs-office
Experience Criteria	1 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Chairs-office (6 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other than wood) used in Polythene cane Chair	NOT APPLICABLE	NOT APPLICABLE
	Material of Fabric Back Cover	leatherite	leatherite
	Thickness of Plywood used in Backrest IN MM (± 1 mm)	12 mm	*
	Frame Material	chrome on MS	chrome on MS
	Density of Polyurethane Foam Used in Seat ± 2 (Kg/Cub M)	45 Kg/Cub.M	*
	Material of Fabric of Seat Cover	black leatherite	black leatherite
	Density of Polyurethane Foam Used in Backrest ± 2 (Kg/Cub M)	45 Kg/Cub.M	*
	Thickness of Plywood used in Seat ± 1(mm)	12 mm	12 mm
	GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	N.A	N.A
	Arm Material	chrome mild steel	chrome mild steel
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	40 mm	40 mm

GENERIC	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	50 mm	50 mm
	Shoe Type	nylon rubber	*
	Conformity to Indian Standard IS 3499 (Part-1) Latest	No	*
	Chair Type	With Arms	With Arms
	Type of Seat and Backrest	Padded with Polyurethane Foam	Padded with Polyurethane Foam
DIMENSION	Frame Type	Cantilever	Cantilever
	Castors	Without	Without
	Size of Material (mm)	16 gauge tubular pipe	16 gauge tubular pipe
	Chair Height ±15(mm)	890 mm	890 mm
	Seat Depth ±10(mm)	450 mm	450 mm
	Seat Width ±10 (mm)	500 mm	500 mm
	Seat Height IN MM ±5(mm)	460	460
	Backrest Width ±10(mm)	480 mm	480 mm
	Backrest Height ±10(mm)	650 mm	650 mm
	Arm Length ±5(mm)	250 mm	250 mm
COLOUR & FINISH	Arm Width ±2(mm)	30 mm	30 mm
	Colour of Fabric for Seat and Backrest	black	*
	Paint Type	chrome	chrome
CERTIFICATION	Colour of Paint	white	*
	Polythene cane conforming to Type-1 of IS 5378 /1994	NA	*
	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES

	OEM of offered product is ISO 18001:2007 certified	YES	YES
WARRANTY	Warranty period in number of years	1	1

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Barnabas Nagesia	273012,Office of the Chief Administrative Officer, Construction Organisation, North Eastern Railway	6	30

Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
3. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---