

### Bid Document

Bid Details	
Bid End Date/Time	18-07-2020 18:00:00
Bid Opening Date/Time	18-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	Central Organisation For Railway Electrification (core)
Office Name	Head Quarters
Total Quantity	1
Item Category	Executive Table
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Executive Table ( 1 pieces )

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Assembled Ready To Use	Assembled Ready To Use
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	<b>Storage provided</b>	Both side	Both side
	<b>Keyboard tray</b>	Provided	Provided
	<b>Foot rest</b>	Provided	Provided
MATERIAL	<b>Table top Material</b>	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	<b>Gable end and modesty panel material</b>	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>Leg Material</b>	Other wood	Other wood
MISC	Table top long sides	To be post form half round profile with corner edge bending	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	4 Nos. at bottom	*
DIMENSION	<b>Thickness of table top <math>\pm 2</math> mm</b>	19	19.0
	Thickness of gable end and modesty panel $\pm 2$ mm	19	*
	<b>Length of table top <math>\pm 10</math> mm</b>	1800	1800.0
	<b>Depth of table <math>\pm 10</math> mm</b>	950	950.0
	<b>Height of table <math>\pm 10</math> mm</b>	750	750.0
	<b>Dimension of leg(mmXmm) <math>\pm 5</math>mm</b>	40mmX40mm	40mmX40mm

STORAGE UNIT	<b>Number of Storage unit provided</b>	Double storage	Double storage
	Width of storage unit $\pm 10\text{mm}$	500mm	*
	Depth of storage unit in mm ( $\pm 10\text{mm}$ )	700	*
	Height of smallest storage unit $\pm 5\text{mm}$	100mm	*
	Height of medium storage unit $\pm 5\text{mm}$	200mm	*
	Height of largest storage unit $\pm 5\text{mm}$	280mm	*
KEYBOARD TRAY	Type of keyboard tray	Prelaminated particle board keyboard tray	*
	Material of keyboard tray and Right angle L-type supporting bracket	Three layer prelaminated particles board(wood product) of grade II type II of IS 12823/Latest	*
	Keyboard adjustability	underdesk keyboard arm	*
	fixing of supporting bracket	With telescopic	*
	Length of telescopic channel $\pm 10\text{mm}$	250mm	*
	Average weight of telescopic channel $\pm 50\text{Gms}$	500Gms per set	*
	Keyboard front width $\pm 10\text{mm}$	600mm	*
	Keyboard depth $\pm 10\text{mm}$	350mm	*
	Keyboard height $\pm 10\text{mm}$	150mm	*
	Finish of exposed edges of keyboard tray	To be painted with black in colour with powder coating 40-50microns thickness	*
	Material thickness of keyboard tray $\pm 1\text{mm}$	19mm	*
FOOTREST	Material of footrest	Three layer prelaminated particles board(wood product)conforming to grade II type III of IS 12823/Latest	*
	Length of footrest $\pm 10\text{mm}$	600mm	*

	Depth of footrest ±10mm	350mm	*
	Height of footrest ±10mm	125mm,75mm	*
	Finish of exposed edges	To be banded with 0.5-1.0mm thick PVC tape with the help of hot melt glue	*
	<b>Material thickness of footrest ±2mm</b>	19mm	19mm
COLOUR & FINISH	Table top finish	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	*
	Table top shade	As per Buyer's choice	*
WARRANTY	<b>Warrantee period in number of years</b>	2	2
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	<b>Product having BIFMA certification</b>	YES	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days

1	Atanu Biswas	816109,Office of the Dy.CEE/RE/BGP, Sahibganj Jharkhand-816109	1	30
---	--------------	--	---	----

## **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
3. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): Not applicable  
Post Receipt Inspection at consignee site before acceptance of stores: Applicable

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**