

RA Document

RA Details	
RA Technical End Date/Time	27-07-2020 19:00:00
RA Opening Date/Time	27-07-2020 19:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Uttar Pradesh
Department Name	Urban Development Department Uttar Pradesh
Organisation Name	E-municipalities - Eservices To Citizens And Employees Of Urban Local Bodies Of Uttar Pradesh
Office Name	Lucknow Nagar Nigam
Total Quantity	382
Item Category	Disinfection System- Spraying type
Average Turnover (Last 3 Years)	7 Lakh (s)
OEM Average Turnover (Last 3 Years)	7 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	10 %
Inspection Required	No

EMD Detail

Advisory Bank	HDFC Bank
EMD Percentage(%)	5.00
EMD Amount	79265

ePBG Detail

Advisory Bank	HDFC Bank
ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	12

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Environment Engineer

Lucknow Nagar Nigam, Urban Development Department Uttar Pradesh, e-Municipalities - eServices to citizens and Employees of Urban Local Bodies of Uttar Pradesh ,
(Pankaj Bhushan)

Splitting

RA splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Disinfection System- Spraying Type (382 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Requirements	Machine Type	Back pack unit with pump, battery and storage tank along with spray gun with connecting hose	*
	Material of machine	HDPE tank with Stainless steel sprayer Lance	*
	Length of Sparyer Lance (in mm	292	*
	Min water tank capacity (liters)	15	*
	Chemical used is free from organic solvents and allergies	Yes	*
	Chemical used for disinfection	Calcium Hypo chlorite	*
	Utility	Kills viruses, bacteria, algae and moulds	*
	Form in which chemical is loaded	Tablet	*
	Method of loading of chemical	Through Hypo venturi system attached with the gun	*
	Hydro Venturi should have container to hold jacketed solid cylindrical tablet	yes	*
	Type of tablet to be used in container	compressed solid jacketed calcium hypochlorite	*
	dia of tablet (in mm) write zero if NA	47.5	*
	Length of tablet (in mm) write zero if NA	101.8	*
	Sanitizer chemical solution produced by each tablet(in Litres)write zero if NA	0.3	*
	Calcium Hypo Chlorite can centra ion in the spray solution (in PPM)	250	*
	Pressure (in bars)	6	*

	Hydro Venturi system Material	Aluminium Die cast & ABS plastic	*
	Indicator for the power On/Battery charging mode	yes	*
	Weight of hydro venturi system (in kgs)	1	*
	Spraying capacity with one tank filling	4	*
	Net Weight (In kgs)	-	*
Batteries	Power Source	Internal - Rechargeable Battery with battery Charge	Internal - Rechargeable Battery with battery Charge
	Battery Chemistry	Lead acid	Li-ion, Lead acid
	Battery Size (Alkaline battery)	12 V battery	AA, AAA, 9V battery, 12 V battery
	Battery Operating Voltage (individual battery)	12	*
	Number of Batteries required for operation	1	1, 2, 3, 4
	Battery Operating Duration (Minimum) (In hr)	4	3, 4, 8, 12, 16
	Battery Charger for Rechargeable Batteries inclusive in the scope of supply	Yes	Yes, NA for Alkaline batteries
Test report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity 1 to specification	YES	*
	Test Report to be furnished to the 2 buyer on demand	YES	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
-------	-----------------------------	---------	----------	---------------	--

1	Pankaj Bhushan	226001,tirlok nath road lalbagh	382	15
---	----------------	------------------------------------	-----	----

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
2. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
4. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
5. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
6. Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope battery and electronic items (Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

[This RA is also governed by the General Terms and Conditions](#)

---Thank You---