

Bid Number: GEM/2020/B/712254

Dated: 15-07-2020

## **Bid Document**

Bid Details					
25-07-2020 20:00:00					
25-07-2020 20:30:00					
90 (Days)					
80 (Days)					
Ministry Of Coal					
Materials Management					
Northern Coalfields Limited					
Singrauli					
11					
Revolving Chair					
1 Year (s)					
Yes					
Yes					
Experience Criteria,Past Performance *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer					
30 %					
No					
No					

## **EMD Detail**

Required	No

## ePBG Detail

Required	No
----------	----

## Splitting

Bid splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Revolving Chair (11 pieces)

#### **Technical Specifications**

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Electro Coated with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size	Electro Coated with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	pu foam bonded chrome coted	pu foam bonded chrome coted
	seat material	PU Foam Covered With pure leatherite	PU Foam Covered With pure leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45	*
	Material of Fabric Back Cover / Material for Backrest	Leatherite	Leatherite, N.A
	Material of Fabric of Seat Cover	N.A	leatherite, N.A
	GSM/Thickness of fabric ±5%(Gram/Square meter)	250 gram	*
GENERAL	Chair Type	central tilt	central tilt
	Tilt Tension Adjustment	Yes	*

		Height Adjustment ± 5(mm)	up to 120 mm	up to 120 mm
		Arm	With	With
		Type of backrest support	backrest with lumber support of polypropylene at multilevel across back	backrest with lumber support of polypropylene at multilevel across back
		Arm Type	Fixed	Fixed
		Colour of Fabric for Seat and Backrest	brown	*
		Ergonomic Seat Design	Yes	Yes
		Back type	push back	push back
		Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
		backrest has separate adjustable headrest	No	No
		Seat type	fixed	fixed
		Seat is curved	Yes	*
		Locking mechanism	Yes	*
		Type of locking	5-Position Locking	*
		Number of arm movement	N.A	N.A
		Lumber support	external & adjustable	external & adjustable
	DIMENSION	Overall Chair Height ±15mm	1180	1180
		Backrest Height ±15mm	730	730.0
		Backrest Width ±10mm	500	500.0
		Seat Height ±15 mm	500	500
		Seat Width ±10 mm	520	520
		Seat Depth ±10 mm	480	480.0
		Thickness of MS Plate Joining the under structure with Seat	2	2.0
		Thickness of Plywood used in Seat ±1(mm)	18 mm	18 mm
		Thickness of Plywood used in Backrest ± 1(mm)	N.A	N.A

	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	45 mm	45 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A	N.A
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA Certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	NO	NO
	OEM of offered product is ISO 14001:2015 certified	NO	NO
	OEM of offered product is ISO 18001:2007 certified	NO	NO
	Green guard certification	NO	YES, NO
	Aiota	-	NO

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

## **Additional Specification Documents**

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Gyaneshwar Nath	486884,DEPOT OFFICE, REGIONAL STORES, NIGAHI PROJECT, NCL, PO - NIGAHI, DISTT - SINGRAULI M.P.	11	30

# **Bid Specific Additional Terms and Conditions**

- 1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
- 2. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

sought in the Bid document, ATC and Corrigendum if any.

- 3. ISO 9001: The bidder must have ISO 9001 certification.
- 4. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

This Bid is also governed by the General Terms and Conditions

---Thank You---