

Bid Number: GEM/2020/B/703251

Dated: 08-07-2020

Bid Document

Bid Details			
18-07-2020 18:00:00			
18-07-2020 18:30:00			
90 (Days)			
30 (Days)			
Gujarat			
Education Department Gujarat			
Gujarat Technological University Ahmedabad			
Ahmedabad			
6			
Almirah Steel			
No			
No			
Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
No			
No			

EMD Detail

Required No

ePBG Detail

1.1		
l I Doguirod	l No	
Required	INO	
11:10401100	1	

Splitting

Bid splitting not applied.

Almirah Steel (6 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	Yes	Yes
	No of shelves (Nos)	4	4
	Type of Shelves	Fixed	Fixed
	Locker Provided	No	No
	Locking System with the locker	NO	NO
	Cloth hanging provision in the Almirah	No	*
	Number of Doors (Nos)	2	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A	N.A
	Construction	Welded	Welded
	Lock	Three Way bolting device controlled by 6 lever lock	Three Way bolting device controlled by 6 lever lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet	M S Sheet
	Sheet Thickness of Locker	N.A	N.A

	Length of Glass	N.A	N.A
	Sheet ±10 (mm)		
	Width of Glass Sheet ±10 (mm)	N.A	N.A
	Sheet Thickness of door in mm	0.8 mm (Minimum)	0.8 mm (Minimum)
	Sheet Thickness of sides, back , Top and Bottom	0.7 mm minimum (Not as per IS 3312)	0.7 mm minimum (Not as per IS 3312)
	Sheet Thickness of Shelves	0.8 mm	0.8 mm
	Sheet Thickness of Pedestal in mm	0.7 mm	0.7 mm
	Material of Lock	steel	steel
	Material of Keys	keys made of MAZAK / ZAMAK having nickle plated finish	keys made of MAZAK / ZAMAK having nickle plated finish
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1800	1800
	Width in mm (± 7 mm)	910	910.0
	Depth in mm (±5 mm)	480	480.0
	Inside Height of Locker in mm (± 5 mm)	N.A	N.A
	Inside Width of Locker in mm (±5 mm)	N.A	N.A
	Inside Depth of Locker in mm (±5 mm)	N.A	N.A
	Width of Stiffner in mm (±5 mm)	N.A	N.A
	Thickness of MS Sheet of Stiffner (in mm)	N.A	N.A
	Stiffened Pedestal height in mm (±2 mm)	120	120
	Pedestal Width in mm (±2 mm)	70	70
COLOUR & FINISH	Finish	Synthetic enamel	Synthetic enamel
	Colour of Paint	ash gray	*
	Packing:	Corrogeted Paper	*

		Packing	
CERTIFICATION	ISI marked	No	*
	CM/L No.	-	*
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Panchal Pinki Bhupendrabhai	382424,GUJARAT TECHNOLOGICAL UNIVERSITY - PURCHASE DEPT., C WING, 1ST FLOOR, VISAT - GANDHINAGAR ROAD, CHANDKHEDA	6	20

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components): Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.