

### Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 11:00:00
Bid Opening Date/Time	20-07-2020 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Science And Technology
Department Name	Department Of Science And Technology (dst)
Organisation Name	Survey Of India Dehradun Uttarakhand
Office Name	Surveyor General's Office, Dehradun, Uttarakahnd
Total Quantity	130
Item Category	Workstation
Bidder Turnover (Last 3 Years)	100 Lakh (s)
OEM Average Turnover (Last 3 Years)	127 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	Yes
Inspection Required	No

### EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	506480

**ePBG Detail**

Advisory Bank	State Bank of India
ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	38

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**Beneficiary:**

E and AO

Surveyor General's Office, Dehradun, Uttarakhand, Department of Science and Technology (DST),  
Survey Of India Dehradun Uttarakhand, Ministry of Science and Technology  
(E And Ao)

**Splitting**

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**Workstation ( 130 pieces )**

## Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	<b>Processor Make</b>	Intel	Intel
	<b>Processor Generation</b>	NA	7, 8, 9, NA, 10 Or higher
	<b>Number of Cores per Processor</b>	4	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 Or higher
	<b>Processor Base Frequency (GHz)</b>	3.4	3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
	Processor Turbo Frequency (GHz)	4.5	*
	<b>Processor Description</b>	Intel Xeon E Series	Intel Xeon E Series, Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
	<b>Processor Number</b>	Intel Xeon E-2124G	Intel Xeon E-2126G, Intel Xeon E-2134, Intel Xeon E-2136, Intel Xeon E-2144G, Intel Xeon E-2146G, Intel Xeon E-2174G, Intel Xeon E-2186G, Intel Xeon W-2123, Intel Xeon W-2133, Intel Xeon W-2135, Intel Xeon W-2145, Intel Xeon W-2155, Intel Xeon W-2175, Intel Xeon W-2195, Intel Xeon E-2226G, Intel Xeon E-2234, Intel Xeon E-2236, Intel Xeon E-2246G, Intel Xeon E-2276G, Intel Xeon E-2278G, Intel Xeon E-2286G, Intel Xeon E-2288G, Intel Xeon E-2176G, Intel Xeon E-2244G, Intel Xeon E-2274G, Intel Xeon W-3223, Intel Xeon W-3225, Intel

			Xeon W-3235, Intel Xeon W-3245, Intel Xeon W-3245M, Intel Xeon W-3265, Intel Xeon W-3265M, Intel Xeon W-3275, Intel Xeon W-3275M, Intel Xeon W-2235, Intel Xeon W-2255, Intel Xeon W 10855M, Intel Xeon W 10885M, Intel Xeon W 1290P, Intel Xeon W 1290, Intel Xeon W 1270P, Intel Xeon W 1270, Intel Xeon W 1250P, Intel Xeon W 1250 Or higher
	Number of sockets available on the motherboard	1	*
	<b>Number of Sockets populated with the Processors</b>	1	1, 2 Or higher
	<b>Cache (MB)</b>	8	8.0 - 64.0 Or higher
	Out of Band Management	Intel vPro	*
Type	<b>Form Factor</b>	Desktop	Desktop
Motherboard	<b>Chipset Number</b>	Intel C246	Intel C246, Intel CM246, Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299 Or higher
	Expansion Slots (PCIe x 1) (Number)	2	*
	Expansion Slots (PCIe x 4) (Number)	1	*
	Expansion Slots (PCIe x 8) (Number)	0	*
	Expansion Slots (PCIe x 16) (Number)	1	*
	Expansion Slots (PCI) (Number)	0	*
Graphics	<b>Graphics Type</b>	Dedicated/Discrete	Dedicated/Discrete
	<b>Number of Graphic Cards</b>	1	1, 2, 3, 4 Or higher
	<b>Graphic Card Description</b>	nVIDIA Quadro P620 2GB	nVIDIA NVS 810 4GB, nVIDIA Quadro P620 2GB, nVIDIA Quadro P1000 4GB, nVIDIA Quadro P2000 5GB,

			nVIDIA Quadro P3000 6GB, nVIDIA Quadro RTX 3000 6GB, nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB, nVIDIA Quadro P620 4GB, NVIDIA® Quadro P600 4GB GDDR5, NVIDIA Quadro P2200 5GB GDDR5 Or higher
Operating System	<b>Operating System (Factory Pre-Loaded)</b>	Windows 10 Professional 64 bit	Windows 10 Professional 64 bit
	Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud	*
	OS Certification	Windows,Redhat Linux	*
Applications	Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Dassault Systèmes SolidWorks,Dassault Systèmes CATIA,PTC Creo,Siemens NX	*
Memory	RAM Type	DDR4	*
	RAM Speed (MHz)	2666	*
	Type of Memory	ECC	*
	<b>RAM Size (GB)</b>	16	16, 32, 64, 128, 256, 512, 1024, 2048, 3072, 4096, 48, 96, 192, 384, 768, 1536 Or higher
	Total Numbers of DIMM Slots Available	4	*
	Number of DIMM Slots Populated	1	*
	<b>RAM Expandability upto using spare DIMM Slots (GB)</b>	128	128, 256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher

Primary Storage /Boot Drive	<b>Type of Drives used to populate the internal Bays</b>	SATA	SATA
	Number of Drives	1	*
	<b>RAID for Operating System</b>	NA	NA
	<b>Capacity of each Drive (GB)</b>	2000	2000, 2048, 4000, 4096, 8000, 6000 Or higher
Secondary Storage	<b>Type of Drives used to populate the Internal Bays</b>	SATA	SATA
	Total number of Internal Bays available for SATA Drive	0	*
	<b>Number of Internal Bays populated with SATA Drive</b>	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	<b>Each SATA Drive Capacity (GB)</b>	0	500, 1000, 2000, 4000, 8000, 0, 6000 Or higher
	Speed of each SATA Drive (RPM)	0	*
	<b>Total SATA Drive Capacity (GB)</b>	0	500, 1000, 2000, 4000, 8000, 3000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000, 0 Or higher
	Total number of Internal Bays available for SAS Drive	0	*
	<b>Number of Internal Bays populated with SAS Drive</b>	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	<b>Capacity of each SAS Drive (GB)</b>	0	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Speed of each SAS Drive (RPM)	0	*
	<b>Total SAS Drive Capacity (GB)</b>	0	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Total number of Internal Bays available for SSD	0	*
	<b>Number of Internal Bays populated with SSD Drive</b>	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher

	<b>Capacity of each SSD Drive (GB)</b>	0	128, 256, 512, 1024, 2048, 800, 0 Or higher
	<b>Total SSD Capacity (GB)</b>	0	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120 Or higher
	Total number of Internal Bays available for PCIe SSD	0	*
	<b>Number of Internal Bays populated with PCIe Drive</b>	0	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	<b>Capacity of each PCIe Drive (GB)</b>	0	128, 256, 512, 1024, 2048, 0 Or higher
	<b>Total PCIe Drive Capacity (GB)</b>	0	128, 256, 512, 1024, 2048, 4096, 0, 1536 Or higher
	Class of PCIe Drives	NA	*
RAID	RAID level	0,1	*
	<b>Number of RAID Controller Ports</b>	4	4, 5, 6, 7, 8, 10 Or higher
	<b>Speed of RAID Controller Ports (Gbps)</b>	6	6, 12 Or higher
	RAID Controller Cache (GB)	0	*
Connectivity	Type of Ethernet Ports	Single Gigabit NIC 10/100/1000	*
	<b>Number of Ethernet Ports</b>	1	1, 2, 3, 4, 6 Or higher
	<b>Wireless Connectivity</b>	No	Yes, No Or higher
	<b>If Yes, Type of Wireless Connectivity</b>	NA	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA Or higher
	<b>Bluetooth Connectivity</b>	No	Yes, No Or higher
	<b>If Yes, Version of Bluetooth Available</b>	0	4, 4.1, 4.2, 5, 0 Or higher
Ports	Number of USB Version 2 Point 0 Ports	2	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	6	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C	0	*

	Ports		
	Number of VGA Ports	0	*
	Number of HDMI Ports	0	*
	Number of Mini DP Ports	4	*
	Number of DP Ports	0	*
Display	<b>Display Availability</b>	Monitor	Monitor
	<b>Display Size (cm)</b>	58- 61	58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130 Or higher
	<b>Display Type</b>	Non Touch	Non Touch, Touch Or higher
	<b>Panel Type</b>	Flat	Flat, Curved Or higher
	<b>Panel Technology</b>	IPS	IPS, OLED Or higher
	<b>Display Resolution (Pixels)</b>	1920x1080	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320 Or higher
	LED Backlit	No	*
	TCO Compliance for Monitor	TCO 07	*
	Colour Gamut	72% Color Gamut	*
	Monitor Stand	Standard	*
Power	Maximum Power (Watts)	500	*
	Minimum Power Efficiency (%)	-	*
	Power Management Unit	Yes	*
	<b>Redundant Power Supply</b>	No	Yes, No Or higher
Input Devices	Mouse Connectivity, If available	Wired	*
	Type of Mouse, If available	Optical Scroll	*
	Keyboard Connectivity, if available	Wired	*
	Type of Keyboard, if available	Standard	*



	Type of Keyboard in case of Mobile Workstation	NA	*
Generic	Optical Drive	-	*
	Number of External Bays	2	*
	Security	H/W Based	*
	Docking Station for Mobile Workstation	No	*
	Availability of Bundled Software	Yes	*
	Type of Bundled Software	Remote Collaboration Software & Performance Advisor	*
	Finger Print Reader in case of Mobile Workstation	NA	*
	Carry Case in case of Mobile Workstation	NA	*
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes	*
	BIS Registration Number and its Validity	-	*
	ROHS Compliance	Yes	*
	Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	-	*
Operating Conditions	Minimum Operating Temperature (Degree C)	5	*
	Maximum Operating Temperature (DEgree C)	35	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	85	*
Warranty	Battery Warranty in case of Mobile Workstation	0	*

	<b>On Site OEM Warranty (Year)</b>	3	3, 4, 5 Or higher
--	------------------------------------	---	-------------------

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Uma Shankar Yadav	226010, Survey of India, Manchitra Bhawan, 5, Vibhuti Khand, Gomti Nagar	45	30
2	Surender Singh Rawat	248001, Survey of India, 17 E C Road, GBO Compound	45	30
3	Sanjay Garg	248001, NPG, Survey of India, Hathibarkala Estate	40	30

### Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
2. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of E and AO , SGO A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy / proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.
4. **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
5. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting

- the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
6. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
  7. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
  8. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
  9. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
  10. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
  11. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
    - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
    - b. Execution certificate by client with order value.
    - c. Any other document in support of order execution like Third Party Inspection release note, etc.
  12. Malicious Code Certificate:

The seller should upload following certificate in the bid:-

    - (a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-
      - (i) Inhibit the desires and designed function of the equipment.
      - (ii) Cause physical damage to the user or equipment during the exploitation.
      - (iii) Tap information resident or transient in the equipment/network.
    - (b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.
  13. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
  14. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
  15. Preference to Make In India products (For bids less than 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify

as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

16. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
17. Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of E and AO , SGO A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.
18. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 4 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
19. The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:
  - (i) Single order of at least 35% of estimated bid value; or
  - (ii) Two orders of at least 20% each of estimated bid value; or
  - (iii) Three orders of at least 15% each of estimated bid value.Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion
20. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**