

### Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 17:00:00
Bid Opening Date/Time	27-07-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Petroleum And Natural Gas
Department Name	Indian Oil Corporation Limited
Organisation Name	Marketing Division
Office Name	Madurai Terminal
Total Quantity	11
Item Category	Revolving Chair ( PAC Only )
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Revolving Chair ( 11 pieces ) ( Under PAC )

Make	godrejinterio
Model	godrejgretahighbackchairwithadjustableheadrest

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	<b>Pedestal Base</b>	, Nylon Base With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter	, Nylon Base With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter
	<b>Arm Material</b>	Proppylene	Proppylene
	<b>seat material</b>	pressed and moulded plywood with polypropylene cover	pressed and moulded plywood with polypropylene cover
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	32	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	NA	*
	<b>Material of Fabric Back Cover / Material for Backrest</b>	mesh fabric	mesh fabric
	<b>Material of Fabric of Seat Cover</b>	100% polyester fabric	100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	220 gram	*
GENERAL	<b>Chair Type</b>	360 Degree swivel,posture control with multilocking position synchronized mechanism	360 Degree swivel,posture control with multilocking position synchronized mechanism
	Tilt Tension Adjustment	Yes	*
	<b>Height Adjustment <math>\pm 5</math>(mm)</b>	up to 100 mm	up to 100 mm
	<b>Arm</b>	With	With
	<b>Type of backrest support</b>	Backrest With Adjustable Lumber Support	Backrest With Adjustable Lumber Support
	<b>Arm Type</b>	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	off white	*
	<b>Ergonomic Seat Design</b>	Yes	Yes
	<b>Back type</b>	push back	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame	*
	<b>backrest has separate adjustable headrest</b>	Yes	Yes
	<b>Seat type</b>	fixed	fixed
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	4-Position Locking	*
	<b>Number of arm movement</b>	8(Up & Down,Left & Right,Swivel And Front & Back)	8(Up & Down,Left & Right,Swivel And Front & Back)

	<b>Lumber support</b>	external & adjustable	external & adjustable
DIMENSION	<b>Overall Chair Height ±15mm</b>	1220	1220
	<b>Backrest Height ±15mm</b>	570	570.0
	<b>Backrest Width ±10mm</b>	440	440.0
	<b>Seat Height ±15 mm</b>	520	520
	<b>Seat Width ±10 mm</b>	500	500
	<b>Seat Depth ±10 mm</b>	520	520.0
	<b>Thickness of MS Plate joining the under structure with Seat</b>	0.4	0.4
	<b>Thickness of Plywood used in Seat ±1(mm)</b>	15 mm	15 mm
	<b>Thickness of Plywood used in Backrest ± 1(mm)</b>	N.A	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	600	*
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	25 mm	25 mm
	<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	N.A	N.A
WARANTEE	<b>Warrantee period in number of years</b>	1-year	1-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES	YES
	<b>BIFMA Certification</b>	YES	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES	YES
	<b>Green guard certification</b>	YES	YES
	<b>Aiota</b>	NO	NO

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days

1	Boddepalli Rajesh	625008,159&160 SIDCO INDUSTRIAL ESTATE, KAPPALUR, MADURAI	11	45
---	-------------------	---	----	----

### **Bid Specific Additional Terms and Conditions**

1.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**