

Bid Number: GEM/2020/B/708017

Dated: 13-07-2020

### **Bid Document**

	Document			
Bid Details				
Bid End Date/Time	28-07-2020 13:00:00			
Bid Opening Date/Time	28-07-2020 13:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	30 (Days)			
Ministry/State Name	Punjab			
Department Name	Higher Education And Languages Department Punjab			
Organisation Name	Directorate Of Public Instructions (colleges)			
Office Name	Nangal			
Total Quantity	14			
Item Category	Wooden Podium			
Experience Criteria	1 Year (s)			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Past Performance	10 %			
Bid to RA enabled	No			
Inspection Required	No			

#### **EMD Detail**

Required	No
· .	

#### ePBG Detail

l   Required	l No	
Required	INO	
I I		

# Splitting

Bid splitting not applied.

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### Wooden Podium (14 pieces)

## **Technical Specifications**

#### \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Assembled Ready To Use	Assembled Ready To Use
	Frame type	Free standing	*
	Understructure of podium	Gable end and modesty panel	Gable end and modesty panel
	Storage	Open Storage	Open Storage
	Shelves	2 - shelves	2 - shelves
	Reading surface	Angled surface	Angled surface
	Top position	Fixed	Fixed
	Paper stop	No	No
	Wire management	without	without
	Number of socket box	0	0, 1, 2 Or higher
	In built sockets for LAN / Internet	No	No
	Type of socket box	No socket box	No socket box
MATERIAL	Podium top Material	MDF board of grade SBG II of IS 12406/Latest	MDF board of grade SBG II of IS 12406/Latest

	Gable end and modesty panel material		Flat single layer prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	Leg Material		Teak wood
MISC	Podium top long sides	To be post form half round profile	*
	Podium top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
	Number of buffers provided	N.A	*
DIMENSION	Thickness of podium top ±2mm	5	5.0
	Thickness of gable end and modesty panel ±2mm	9	9.0
	Length of podium top ±10mm	600	600.0
	Depth of podium ±10mm	500	500.0
	Height of podium ±10mm	1100	1100.0
	Presenter side height ± 10mm	1050mm	1050mm
	Dimension of leg (mmXmm) ±5mm	No legs	No legs
SHELVES	Width of shelves ±10mm	450mm	450mm
	Depth of shelves in mm (±10mm)	325mm	325mm
FOOTREST	Material of footrest	Flat single layer prelaminated MDF board conforming to having designation PLMDF-22 of IS 14587/Latest	*
	Length of footrest ±10mm	600mm	600mm
	Depth of footrest ±10mm	300mm	300mm

	Height of footrest (front / back) ±10mm	100mm/50mm	100mm/50mm
Finish of exposed edges		To be banded with 0.5-1.0mm thick PVC tape with the help of hot melt glue	*
	Material thickness of footrest ±2mm	9mm	9mm
COLOUR & FINISH	Podium top finish	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side
	Table top shade	Teak	Teak
WARRANTY	Warranty period in number of years	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	NO
	Product having BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	NO	NO
	OEM of offered product is ISO 14001:2015 certified	NO	NO
	OEM of offered product is ISO 18001:2007 certified	NO	NO

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

### **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Nishant Kumar	140126,MOJOWAL, NAYA NANGAL - 140126	14	15

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

# **Bid Specific Additional Terms and Conditions**

- 1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---