

Bid Number: GEM/2020/B/712919 Dated: 16-07-2020

#### **Bid Document**

Bid Document			
	Bid Details		
Bid End Date/Time	27-07-2020 13:00:00		
Bid Opening Date/Time	27-07-2020 13:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	60 (Days)		
Ministry/State Name	Ministry Of Railways		
Department Name	Na		
Organisation Name	N/a		
Office Name	North East Frontier Railway		
Total Quantity	6		
Item Category	Revolving Chair		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	Yes		
Inspection Required	No		

### **EMD Detail**

Required	No

### ePBG Detail

I I Required	l No
Required	110

### Splitting

Bid splitting not applied.

## **Revolving Chair (6 pieces)**

**Technical Specifications** 

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	steel covered with polyurethane	steel covered with polyurethane
	seat material	PU Foam covered with Fabric	PU Foam covered with Fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45	*
	Material of Fabric Back Cover / Material for Backrest	100% polyester fabric	100% polyester fabric
	Material of Fabric of Seat Cover	100% polyester fabric	100% polyester fabric
	GSM/Thickness of fabric ±5%(Gram/Square meter)	250 gram	*
GENERAL	Chair Type	central tilt	central tilt
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 120 mm	up to 120 mm
	Arm	With	With
	Type of backrest support	backrest symmetrical lumber support	backrest symmetrical lumber support
	Arm Type	Fixed	Fixed
	Colour of Fabric for Seat and Backrest	BLUE	*
	Ergonomic Seat Design	Yes	Yes
	Back type	push back	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame	*
	backrest has separate adjustable headrest	No	No
	Seat type	fixed	fixed
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	upright locking	*
	Number of arm movement	N.A	N.A
	Lumber support	N.A	N.A
DIMENSION	Overall Chair Height ±15mm	860	860
	Backrest Height ±15mm	570	570.0
	Backrest Width ±10mm	480	480.0
	Seat Height ±15 mm	420	420

	Seat Width ±10 mm	480	480
	Seat Depth ±10 mm	480	480.0
	Thickness of MS Plate Joining the under structure with Seat	0.2	0.2
	Thickness of Plywood used in Seat ±1(mm)	12 mm	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	12 mm	12 mm
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	25 mm	25 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	25 mm	25 mm
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	NO
	BIFMA Certification	YES	YES
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES
	Green guard certification	YES	YES

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

### **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rupnawar	854105,DMM/KIR , Office of Divisonal Railway Manager , Katihar Division,	6	30

# **Bid Specific Additional Terms and Conditions**

- 1.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

No. for Service Support. 3.ISO 9001: The bidder must have ISO 9001 certification.

This Bid is also governed by the General Terms and Conditions

---Thank You---