

Bid Number: GEM/2020/B/705670

Dated: 10-07-2020

Bid Document

Bid Document			
Bid Details			
21-07-2020 15:00:00			
21-07-2020 15:30:00			
90 (Days)			
30 (Days)			
Ministry Of Railways			
Na			
N/a			
Central Railway Hq Stores Deptt.			
1			
Executive Table			
No			
44744			

EMD Detail

ePBG Detail

1 1		
ll Dan Paral	L R L -	
Required	INo	
Negan ea	1110	
1 1		

Splitting

Bid splitting not applied.

Executive Table (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	Frame type	Free standing	*
	Understructure of table	Gable end and modesty panel	*
	Storage provided	One side	One side
	Keyboard tray	Not provided	Not provided
	Foot rest	Not Provided	Not Provided
MATERIAL	Table top Material	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Gable end and modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	NO LEGS	NO LEGS
MISC	Table top long sides	To be post form half round profile	*
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*
	Number of buffers provided	4 Nos. at bottom	*
DIMENSION	Thickness of table top ±2 mm	25	25.0
	Thickness of gable end and modesty panel ±2mm	19	*
	Length of table top ±10 mm	1800	1800.0
	Depth of table ±10 mm	900	900.0
	Height of table ±10 mm	750	750.0

	Dimension of leg(mmXmm) ±5mm	No legs	No legs
STORAGE UNIT	Number of Storage unit provided	Single storage	Single storage
	Width of storage unit ±10mm	400mm	*
	Depth of storage unit in mm (±10mm)	470	*
	Height of smallest storage unit ±5mm	N.A	*
	Height of medium storage unit ±5mm	150mm	*
	Height of largest storage unit ±5mm	305mm	*
KEYBOARD TRAY	Type of keyboard tray	N.A	*
	Material of keyboard tray and Right angle L- type supporting bracket	N.A	*
	Keyboard adjustablity	N.A	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channe±10mm	N.A	*
	Average weight of telescopic channel ±50Gms	N.A	*
	Keyboard front width±10mm	N.A	*
	Keyboard depth±10mm	N.A	*
	Keyboard height±10mm	N.A	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray ±1mm	N.A	*
FOOTREST	Material of footrest	N.A	*
	Length of footrest ±10mm	N.A	*
	Depth of footrest ±10mm	N.A	*
	Height of footrest ±10mm	N.A	*
	Finish of exposed	N.A	*

	edges		
	Material thickness of footrest ±2mm	N.A	N.A
COLOUR & FINISH	Table top finish	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	*
	Table top shade	As per Buyer's choice	*
WARRANTY	Warrantee period in number of years	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	Product having BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Vishnu Ganpat	400089,Sr.Section Engineer(M) LTT Substation, LTT, Mumbai-400089	1	30

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 2. Warranty period of the supplied products shall be 5 years from the date of final acceptance

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid

This Bid is also governed by the General Terms and Conditions

---Thank You---