



**Bid Document** 

Bid Document			
	Bid Details		
Bid End Date/Time	27-07-2020 13:00:00		
Bid Opening Date/Time	27-07-2020 13:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	30 (Days)		
Ministry/State Name	Ministry Of Petroleum And Natural Gas		
Department Name	Na		
Organisation Name	N/a		
Office Name	Oidb		
Total Quantity	1		
Item Category	Potable water purification system with inbuilt water cooler.		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	No		
Inspection Required	No		

#### **EMD Detail**

iired	l No
anea	110

### ePBG Detail

Required	No

## Splitting

Bid splitting not applied.

# Potable Water Purification System With Inbuilt Water Cooler. ( 1 pieces )

### **Technical Specifications**

\* As per GeM Category Specification

Specification Specification Name Values Bid Requirement (Allowed Values)	
--	--

Standard Parameter	Certification for the product	WQA	WQA
	Certification No and Date	-	*
	Manufacturers Quality System Certifications	-	*
	Manufacturers Environment Management System Certifications	-	*
	Manufacturers Health and Safety Management System Certifications	-	*
	Conformity to Standard for Ultraviolet system	IS 14724 (latest) for water purification system with Ultraviolet disinfection	IS 14724 (latest) for water purification system with Ultraviolet disinfection
	Output Water Conforming standard	IS 10500 (latest)	*
Performance Parameter	Type of water purification technology	UV	UV, RO +UV
	Power consumptions of system (with ± 5% tolerance) (in watt)	775	775
	Maximum Input Water TDS allow to the system	2000	2000
	Input water hardness	500 ppm or less	*
	Input water pH	6.5 to 8.5	*
	Input water chlorine	0.2 ppm	*
	Input water iron	0.2 ppm	*
	Input water turbidity	Less than 5 NTU	*
	Operation mode	Fully automatic with auto cut off	Fully automatic with auto cut off
	Availability of sediment and activated carbon filter	Yes	*
	Ultraviolet (UV) LAMP	No	Yes, No Or higher
	Ultraviolet (UV) Lamp power in watts (Hint put zero in case UV is not available)	0	*
	Provision of Arsenic removal	Yes	Yes Or higher
	Provision of Fluoride removal	Yes	Yes Or higher
	Provision of Chloride removal	Yes	Yes Or higher
	Alkaline filter	No	Yes, No Or higher
	Storage tank	In-built	*
	Material of water Storage Tank	Stainless Steel SS 304	Stainless Steel SS 304
	Storage tank capacity up to float valve level (in liter)	80	80
	Stages of purification	3	*
	No of RO Membranes provided	0	*

RO Membrane rating	100 GPD	100 GPD
RO Membrane flushing	Auto flush at every start,every stop and every one hour for 1 minutes	Auto flush at every start, every stop and every one hour for 1 minutes
No of Particulate filter provided	0	*
Particulate Filter size	10 inch	10 inch
Particulate Filter Porosity	10 micron	10 micron
No of Activated Carbon filter provided	0	*
Activated Carbon filter Size	10 Inch	10 Inch
No of Antiscalant filter provided	0	*
Antiscalant- where silica is up to 10 ppm/where Mica is up to 100 ppm	Yes	Yes Or higher
Nano Silver leaching filtration	Yes	Yes Or higher
Minimum inlet pressure	0.6 KG/CM2	0.6 KG/CM2
Maximum inlet pressure	3.5 KG/CM2	*
Maximum Inlet water temperature	35 degree celsius	*
Digital display	No	Yes, No Or higher
Real time TDS display	No	Yes, No Or higher
Real time pH Display	No	Yes, No Or higher
High pressure pump	No	Yes, No Or higher
Raw water/Chemical Raw water/Chemical Cleaning pump	Yes	Yes Or higher
Recovery percentage at 27 degree centigrade	30-40	30-40
Filteration water capacity in liter/ hour	80	80
TDS removal percentage from RO Membrane	90%	90%
Pressure vessel Sand Filter	No	Yes, No Or higher
Pressure vessel Carbon Filter	Yes	Yes Or higher
Pressure Vessel Dual Media Filter	No	Yes, No Or higher
Body of filter	Stainless Steel	Stainless Steel
Membrane Housing	No	Yes, No Or higher
Number of candles	3	3
Type of compressor	Rotary	Rotary
Refrigerant Used	HFC-R-134/A	HFC-R-134/A
Refrigeration temperature	15 to 17	15 to 17

	Type of Condenser	Fin type/tube type	*
	Evaporator material	Cooper	*
	Water Storage tank	PUF thermal insulation	*
	Provision for Hot water	No	Yes, No Or higher
	Number of Cold Water Faucets	1	1
	Number of Normal Water Faucets	1	1
	Number of Hot Water Faucets	Na	Na
	Water flow rate through Faucets( in liter per hour)	50	*
	Cooling capacity at comfort level (17 $\pm$ 1 degree celsius) (in liter per hour)	60	60
	Installation Type	Floor Mounted	Floor Mounted
	Power supply	SINGLE PHASE ( $230 \pm 10 \%$ VOLT,%0 Hz)	SINGLE PHASE ( 230 ± 10 % VOLT,%0 Hz)
	Maximum running current in ampere at rated condition	4.5 ± 10 %	*
	Warranty in years including electronic ,electric parts, replacement of filters twice a year)	1	1
	Warranty period without Filter , electronic and electrical parts	1	1
	Warranty period without Filter & inclusive of electronic and electrical parts	1	1
Additional Parameters	Availabilty of type test Test REPORT for Filtering Size of Particles	Yes	Yes Or higher
	TYPE Test certificate No and date for Filtering Size of Particles	-	*
	Name and Address of laboratory which conducted Test for Filtering Size of Particles:	-	*
	Availability of Test Report on Microbial Efficacy from Govt/NABL/ilac Lab	Yes	Yes Or higher
	Test certificate No and date for Microbial Efficacy	-	*
	Name of the lab for Microbial Efficacy	-	*
	Avaialbility of type test certificate from NABL/ILAC Lab design	Yes	Yes Or higher

evaluation report as per IS 14724		
Copies of certifications and reports to be given to buyer at time of supplies	Yes	*
User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes	*
Availability of toll free centres for customer support	Yes	Yes Or higher
Installation and Commissioning inclusive in the scope of Supply*	no	Yes, no Or higher
Availablity of NABL Accredited Laboratory Facility with OEM	No	Yes, No Or higher
Name and Address of NABL Accredited lab with OEM , If Not available put NA	-	*
Inlet Pipe & Fitting from raw water scorces to water purification system	to be arranged by buyer / consignee	to be arranged by buyer / consignee
Pipe & Fitting from Out let to purified water tank	To be arranged by buyer /consignee	To be arranged by buyer /consignee
Pipe and pipe fitting material	PVC	*
Electrical fitting and plug points	To be arranged by buyer /consignee	To be arranged by buyer /consignee
ISI marked Electronic and electrical parts provided	No	Yes, No Or higher
Open installation of Water pipe fitting and waste water pipe line fitting provided	Yes	*
Scope Civil Work if any required during installation	All Civil work shall be responsibility of buyer	All Civil work shall be responsibility of buyer

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajeev Rana N	201301,OIDB BHAWAN, TOWER-C, PLOT NO.2, SECTOR-73 NOIDA	1	15

# **Bid Specific Additional Terms and Conditions**

1.IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

2.Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope OEM warranty as per company norms (Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

This Bid is also governed by the General Terms and Conditions

---Thank You---