

### Bid Document

Bid Details	
Bid End Date/Time	23-07-2020 14:00:00
Bid Opening Date/Time	23-07-2020 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Indian Army
Office Name	*****
Total Quantity	50
Item Category	Dunnage Pallets
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### Dunnage Pallets ( 50 pieces )

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Dunnage pallet conforming to IS:16058:2013	YES	*
	Top member (contact with storage box)	Reinforced thermoplastic composite board made from recycled waste plastics	*
	Bottom section (contact with floor surface)	Reinforced Thermoplastic Composite Board made From Recycled Waste Plastics	*
CONSTRUCTION & MATERIAL	Construction	Three-Screws at four corner joints and two screws at all other joints	*
	Number of screws for fabrication	34 Screws To Be Used For The Fabrication Of One Pallet And Driven Without Causing Splitting Of The Scantlings	*
	Each screw to be clinched	Not Less Than 55 Mm And Flushed With The Bottom Surface Of Scantlings	*
	Wood Screws (for fastening together various planks)	Conforming to IS:6760/Latest	*
	Length of screw	70 mm	*
	Diameter of shank	12 mm	*
SIZE & DIMENSION	<b>Top deck sizes (Length X breadth)</b>	1200 mm X 900 mm	1500 mm X 900 mm, 1200 mm X 900 mm
	<b>Top deck length ±5mm</b>	1200 mm	1200 mm, 1500 mm
	Top deck breadth ±5mm	900 mm	*
	Top deck height ±5mm	104 mm	*
	Top deck thickness ±5mm	18 mm	*
	Top deck width of each plank ±1mm	176 mm	*
	Top deck total number of planks	7	*

	Top deck gap between the planks $\pm 1\text{mm}$	36 mm	*
	<b>Bottom section size in mm</b>	1200 mm X 900 mm	1500 mm X 900 mm, 1200 mm X 900 mm
	<b>Bottom section length <math>\pm 5\text{mm}</math></b>	1200 mm	1500 mm, 1200 mm
	<b>Bottom section breadth <math>\pm 5\text{mm}</math></b>	900 mm	900 mm
	Bottom section height $\pm 5\text{mm}$	104 mm	*
	Bottom section thickness $\pm 5\text{mm}$	22 mm	*
	Bottom section width of each plank $\pm 1\text{mm}$	86 mm	*
	Bottom section total number of planks	4	*
	Bottom section gap between the planks	195 mm	*
MARKING	Each poly-pallet marked with	manufacture's name with month & year of mfg and batch number	*
	Each pallet with BIS certification standard mark	YES	*
WARRANTY	<b>Warrantee period in number of years</b>	-	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	*
	Type test report to be furnished to buyer on demand	YES	*
	BIS Marked	YES	*
	CM/L number	-	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****BARMER	50	30

--	--	--	--	--

## **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**