



**Bid Document** 

Bid Document				
Bid Details				
Bid End Date/Time	27-07-2020 11:00:00			
Bid Opening Date/Time	27-07-2020 11:30:00			
Bid Life Cycle (From Publish Date) 90 (Days)				
Bid Offer Validity (From End Date)	60 (Days)			
Ministry/State Name	Ministry Of Defence			
Department Name	Department Of Defence Production			
Organisation Name	Bharat Dynamics Limited			
Office Name	******			
Total Quantity	1			
Item Category	web application firewall ( PAC Only )			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller  OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by buyer				
Bid to RA enabled	No			
Inspection Required	No			

#### **EMD Detail**

Required	No

#### ePBG Detail

Advisory Bank	AXIS BANK LTD
ePBG Percentage(%)	10.00
Duration of ePBG required (Months).	15

<sup>(</sup>a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

## **Beneficiary:**

DGM(IMM-GP)

BHARAT DYNAMICS LIMITED HYDERABAD, Department of Defence Production, Bharat Dynamics Limited, Ministry of Defence

(Nenavath Shakru)

#### **Splitting**

Bid splitting not applied.

# Web Application Firewall ( 1 pieces ) ( Under PAC )

Make	sophos
Model	sophosxg230with3yrsfullguardlicense

## **Technical Specifications**

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specification	Deployment modes	Gateway and Proxy	gatewayandproxy
	Web Application Security	Yes	yes
	Concurrent Connection (Maximum) (Numbers)	8200000	8200000
	HTTP Connections/Sec (Maximum) (Numbers)	140000	140000
	System Throughput (Maximum) (Gbps)	20	20
	Request Latency	Sub-ms	*
	Network Interface Ports	6	*
	Bypass ports for fail safe	Yes	*
	Attack Protection	Yes	*
	Detect and prevent attackers from finding hidden directories Features	Available	*
	Processor	Intel Pentium Dual Core G4400 @ 3.3 Ghz	*
	Storage (GB)	120	*
	Authentication and Authorization	yes	*
	Integrated scanner	Yes	*
	Logging, Reporting and Monitoring	Yes	*
	Input-Output Port	No	*
	Power Supply	Single	*
	Power Consumption (Watt)	41	*
	Operating Temperature Range (Degree C)	0-40	*
	Storage Temperature Range (Degree C)	-20-80	*
	Operating Humidity (%RH)	90	*
	Compliance Certificates	CB, UL, CE, FCC ClassA, ISED, VCCI, RCM, CCC, BIS (planned),MSIP/KCC (planned)	*

Dimensions (H x W x D) (cm x cm x cm)	438x44x344.4	*
Weight (Kg)	5.2	*
Availability of test reports from Central Govt /NABL / ILAC accredited Lab covering all the parameters	Not-Available	*
If yes , Name of the Lab	NA	*
If yes, Address of the Lab	NA	*
If yes,Test Report Number and Date	NA	*
If yes, Test Report to be furnished to the buyer on demand	NA	*
On Site OEM Warranty (Year)	3	3.0

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

#### **Additional Specification Documents**

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	******	**********MEDAK	1	45

## **Bid Specific Additional Terms and Conditions**

- 1.Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2.Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 3.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 4.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.