

### Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 18:00:00
Bid Opening Date/Time	27-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Gujarat
Department Name	Energy And Petro Chemicals Department Gujarat
Organisation Name	Gujarat Electricity Board (geb) - Gujarat Urja Vikas Nigam Limited (guvnl)
Office Name	Pgvcl
Total Quantity	100
Item Category	Rubber Gloves for Electrical Purposes
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

## Rubber Gloves For Electrical Purposes ( 100 pairs )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Rubber Gloves, Electrical Purposes conforming to	IS:4770:1991 latest	*
	<b>If Product ISI Marked</b>	1	1, 2
	IF ISI marked Yes, BIS License Number	-	*
	<b>Type of Gloves</b>	Type 3 (Guuntlet type) For use at Voltage not exceeding 7500V, AC rms	Type 1 (Wrist type) For use at Voltage not exceeding 650V AC rms, Type 2 (Guuntlet type) For use at Voltage not exceeding 1100V, AC rms, Type 3 (Guuntlet type) For use at Voltage not exceeding 7500V, AC rms, Type 4 (Guuntlet type) For use at Voltage not exceeding 17000V, AC rms
	<b>Size of Gloves (as per Annexure-A of IS:4770:1991 latest)</b>	8	8, 9, 11
	<b>Composition</b>	Natural Rubber	Natural Rubber, Synthetic Rubber, Mixture of Natural and Synthetic rubber
	<b>Construction</b>	Latex	Latex, Calendered sheets
	<b>Minimum internal length from the tip of the second finger to the edge of the cuff shall be (in mm)</b>	280 for wrist type	280 for wrist type, 400 Guuntlet type
	<b>Colour of Gloves</b>	Green for Type 3	Black for Type 1, Blue for Type 2, Green for Type 3, Red for Type 4
	The Gloves shall be packed in	With Polyethylene bags and sealed	*
CERTIFICATIONS	Availability of Type test report with drawings	Yes	*

	from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification		
	Test report number	-	*
	Report date	-	*
	Name of lab	-	*
	Address of lab	-	*
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vaghela Girishkumar Babulal	360575, Porbandar Rural division store, Pgvcl, Birla Road, Near GEB Colony, opposite pragjibapa ashram, Porbandar	100	30

### Bid Specific Additional Terms and Conditions

1. After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.
2. **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
3. **Consortium:** In case of Contracts, wherein the seller alone does not have necessary expertise, the seller can form consortium with other sellers for submission of the bid, with one of the consortium company as leader. However, each and every member of the consortium shall be equally responsible for the complete execution of the project contract. An undertaking to this effect is to be uploaded with bid.
4. **End User Certificate:** Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.
5. Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
7. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
8. ISO 9001: The bidder must have ISO 9001 certification.
9. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.
10. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
11. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): ERDA OR CPRI TESTED AS PER EN 60903.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**