

### Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 13:00:00
Bid Opening Date/Time	20-07-2020 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Petroleum And Natural Gas
Department Name	Na
Organisation Name	Hindustan Petroleum Corporation Ltd
Office Name	Petroleum House
Total Quantity	18000
Item Category	chlorine dioxide for treating drinking water
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

## Chlorine Dioxide For Treating Drinking Water ( 18000 kilogram )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Certification	Conformity to International Standard	DIN EN 12671 Latest	*
	Certificate Available	-	*
	Agency from whom the product is approved	-	*
Test Report Details	Availability of Test Reports of from Central Govt./State Govt/NABL/IL AC accredited Lab to prove conformity to the Specification	YES	*
	Test Report Number	-	*
	Test Report Date	-	*
	Name of the Lab	-	*
	Address of the Lab	-	*
	Test report to be furnished to the buyer on demand	YES	*
Physical State and Form	Physical State	-	*
	Form in which supplied	-	*
Material	Raw Material from which Chlorine Dioxide	-	*

	is produced		
Physical Characteristics	<b>Quantity of Water which can be treated by 1 Kg of raw material (Litres)</b>	10000	10000
	Colour	-	*
	pH Value	7.5	*
	Shelf Life (Months)	24	*
	Period for which the treated water is safe to use after treatment (Hours)	24	*
Packing	<b>Packing Size (Kg)</b>	5	5
	Packing	-	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

Consignees/Reporting Officer and Quantity				
S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Majji V N M Patrudu	530011,HPCL, Visakh Refinery, Refinery Warehouse, Malkapuram, Visakhapatnam - 530011	18000	21

#### Bid Specific Additional Terms and Conditions

1. **Staggered Delivery:** The ordered items shall be supplied in a staggered manner. ( 9000 Quantity shall be supplied within 21 days of contract placement and thereafter 9000 Quantity per Quarter)
2. Scope of supply (Bid price to include all cost components) : Only supply of Goods
3. ISO 9001: The bidder must have ISO 9001 certification.
4. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
5. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): 1. MSDS 2. Valid toxicology report from an authenticated third party organization viz., CSIR, NSF etc. 3. Valid ISO 9001, ISO 14001 and OHSAS 18001 certification 4. Proof of manufacturing, NSIC or equivalent certification issued by Govt.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---