

### RA Document

RA Details	
RA Technical End Date/Time	20-07-2020 16:00:00
RA Opening Date/Time	20-07-2020 16:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	15 (Days)
Ministry/State Name	Ministry Of Micro Small And Medium Enterprises
Department Name	Na
Organisation Name	Development Commissioner (micro Small & Medium Enterprises)
Office Name	All Over India
Total Quantity	1
Item Category	Full Body Sanitizer Spray Chamber
OEM Average Turnover (Last 3 Years)	2 Lakh (s)
Experience Criteria	1 Year (s)
MSE Exemption for Years Of Experience	Yes
Startup Exemption for Years Of Experience	Yes
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Inspection Required	No
Estimated RA Value	50000

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

RA splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Full Body Sanitizer Spray Chamber ( 1 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Product Utility	For disinfecting full body and clothes of people by spraying disinfectant mist at entry points of public places in a short time as they pass through the Chamber.	*
	Chamber top	Closed	Closed
	Lighting in the Chamber	Adequate and suitable lighting	*
	Number of lamps in the Chamber	1	*
	Total Wattage of lamps	18	*
	Electrical Wiring	Concealed	*

Spray System	Pressurized disinfectant misting through pump	*
Number of Misting Nozzles	8	*
Location of Nozzles	Fixed appropriately to sanitize the person from all sided	*
Nozzles operation time for proper sanitisation of one person	20	*
<b>Numbers of Pump to be provided</b>	ONE	ONE
<b>Pump Operation</b>	Foot operated switch at Entry and stop switch at Exit	Motion Sensor based – Automatic start / stop of misting, Foot operated switch at Entry and stop switch at Exit
Pump discharge capacity (Liter per minute)	1	*
<b>Pump power rating (Watt)</b>	500	500.0
Power required	220V AC	*
Dual Power (Alternate supply with manual on/off switch)	No Dual / Alternate Power mode	*
Provision of Battery	No	*
Battery details including battery's lifetime: charge life and total life (write NA if Battery not provided)	-	*
Spray control system	Micro processor based control panel with mains ON/OFF and Sanitization spray ON/OFF	*
Consumption of disinfectant solution (Litre per hour)	2	*
Disinfectant solution storage tank capacity (litre)	225	*
<b>Mounting of Storage Tank</b>	Floor mounted	Floor mounted
Disinfectant Chemical used for Sanitizer	Sodium Hypochlorite	*

	Concentration of the Disinfectant chemical in the solution (Gm/Litre)	-	*
	Quantity of disinfectant supplied along with the system	-	*
	Drainage facility	Yes	*
	Provision of signages board (for proper instructions)	Yes	*
	<b>Structure Cover</b>	Cover without Printed/any type of instruction	Cover without Printed/any type of instruction
	Supplier to perform Installation and Commissioning of the system	Yes	*
CONSTRUCTION MATERIAL	<b>Top frame construction</b>	Made up of ISI marked MS Steel structure section of size 40 mm x 40 mm x1.6 mm conforming to IS 4923 as amended up to date (With Rust proof Radium Painting)	Made up of ISI marked MS Steel structure section of size 40 mm x 40 mm x1.6 mm conforming to IS 4923 as amended up to date (With Rust proof Radium Painting)
	<b>Base frame construction</b>	Made up of ISI marked MS Steel structure section of size 40 mm x 40 mm x1.6 mm conforming to IS 4923 as amended up to date (With Rust proof Radium Painting)	Made up of ISI marked MS Steel structure section of size 40 mm x 40 mm x1.6 mm conforming to IS 4923 as amended up to date (With Rust proof Radium Painting)
	<b>Wall structure</b>	Made up of Galvanized steel Box Section of size 40 mm x 40 mm x 2 mm	Made up of Galvanized steel Box Section of size 40 mm x 40 mm x 2 mm
	<b>Structure Cover material</b>	N.A	N.A
	<b>Entry Gate Cover material</b>	N.A	N.A
	<b>Exit Gate Cover material</b>	N.A	N.A
	Insulated walls	Yes	*
	<b>Material for insulation</b>	N.A	N.A
	<b>Thickness of Insulated material (select '0' if no</b>	54	54.0

<b>insulation)</b>		
Density of Insulating material in kg/m3 (select '0' if no insulation)	40	*
<b>Outer Panel of Chamber</b>	Made up of Aluminum composite sheet exterior grade of 3 mm thickness	Made up of Aluminum composite sheet exterior grade of 3 mm thickness
<b>Inner panel of Chamber (Only for Insulated Chamber, otherwise select NA)</b>	N.A	N.A
<b>Roof of Chamber</b>	Made up of Aluminum composite sheet, exterior grade of 3 mm thickness	Made up of Aluminum composite sheet, exterior grade of 3 mm thickness
Flooring	With	*
<b>Floor frame</b>	N.A	Base Grid will be 1.1mtr X 1.7mtr made out of Galvanized steel Box Section of 40 mm x 40 mm x 2 mm pipes, N.A
<b>Floor finishing</b>	Anti-skid Aluminum Chequered plate 3 mm thick (minimum)	Anti-skid Aluminum Chequered plate 3 mm thick (minimum)
<b>Disinfectant Storage Tank stand material and section</b>	N.A	Made up of 40 x 40 x 2 mm thick galvanized steel, N.A
<b>Material of Mist Spray pipe line (for connection between Nozzle to Chemical tank)</b>	PVC	PVC
Size of Mist Spray pipe line	3/8 inches	*
<b>Feed Pump motor (feed the chemical from feed tank to overhead tank) Power in HP</b>	1	1.0
<b>Drainage System</b>	Through tray provided below the floor panel	Through tray provided below the floor panel
<b>Cover for Tank</b>	N.A	Made up of Engineering Grade Polyethylene 1.5 mm thick, N.A
<b>Cover for Pump</b>	N.A	Made up of Engineering Grade Polyethylene 1.5 mm thick, N.A

DIMENSION	<b>Length of Chamber (+/- 10 MM)</b>	1500	1500.0
	<b>Width of Chamber (+/- 10 MM)</b>	1200	1200.0
	<b>Height of Chamber (+/- 10 MM)</b>	2400	2400.0
TEST REPORT	<b>Availability of Test Report from Designated AHSP/NABL/ILAC accredited or central government lab to proof conformity of the relevant products to the specification</b>	No	No
	Test report number and date – must declare if test report available	-	*
	Name and address of the LAB – must declare if test report available	-	*
	Test reports to be furnished to buyer on demand, if claimed to be available Hint : Write NA if test report is not available	N.A	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	RAJESH BHATTACHARYA	700108,MSME DI , 111&112 B.T.Road, Kolkatta 700108	1	15	

#### Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
2. Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail

the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 100% of total value.

[This RA is also governed by the General Terms and Conditions](#)

**---Thank You---**