

Bid Number: GEM/2020/B/705576

Dated: 10-07-2020

## **Bid Document**

Blu Document				
Bid Details				
Bid End Date/Time	20-07-2020 15:00:00			
Bid Opening Date/Time	20-07-2020 15:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	15 (Days)			
Ministry/State Name	Uttarakhand			
Department Name	Higher Education Department Uttarakhand			
Organisation Name	Directorate Of Higher Education			
Office Name	Govt P G College Bageshwar			
Total Quantity	2			
Item Category	Almirah Steel			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Bid to RA enabled	No			
Inspection Required	No			

### **EMD Detail**

Required	l No
Negan ea	

## ePBG Detail

Required	No
----------	----

## Splitting

Bid splitting not applied.

# Almirah Steel ( 2 pieces )

**Technical Specifications** 

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	Yes	Yes
	No of shelves (Nos)	5	5
	Type of Shelves	Fixed	Fixed
	Locker Provided	Yes	Yes
	Locking System with the locker	YES	YES
	Cloth hanging provision in the Almirah	No	*
	Number of Doors (Nos)	2	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	1	1
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A	N.A
	Construction	Welded	Welded
	Lock	Three Way bolting device controlled by lock	Three Way bolting device controlled by lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet	M S Sheet
	Sheet Thickness of Locker	1.0 mm	1.0 mm
	Length of Glass Sheet ±10 (mm)	N.A	N.A
	Width of Glass Sheet ±10 (mm)	N.A	N.A

	Sheet Thickness of	1.0 mm	1.0 mm
	door in mm		
	Sheet Thickness of sides,back , Top and Bottom	1.0 mm	1.0 mm
	Sheet Thickness of Shelves	1.0 mm	1.0 mm
	Sheet Thickness of Pedestal in mm	1.0 mm	1.0 mm
	Material of Lock	steel	steel
	Material of Keys	steel	steel
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1855	1855
	Width in mm (± 7 mm)	910	910.0
	Depth in mm (±5 mm)	455	455.0
	Inside Height of Locker in mm (± 5 mm)	290 mm	290 mm
	Inside Width of Locker in mm (±5 mm)	380 mm	380 mm
	Inside Depth of Locker in mm (±5 mm)	455 mm	455 mm
	Width of Stiffner in mm (±5 mm)	115 mm	115 mm
	Thickness of MS Sheet of Stiffner (in mm)	0.9 mm	0.9 mm
	Stiffened Pedestal height in mm (±2 mm)	130	130
	Pedestal Width in mm (±2 mm)	80	80
COLOUR & FINISH	Finish	powder coated	powder coated
	Colour of Paint	dark brown	*
	Packing:	Gutta Packing	*
CERTIFICATION	ISI marked	No	*
	CM/L No.	-	*
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### **Additional Specification Documents**

### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Vijay Kumar Joshi	263642,Govt P G College Bageshwar Distt Bageshwar	2	30

# **Bid Specific Additional Terms and Conditions**

- 1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---