

Bid Document

Bid Details	
Bid End Date/Time	22-07-2020 14:00:00
Bid Opening Date/Time	22-07-2020 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence Reseach & Development
Organisation Name	Office Of Dg (mss)
Office Name	*****
Total Quantity	3
Item Category	Almirah Steel (PAC Only)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
Inspection Required	No
Estimated Bid Value	45000

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Almirah Steel (3 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriokdplainwith4shelves

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	No	No
	No of shelves (Nos)	4	4
	Type of Shelves	Adjustable	Adjustable
	Locker Provided	No	No
	Locking System with the locker	NA	NA
	Cloth hanging provision in the Almirah	No	*
	Number of Doors (Nos)	2	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes	Yes

	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A	N.A
	Construction	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	Lock	Three Way bolting device controlled by lock	Three Way bolting device controlled by lock
MATERIAL	Material	M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)	M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)
	Material of Almirah Doors	M S Sheet	M S Sheet
	Sheet Thickness of Locker	N.A	N.A
	Length of Glass Sheet ± 10 (mm)	N.A	N.A
	Width of Glass Sheet ± 10 (mm)	N.A	N.A
	Sheet Thickness of door in mm	0.7 mm minimum (Not as per IS 3312)	0.7 mm minimum (Not as per IS 3312)
	Sheet Thickness of sides,back , Top and Bottom	0.7 mm minimum (Not as per IS 3312)	0.7 mm minimum (Not as per IS 3312)
	Sheet Thickness of Shelves	0.8 mm	0.8 mm
	Sheet Thickness of Pedestal in mm	NA	NA
	Material of Lock	Brass and steel finish	Brass and steel finish
	Material of Keys	steel	steel
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1800	1800
	Width in mm (± 7 mm)	910	910.0
	Depth in mm (± 5 mm)	455	455.0

	Inside Height of Locker in mm (± 5 mm)	N.A	N.A
	Inside Width of Locker in mm (± 5 mm)	N.A	N.A
	Inside Depth of Locker in mm (± 5 mm)	N.A	N.A
	Width of Stiffner in mm (± 5 mm)	N.A	N.A
	Thickness of MS Sheet of Stiffner (in mm)	N.A	N.A
	Stiffened Pedestal height in mm (± 2 mm)	NA	NA
	Pedestal Width in mm (± 2 mm)	NA	NA
COLOUR & FINISH	Finish	powder coated	powder coated
	Colour of Paint	AS PER BUYER CHOICE	*
	Packing:	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap	*
CERTIFICATION	ISI marked	No	*
	CM/L No.	NA	*
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1	1

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****HYDERABAD	3	45

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and

Commissioning of Goods

2. Procurement under this bid is reserved for purchase from Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---