

Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 12:00:00
Bid Opening Date/Time	27-07-2020 12:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Communications
Department Name	Department Of Posts
Organisation Name	Maharashtra Postal Circle Department Of Posts
Office Name	Mumbai
Total Quantity	16
Item Category	Pulse Oximeter
OEM Average Turnover (Last 3 Years)	1 Lakh (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	10 %
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in

respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
 2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pulse Oximeter (16 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Standards	Conformity to Standards	-	*
	Certification number and date	-	*
	"Electrical safety conforms to standards for electrical safety"	IEC-60601-1 or equivalent BIS	*
Performance Parameters	Type of Pulse Oximeter	FINGER TIP	FINGER TIP
	Should work during motion and very low perfusion conditions	Yes	*
	Special Signal processing Technology (Motion artifact rejection)	Nellcor Compatible	Nellcor Compatible
	SPO2 probes	Reusable	Reusable
	Oxygen saturation Range	0-100%	*
	Pulse rate	25-240 BPM	*
	Display of SPO2 and PR	digital display with plethysmograph	digital display with plethysmograph
	Accuracy	± 5 %	*
	Type of Patient	Adult,Pediatric,Neonatal	Adult, Pediatric, Neonatal
	Should be shock proof	Yes	Yes
	Display (with contrast adjust-ability)	LCD	LCD
	Display should be Readable from at least 3 feet	Yes	Yes
	Saturation displayed on the screen	Yes	Yes
	Pulse Rate displayed on the screen	Yes	Yes
	Perfusion Index displayed on the screen	Yes	Yes
	Status of battery charging displayed on the screen	Yes	Yes
	Sensor off /on status	Yes	Yes

	Audible and visual Alarms	Yes	Yes
	Alarm override facility should be present	Yes	Yes
	Trends	48 hrs	48 hrs
	Type of trend display	Tabular	Tabular
	Data interval in sec	10	*
	Power source	Battery operated	Battery operated
	Automatic switch from mains to battery in case of power failure	Yes	Yes
	RS 232C interface for data communication and transfer	NA	NA
	Should have provisions for wireless and blue tooth connectivity	NA	NA
	Patient extension cable	Not Provided	Not Provided
	Power consumption in watts	250	*
	Operating Temperature	"Ambient temperature of 0 to 40 deg C and relative humidity of 15 to 90%"	*
	Weight of the machine in kg	0.25	*
	Protective splash proof case for clean and storage and safe transport provided	No	No
	Length of power cable	NA	NA
	Noise level in dB	2	*
	Display must allow easy viewing in all ambient light levels	Yes	*
Probes	Type of probe	Adult,Pediatric,Neonatal	Adult, Pediatric, Neonatal
	Probe usage	Reusable	Reusable
	Number of probes provided (Hint: in case adult , pediatric and neonatal are selected for type of probe all the three have to be given and in case adult & pediatric are selected both are to be given)	1 each	1 each
NIBP Parameters	Non invasive blood pressure (NIBP) provided	Yes	Yes
	Type of BP monitoring	Adult	Adult
	NIBP range in mmH	20-400	20-400
	Cuff size	Adult	Adult
	Number of cuff's provided	1 each	1 each
	Warranty in years (without probes)	1	1

	Warranty for probes in years	1	1
Reports	Confirmity to Manufactures Certification	ISO 9001 & ISO 13485	ISO 9001 & ISO 13485
	ISO/ ICMED Certification number and date	-	*
	Copies of all certifications to be furnished to buyer on demand at time of supplies	Yes	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Abarao Kashiram Ingle	443001,Superitendant of Post Offices, Buldana division, Karanja chowk, Buldana	16	10

Bid Specific Additional Terms and Conditions

- 1.Scope of supply (Bid price to include all cost components) : Only supply of Goods
- 2.Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 3.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 4.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---