

Bid Document

Bid Details	
Bid End Date/Time	20-07-2020 14:00:00
Bid Opening Date/Time	20-07-2020 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence Reseach & Development
Organisation Name	Office Of Dg (mss)
Office Name	*****
Total Quantity	1
Item Category	Workstation
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	80 %
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Workstation (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	Processor Make	Intel	Intel
	Processor Generation	9	9, NA, 10 Or higher
	Number of Cores per Processor	14	14, 16, 18, 20, 22, 24, 26, 28, 30, 32 Or higher
	Processor Base Frequency (GHz)	3.3	3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
	Processor Turbo Frequency (GHz)	4.4	*
	Processor Description	Intel Core i9	Intel Core i9, Intel Xeon E Series, Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
	Processor Number	Intel Core i9-9940X	Intel Core i3-8350K, Intel Core i7-8700, Intel Core i7-8700K, Intel Core i9-7940X, Intel Core i9-7980XE, Intel Core i5- 8300H, Intel Core i5- 8305G, Intel Core i5- 8400H, Intel Core i7- 8750H, Intel Core i7- 8850H, Intel Core i5-8365U, Intel Core i5-9300H, Intel Core i5-9400H, Intel Core i7-8565U, Intel

		Core i7-8665U, Intel Core i7-9700K, Intel Core i9-9820X, Intel Core i9-9900, Intel Core i9-9900K, Intel Core i9-9940X, Intel Core i9-9960X, Intel Core i7-9750H, Intel Core i7-9850H, Intel Core i9-9880H, Intel Core i9-9980HK, Intel Core i7-8550U, Intel Core i9-9980XE, Intel Core i7-9700KF, Intel Core i9-9900KF, Intel Core i7-8650U, Intel Core i9 10980HK, Intel Core i9 10880H, Intel Core i7 10875H, Intel Core i7 10850H, Intel Core i9 9980HK, Intel Core i7 10750H, Intel Core i9 8950HK, Intel Core i5 10400H, Intel Core i5 10300H, Intel Xeon E3 1535M v6, Intel Xeon E3 1505M v6, Intel Xeon E3 1575M v5, Intel Xeon E3 1535M v5, Intel Xeon E3 1545M v5, Intel Core i7 10810U, Intel Core i7 10610U, Intel Core i7 10510U, Intel Core i7 10310U, Intel Core i7 10210U, Intel Core i9 10885H, Intel Core i9 10900K, Intel Core i9 10900, Intel Core i9 10700K, Intel Core i9 10700, Intel Core i9 10600K, Intel Core i9 10600, Intel Core i9 10500, Intel Core i9 10100 Or higher	
	Number of sockets available on the motherboard	1	*
	Number of Sockets populated with the Processors	1	1, 2 Or higher
	Cache (MB)	19.25	19.25 - 64.0 Or higher
	Out of Band Management	NA	*

Type	Form Factor	Desktop	Desktop
Motherboard	Chipset Number	Intel X299	Intel X99, Intel X299 Or higher
	Expansion Slots (PCIe x 1) (Number)	1	*
	Expansion Slots (PCIe x 4) (Number)	1	*
	Expansion Slots (PCIe x 8) (Number)	1	*
	Expansion Slots (PCIe x 16) (Number)	2	*
	Expansion Slots (PCI) (Number)	1	*
Graphics	Graphics Type	Dedicated/Discrete	Dedicated/Discrete
	Number of Graphic Cards	1	1, 2, 3, 4 Or higher
	Graphic Card Description	nVIDIA Quadro RTX 5000 16GB	nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB Or higher
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional 64 bit	Windows 10 Professional 64 bit
	Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud	*
	OS Certification	Windows,Ubuntu Linux,Redhat Linux	*
Applications	Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Adobe After Effects CS/CC,Adobe Illustrator CC,Adobe Media Encoder CS/CC,Adobe Photoshop CS/CC,Adobe Premiere Pro CS/CC,Adobe SpeedGrade CC,Autodesk AutoCAD,Autodesk Inventor,Autodesk Maya,Autodesk MotionBuilder,Autodesk	*

		Mudbox,Avid Media Composer,PTC Creo,Siemens NX,Schlumberger Petrel,Sonar Cakewalk,Maxon Cinema 4D,Landmark DecisionSpace,G1 Autodesk Revit,Autodesk 3ds Max,Unreal Engine 4 by Epic Games	
Memory	RAM Type	DDR4	*
	RAM Speed (MHz)	2666	*
	Type of Memory	ECC RDIMM	*
	RAM Size (GB)	64	64, 128, 256, 512, 1024, 2048, 3072, 4096, 96, 192, 384, 768, 1536 Or higher
	Total Numbers of DIMM Slots Available	8	*
	Number of DIMM Slots Populated	4	*
	RAM Expandability upto using spare DIMM Slots (GB)	256	256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	Type of Drives used to populate the internal Bays	SSD	SSD
	Number of Drives	1	*
	RAID for Operating System	NA	NA
	Capacity of each Drive (GB)	512	512, 600, 768, 800, 900, 1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000 Or higher
Secondary Storage	Type of Drives used to populate the Internal Bays	SATA	SATA
	Total number of Internal Bays available for SATA Drive	5	*
	Number of Internal Bays populated with SATA Drive	2	2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	1000	1000, 2000, 4000, 8000, 6000 Or higher
	Speed of each SATA	7200	*

	Drive (RPM)		
	Total SATA Drive Capacity (GB)	2000	2000, 4000, 8000, 3000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000 Or higher
	Total number of Internal Bays available for SAS Drive	0	*
	Number of Internal Bays populated with SAS Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SAS Drive (GB)	0	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Speed of each SAS Drive (RPM)	0	*
	Total SAS Drive Capacity (GB)	0	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Total number of Internal Bays available for SSD	1	*
	Number of Internal Bays populated with SSD Drive	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SSD Drive (GB)	512	512, 1024, 2048, 800 Or higher
	Total SSD Capacity (GB)	512	512, 768, 1024, 2048, 4096, 5120 Or higher
	Total number of Internal Bays available for PCIe SSD	0	*
	Number of Internal Bays populated with PCIe Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	0	128, 256, 512, 1024, 2048, 0 Or higher
	Total PCIe Drive Capacity (GB)	0	128, 256, 512, 1024, 2048, 4096, 0, 1536 Or higher
	Class of PCIe Drives	NA	*
RAID	RAID level	0,1,5,1+0	*
	Number of RAID Controller Ports	6	6, 7, 8, 10 Or higher
	Speed of RAID Controller Ports	6	6, 12 Or higher

	(Gbps)		
	RAID Controller Cache (GB)	0	*
Connectivity	Type of Ethernet Ports	Dual Gigabit NIC 10/100/1000	*
	Number of Ethernet Ports	2	2, 3, 4, 6 Or higher
	Wireless Connectivity	No	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	NA	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA Or higher
	Bluetooth Connectivity	No	Yes, No Or higher
	If Yes, Version of Bluetooth Available	0	4, 4.1, 4.2, 5, 0 Or higher
Ports	Number of USB Version 2 Point 0 Ports	0	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	8	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	2	*
	Number of VGA Ports	0	*
	Number of HDMI Ports	0	*
	Number of Mini DP Ports	0	*
	Number of DP Ports	4	*
Display	Display Availability	Monitor	Monitor
	Display Size (cm)	58- 61	58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130 Or higher
	Display Type	Non Touch	Non Touch, Touch Or higher
	Panel Type	Flat	Flat, Curved Or higher
	Panel Technology	IPS	IPS, OLED Or higher
	Display Resolution (Pixels)	1920x1080	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x

			1440, 3840 x 1600, 5120 x 1440, 7680 x 4320 Or higher
	LED Backlit	Yes	*
	TCO Compliance for Monitor	TCO 07	*
	Colour Gamut	72% Color Gamut	*
	Monitor Stand	Standard	*
Power	Maximum Power (Watts)	950	*
	Minimum Power Efficiency (%)	-	*
	Power Management Unit	Yes	*
	Redundant Power Supply	No	Yes, No Or higher
Input Devices	Mouse Connectivity, If available	Wired	*
	Type of Mouse, If available	Optical Scroll	*
	Keyboard Connectivity, if available	Wired	*
	Type of Keyboard, if available	Standard with Rupee Symbol	*
	Type of Keyboard in case of Mobile Workstation	NA	*
Generic	Optical Drive	-	*
	Number of External Bays	2	*
	Security	S/W Based	*
	Docking Station for Mobile Workstation	No	*
	Availability of Bundled Software	Yes	*
	Type of Bundled Software	Standard Performance Improvement Software	*
	Finger Print Reader in case of Mobile Workstation	NA	*
	Carry Case in case of Mobile Workstation	NA	*
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when	Yes	*

	demanded by the buyer)		
	BIS Registration Number and its Validity	-	*
	ROHS Compliance	Yes	*
	Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	-	*
Operating Conditions	Minimum Operating Temperature (Degree C)	5	*
	Maximum Operating Temperature (DEgree C)	35	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	90	*
Warranty	Battery Warranty in case of Mobile Workstation	0	*
	On Site OEM Warranty (Year)	3	3, 4, 5 Or higher

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****Panchkula	1	30

Bid Specific Additional Terms and Conditions

- 1. Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
- 2. Non return of Hard Disk:** As per Buyer organization's Security Policy, Faulty Hard Disk of Servers/Desktop Computers/ Laptops etc. will not be returned back to the OEM/supplier against warranty replacement.

3. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
4. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
5. Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide AMC Service for next 3 years for the offered products at the rate not more than 10 % of contract price per annum. Buyer reserves the right to enter into an AMC agreement (covering preventive maintenance and servicing)with the Successful Bidder / OEM after expiry of the Warranty period at rate as mentioned above and the payment for the AMC charges would be made Quarterly after rendering of the AMC Services of the relevant AMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the AMC contract when called upon by the buyer. The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 10% of total AMC value valid up to AMC period plus 2 months (if there is no other claim). (Undertaking of acceptance to be uploaded with bid).
6. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
7. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
8. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
9. ISO 9001: The bidder must have ISO 9001 certification.
10. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
11. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
12. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.
13. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
14. Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid
15. The bidder is required to upload, along with the bid, all relevant certificates such as BIS

licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

16. The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price: Power Cables, Connecting cables, Mouse Pad, Covers for Workstation and Display etc..
17. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): As claimed in GEM Contract.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---