



Bid Document

| Bid Details | | | |
|---|--|--|--|
| 23-07-2020 19:00:00 | | | |
| 23-07-2020 19:30:00 | | | |
| 90 (Days) | | | |
| 75 (Days) | | | |
| Ministry Of Science And Technology | | | |
| Department Of Scientific And Industrial Research (dsir) | | | |
| Council Of Scientific And Industrial Research (csir) | | | |
| Csir-ccmb Hyderabad | | | |
| 30 | | | |
| Camera Trap / Trail Camera | | | |
| 1 Year (s) | | | |
| Yes | | | |
| Yes | | | |
| Experience Criteria, OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer | | | |
| Yes | | | |
| No | | | |
| | | | |

EMD Detail

e Marketplace

| Advisory Bank | State Bank of India |
|-------------------|---------------------|
| EMD Percentage(%) | 2.00 |
| EMD Amount | 28799 |

ePBG Detail

| Advisory Bank | State Bank of India |
|-------------------------------------|---------------------|
| ePBG Percentage(%) | 10.00 |
| Duration of ePBG required (Months). | 38 |

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

DIRECTOR, CSIR-CCMB

Csir-ccmb Hyderabad, Department of Scientific and Industrial Research (DSIR), Council of Scientific and Industrial Research (CSIR), Ministry of Science and Technology (Director)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Camera Trap / Trail Camera (30 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|--------------------|--|-------------------------------------|
| APPLICATION | Application | "A camera trap is a digital camera that is equipped with a motion sensor and/or an infrared sensor, or uses a light beam as a trigger for capturing images/short videos of wildlife with as little human interference as possible. Camera Traps are used for Wildlife viewing, applications in hunting, Research | * |

| | | applications, Gaming, Covert Scouting, Surveillance etc." | |
|--------------------|---|---|---|
| FEATURES | Image Sensor | CMOS | * |
| | Lens Mounting | Fixed | * |
| | Focus Mode | Fixed Focus | * |
| | Image Resolution / Effective Pixels (Mega Pixels) | 3 | 3, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22 Or higher |
| | "Supported Picture or image format (Select applicable image formats only)" | JPEG | * |
| | Trigger Speed | 1 | 1.0 - 1.0 Or lower |
| | Maximum number of Images Per Trigger | 10 | 10 |
| | Reovery Time | 2 | 1.0 - 2.0 Or lower |
| | Detection Range | 100 | 100.0 - 120.0 Or higher |
| | "Flash Technology (Flash modules inclusive in the scope of supply) | Infrared LED with low- glow illumination (850 nm) | Infrared LED with low- glow illumination (850 nm) |
| | Flash / illumination Range | 100 | 100.0 - 100.0 Or higher |
| | Modes of images/Videos records | Images only,Video with sound and images,Video without sound and images | Images only, Video with sound and images, Video without sound and images |
| | "Image details (Select applicable image details only)" | Colour by Day,Monochrome infrared by Night | Colour by Day, Monochrome infrared by Night |
| | Video Resolution - Maximum | HD (1280 x 720) | HD (1280 x 720) |
| | Maximum Video length | - | * |
| | Image & Video Aspect ratio | 16:9 | 16:9 |
| | Video Compression Format | MJPEG | * |
| | Video file format | MP4 | * |
| | "Image imprint / stamping data (Select applicable imprints only)" | Camera ID,Time; Date,Moon phase,Temperature,Ge o tagging | Camera ID, Time; Date, Moon phase, Temperature, Geo tagging |
| | Connectivity / interface | USB | USB |
| SALIENT FEATURES / | Salient Features / | Programmable Time- | Programmable Time- |

| FUNCTIONS | functions | lapse interval, Programmable schedule, Motion detect delay, Multishot Mode, Burst Mode, Day/Night options for pictures and videos, Zone Control, Programmable dealy Start up, Selectable shutter speed, Motion sensor scheduling, Time-lapse surveillance, Illumination On / Off option, Loop Recording, Dual Camera Lens, OSD Menu, Adjustable IR Flash Range, Rapidfire images, ¼" -20 Tripod Socket, No card Mode, Built-in Power Port for external power options, Supports GSM Cellular connectivity and transmits images and video clips directly to the designated viewing device; | lapse interval, Programmable schedule, Motion detect delay, Multishot Mode, Burst Mode, Day/Night options for pictures and videos, Zone Control, Programmable dealy Start up, Selectable shutter speed, Motion sensor scheduling, Time-lapse surveillance, Illumination On / Off option, Loop Recording, Dual Camera Lens, OSD Menu, Adjustable IR Flash Range, Rapidfire images, ½" -20 Tripod Socket, No card Mode, Built-in Power Port for external power options, Supports GSM Cellular connectivity and transmits images and video clips directly to the designated viewing device; |
|-----------|---|--|--|
| DISPLAY | Display type | Buil-in Display for camera set-up and status indication | * |
| | "Display features (Select available features only)" | LCD Display | LCD Display |
| | "Display Size incase of Buil-in Display for camera set-up and status indication (May indicate 'NA' if Not Applicable)" | 16X2 Display(16 Characters x 2 Lines) | * |
| | "Display Size incase of Built-in Display Screen for media playback (May indicate '0' for without Display/NA)" | 2 | 2.0 - 2.0 Or higher |
| STORAGE | Type of Storage card Slot provided | SD,SDXC,SDHC | * |
| | "Capacity of Memory Card, inclusive in the scope of supply (GB) (May indicate '0' if | 32 | 32.0 |

| OPERATING | Minimum Operating | -20 | -20.0 |
|-------------------------------|--|--|--|
| | Weight (excluding Battery) | - | * |
| | Weight (including Battery) | - | * |
| GENERIC | Dimension (WxHxD) (mmxmmxmm) | - | * |
| ACCESSORIES | "Accessories In the Scope of Supply (Select included accessories only)" | Suitable Image management software,Adjustable tree Mounting bracket,Python cable lock,Security metal box | Suitable Image management software, Adjustable tree Mounting bracket, Python cable lock, Security metal box |
| | Protective Cover / Housing Features | Camouflage design / pattern,All weather Resistant; High Impact Resistant Plasic / ABS,Impenetrable to most of the animals and resistant to animal attack | Camouflage design / pattern, All weather Resistant; High Impact Resistant Plasic / ABS, Impenetrable to most of the animals and resistant to animal attack |
| PROTECTIVE COVER / HOUSING | Protective Cover / Housing | Inclusive in the scope of supply | * |
| | Battery Charger with AC adopter inclusive in the scope of supply | NA for Alkaline Batteries (Non- Rechargeable) | * |
| | BATTERY CAPACITY (mAh)(In case of Rechargeable Battery) | 5000 | 5000.0 - 5000.0 Or higher |
| | "Number of Batteries supplied (Inclusive in the Scope of Supply) (May Indicate '0' if Not Applicable)" | 0 | * |
| | "Number of Batteries required for operation | 12 | * |
| | Battery Size, if Non Rechargeable Battery | AA | * |
| | Battery Chemistry, if Rechargeable Battery | Ni-MH | * |
| BATTERY | Power Source | Alkaline Batteries (Non- Rechargeable) | Alkaline Batteries (Non- Rechargeable) |
| | In-built Memory/Onboard Memory | 128 | 128 Or higher |
| | Memory Card expandable upto (GB) | 512 | * |

| CONDITIONS | Temperature (for land use) | | |
|---------------|--|----------------------------------|---------|
| | Maximum Operating Temperature (for land use) | 48.8889 | * |
| | Ingress Protection | IP 65 | * |
| WARRANTY / | Warranty | 3 | 3.0 |
| DEMONSTRAION | 24x7 on-line customer support | Yes | Yes |
| | Demonstration of features & functioning and setting-up of camera at consignees place | Inclusive in the scope of supply | * |
| CERTIFICATION | Agreed to provide OEM test report to prove conformity to the specifications | No | Yes, No |
| | Certifications | NA | * |

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | B Rajender Kumar | 500007,CCMB, HABSIGUDA, UPPAL ROAD, HYDERABAD 500007 | 30 | 30 |

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components): Only supply of Goods
- 2. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST: 5%
 - Notification No.and date : 45/2017 CENTRAL TAX (RATE) & 47/2017 INTEGRATED TAX (RATE) dated 14/11/2017
- 3. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

4. Malicious Code Certificate:

The seller should upload following certificate in the bid:-

- (a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-
- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.
- (b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

This Bid is also governed by the General Terms and Conditions

---Thank You---