

Bid Document

Bid Details	
Bid End Date/Time	23-07-2020 16:00:00
Bid Opening Date/Time	23-07-2020 16:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Agriculture And Farmers Welfare
Department Name	Department Of Agricultural Research And Education (dare)
Organisation Name	Indian Council Of Agricultural Research (icar)
Office Name	National Bureau Of Plant Genetic Resources, New Delhi
Total Quantity	4
Item Category	Workstation
Bidder Turnover (Last 3 Years)	5 Lakh (s)
OEM Average Turnover (Last 3 Years)	5 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	21170

ePBG Detail

Required	No
----------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Assistant Admn. Officer

National Bureau Of Plant Genetic Resources, New Delhi, Department of Agricultural Research and Education (DARE), Indian Council of Agricultural Research (ICAR), Ministry of Agriculture and Farmers Welfare (EMD should be in favour of Director, NBPGR, New Delhi)
(Avdhesh Kumar)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Workstation (4 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	Processor Make	Intel	Intel
	Processor Generation	NA	NA, 10 Or higher
	Number of Cores per Processor	4	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 Or higher
	Processor Base Frequency (GHz)	3.6	3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
	Processor Turbo Frequency (GHz)	3.9	*
	Processor Description	Intel Xeon W Series	Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
	Processor Number	Intel Xeon W-2123	Intel Xeon E-2126G, Intel Xeon E-2136, Intel Xeon E-2146G, Intel Xeon E-2186G, Intel Xeon W-2133, Intel Xeon W-2145, Intel Xeon W-2155, Intel Xeon W-2175, Intel Xeon W-2195, Intel Xeon E-2226G, Intel Xeon E-2236, Intel Xeon E-2246G, Intel Xeon E-2276G, Intel Xeon E-2278G, Intel Xeon E-2286G, Intel Xeon E-2288G, Intel Xeon E-2176G, Intel Xeon W-3223, Intel Xeon W-3225, Intel Xeon W-3235, Intel Xeon W-3245, Intel Xeon W-3245M, Intel Xeon W-3265, Intel Xeon W-3265M, Intel Xeon W-3275, Intel Xeon W-3275M, Intel Xeon W-2235, Intel Xeon W-2255, Intel Xeon W 10855M, Intel Xeon W 10885M, Intel Xeon W 1290P, Intel Xeon W 1290, Intel

			Xeon W 1270P, Intel Xeon W 1270, Intel Xeon W 1250P, Intel Xeon W 1250 Or higher
	Number of sockets available on the motherboard	1	*
	Number of Sockets populated with the Processors	1	1, 2 Or higher
	Cache (MB)	8.25	8.25 - 64.0 Or higher
	Out of Band Management	Intel vPro	*
Type	Form Factor	Desktop	Desktop
Motherboard	Chipset Number	Intel C422	Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299 Or higher
	Expansion Slots (PCIe x 1) (Number)	0	*
	Expansion Slots (PCIe x 4) (Number)	2	*
	Expansion Slots (PCIe x 8) (Number)	1	*
	Expansion Slots (PCIe x 16) (Number)	2	*
	Expansion Slots (PCI) (Number)	0	*
Graphics	Graphics Type	Dedicated/Discrete	Dedicated/Discrete
	Number of Graphic Cards	1	1, 2, 3, 4 Or higher
	Graphic Card Description	nVIDIA Quadro P400 2GB	nVIDIA NVS 510 2GB, nVIDIA NVS 810 4GB, nVIDIA Quadro P400 2GB, nVIDIA Quadro P620 2GB, nVIDIA Quadro P1000 4GB, nVIDIA Quadro P2000 5GB, nVIDIA Quadro P3000 6GB, nVIDIA Quadro RTX 3000 6GB, nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro

			RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB, nVIDIA Quadro P620 4GB, NVIDIA® Quadro P600 4GB GDDR5, NVIDIA Quadro P2200 5GB GDDR5 Or higher
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional 64 bit	Windows 10 Professional 64 bit
	Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud	*
	OS Certification	Windows,Ubuntu Linux,Redhat Linux,Suse Linux	*
Applications	Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Dassault Systèmes SolidWorks,Dassault Systèmes CATIA,PTC Creo,Siemens NX	*
Memory	RAM Type	DDR4	*
	RAM Speed (MHz)	2933	*
	Type of Memory	ECC	*
	RAM Size (GB)	32	32, 64, 128, 256, 512, 1024, 2048, 3072, 4096, 48, 96, 192, 384, 768, 1536 Or higher
	Total Numbers of DIMM Slots Available	8	*
	Number of DIMM Slots Populated	2	*
	RAM Expandability upto using spare DIMM Slots (GB)	256	256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	Type of Drives used to populate the internal Bays	SATA	SATA
	Number of Drives	1	*
	RAID for Operating System	NA	NA
	Capacity of each	1000	1000, 1024, 1200,

	Drive (GB)		1800, 2000, 2048, 4000, 4096, 8000, 6000 Or higher
Secondary Storage	Type of Drives used to populate the Internal Bays	SATA	SATA
	Total number of Internal Bays available for SATA Drive	1	*
	Number of Internal Bays populated with SATA Drive	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	1000	1000, 2000, 4000, 8000, 6000 Or higher
	Speed of each SATA Drive (RPM)	7200	*
	Total SATA Drive Capacity (GB)	1000	1000, 2000, 4000, 8000, 3000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000 Or higher
	Total number of Internal Bays available for SAS Drive	0	*
	Number of Internal Bays populated with SAS Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SAS Drive (GB)	0	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Speed of each SAS Drive (RPM)	0	*
	Total SAS Drive Capacity (GB)	0	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Total number of Internal Bays available for SSD	0	*
	Number of Internal Bays populated with SSD Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SSD Drive (GB)	0	128, 256, 512, 1024, 2048, 800, 0 Or higher
	Total SSD Capacity (GB)	0	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120 Or higher
	Total number of Internal Bays available	0	*

	for PCIe SSD		
	Number of Internal Bays populated with PCIe Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	0	128, 256, 512, 1024, 2048, 0 Or higher
	Total PCIe Drive Capacity (GB)	0	128, 256, 512, 1024, 2048, 4096, 0, 1536 Or higher
	Class of PCIe Drives	NA	*
RAID	RAID level	0,1,5,1+0	*
	Number of RAID Controller Ports	6	6, 7, 8, 10 Or higher
	Speed of RAID Controller Ports (Gbps)	6	6, 12 Or higher
	RAID Controller Cache (GB)	0	*
Connectivity	Type of Ethernet Ports	Single Gigabit NIC 10/100/1000	*
	Number of Ethernet Ports	1	1, 2, 3, 4, 6 Or higher
	Wireless Connectivity	No	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	NA	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA Or higher
	Bluetooth Connectivity	No	Yes, No Or higher
	If Yes, Version of Bluetooth Available	0	4, 4.1, 4.2, 5, 0 Or higher
Ports	Number of USB Version 2 Point 0 Ports	0	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	10	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	0	*
	Number of VGA Ports	0	*
	Number of HDMI Ports	0	*
	Number of Mini DP Ports	2	*
	Number of DP Ports	2	*

Display	Display Availability	Monitor	Monitor
	Display Size (cm)	58- 61	58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130 Or higher
	Display Type	Non Touch	Non Touch, Touch Or higher
	Panel Type	Flat	Flat, Curved Or higher
	Panel Technology	IPS	IPS, OLED Or higher
	Display Resolution (Pixels)	1920x1080	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320 Or higher
	LED Backlit	Yes	*
	TCO Compliance for Monitor	TCO 07	*
	Colour Gamut	99% sRGB	*
Power	Monitor Stand	Standard	*
	Maximum Power (Watts)	465	*
	Minimum Power Efficiency (%)	-	*
	Power Management Unit	Yes	*
Input Devices	Redundant Power Supply	No	Yes, No Or higher
	Mouse Connectivity, If available	Wired	*
	Type of Mouse, If available	Optical Scroll	*
	Keyboard Connectivity, if available	Wired	*
	Type of Keyboard, if available	Standard with Rupee Symbol	*
Generic	Type of Keyboard in case of Mobile Workstation	NA	*
	Optical Drive	-	*
	Number of External Bays	2	*

	Security	H/W Based	*
	Docking Station for Mobile Workstation	No	*
	Availability of Bundled Software	Yes	*
	Type of Bundled Software	Remote Collaboration Software & Performance Advisor	*
	Finger Print Reader in case of Mobile Workstation	No	*
	Carry Case in case of Mobile Workstation	NA	*
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes	*
	BIS Registration Number and its Validity	-	*
	ROHS Compliance	Yes	*
	Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	-	*
Operating Conditions	Minimum Operating Temperature (Degree C)	5	*
	Maximum Operating Temperature (DEgree C)	35	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	85	*
Warranty	Battery Warranty in case of Mobile Workstation	0	*
	On Site OEM Warranty (Year)	3	3, 4, 5 Or higher

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Dinesh Prasad	110012, ICAR-NBPGR, Pusa Campus, New Delhi -110012	4	30

Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
3. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
4. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---