

### RA Document

RA Details	
RA Technical End Date/Time	04-07-2020 17:00:00
RA Opening Date/Time	04-07-2020 17:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence Production
Organisation Name	Bharat Earth Movers Limited (beml)
Office Name	*****
Total Quantity	2
Item Category	Workstation
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	80 %
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

RA splitting not applied.

1. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three

years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Workstation ( 2 pieces )

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	<b>Processor Make</b>	Intel	Intel
	<b>Processor Generation</b>	NA	NA Or higher
	<b>Number of Cores per Processor</b>	6	6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 Or higher
	<b>Processor Base Frequency (GHz)</b>	3.6	3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
	Processor Turbo Frequency (GHz)	3.9	*
	<b>Processor Description</b>	Intel Xeon W Series	Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
	<b>Processor Number</b>	Intel Xeon W-2133	Intel Xeon W-2155, Intel Xeon W-2175, Intel Xeon W-2195, Intel Xeon E-2278G, Intel Xeon E-2288G, Intel Xeon W-3223, Intel Xeon W-3225, Intel Xeon W-3235, Intel Xeon W-3245, Intel Xeon W-3245M, Intel Xeon W-3265, Intel Xeon W-3265M, Intel Xeon W-3275, Intel Xeon W-3275M, Intel Xeon W-2235, Intel Xeon W-2255 Or higher
	Number of sockets	1	*

	available on the motherboard		
	<b>Number of Sockets populated with the Processors</b>	1	1, 2 Or higher
	<b>Cache (MB)</b>	8.25	8.25 - 64.0 Or higher
	Out of Band Management	NA	*
Type	<b>Form Factor</b>	Desktop	Desktop
Motherboard	<b>Chipset Number</b>	Intel C422	Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299 Or higher
	Expansion Slots (PCIe x 1) (Number)	1	*
	Expansion Slots (PCIe x 4) (Number)	1	*
	Expansion Slots (PCIe x 8) (Number)	1	*
	Expansion Slots (PCIe x 16) (Number)	2	*
	Expansion Slots (PCI) (Number)	1	*
Graphics	<b>Graphics Type</b>	Dedicated/Discrete	Dedicated/Discrete
	<b>Number of Graphic Cards</b>	1	1, 2, 3, 4 Or higher
	<b>Graphic Card Description</b>	nVIDIA Quadro P4000 8GB	nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB Or higher
Operating System	<b>Operating System (Factory Pre-Loaded)</b>	Windows 10 Professional 64 bit	Windows 10 Professional 64 bit
	Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud	*
	OS Certification	Windows,Ubuntu	*

		Linux, Redhat Linux	
Applications	Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Adobe After Effects CS/CC, Adobe Illustrator CC, Adobe Media Encoder CS/CC, Adobe Photoshop CS/CC, Adobe Premiere Pro CS/CC, Adobe SpeedGrade CC, Autodesk AutoCAD, Autodesk Inventor, Autodesk Maya, Autodesk MotionBuilder, Autodesk Mudbox, Avid Media Composer, PTC Creo, Siemens NX, ANSYS Workbench, Sonar Cakewalk, Maxon Cinema 4D, G1 Autodesk Revit, Autodesk 3ds Max, Unreal Engine 4 by Epic Games	*
Memory	RAM Type	DDR4	*
	RAM Speed (MHz)	2666	*
	Type of Memory	ECC RDIMM	*
	<b>RAM Size (GB)</b>	64	64, 128, 256, 512, 1024, 2048, 3072, 4096, 96, 192, 384, 768, 1536 Or higher
	Total Numbers of DIMM Slots Available	8	*
	Number of DIMM Slots Populated	4	*
	<b>RAM Expandability upto using spare DIMM Slots (GB)</b>	256	256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	<b>Type of Drives used to populate the internal Bays</b>	SATA	SATA
	Number of Drives	4	*
	<b>RAID for Operating System</b>	0	0
	<b>Capacity of each Drive (GB)</b>	1000	1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000 Or higher
Secondary Storage	<b>Type of Drives used</b>	SATA	SATA

<b>to populate the Internal Bays</b>		
Total number of Internal Bays available for SATA Drive	5	*
<b>Number of Internal Bays populated with SATA Drive</b>	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
<b>Each SATA Drive Capacity (GB)</b>	1000	1000, 2000, 4000, 8000, 6000 Or higher
Speed of each SATA Drive (RPM)	7200	*
<b>Total SATA Drive Capacity (GB)</b>	1000	1000, 2000, 4000, 8000, 3000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000 Or higher
Total number of Internal Bays available for SAS Drive	0	*
<b>Number of Internal Bays populated with SAS Drive</b>	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
<b>Capacity of each SAS Drive (GB)</b>	0	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
Speed of each SAS Drive (RPM)	0	*
<b>Total SAS Drive Capacity (GB)</b>	0	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
Total number of Internal Bays available for SSD	0	*
<b>Number of Internal Bays populated with SSD Drive</b>	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
<b>Capacity of each SSD Drive (GB)</b>	0	128, 256, 512, 1024, 2048, 800, 0 Or higher
<b>Total SSD Capacity (GB)</b>	0	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120 Or higher
Total number of Internal Bays available for PCIe SSD	1	*
<b>Number of Internal Bays populated with PCIe Drive</b>	1	1, 2, 3, 4, 5, 6, 7, 8 Or higher

RAID	<b>Capacity of each PCIe Drive (GB)</b>	512	512, 1024, 2048 Or higher
	<b>Total PCIe Drive Capacity (GB)</b>	512	512, 1024, 2048, 4096, 1536 Or higher
	Class of PCIe Drives	NA	*
	RAID level	0,1,5,1+0	*
	<b>Number of RAID Controller Ports</b>	5	5, 6, 7, 8, 10 Or higher
	<b>Speed of RAID Controller Ports (Gbps)</b>	6	6, 12 Or higher
	RAID Controller Cache (GB)	0	*
	Type of Ethernet Ports	Single Gigabit NIC 10/100/1000	*
	<b>Number of Ethernet Ports</b>	1	1, 2, 3, 4, 6 Or higher
	<b>Wireless Connectivity</b>	No	Yes, No Or higher
Connectivity	<b>If Yes, Type of Wireless Connectivity</b>	NA	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA Or higher
	<b>Bluetooth Connectivity</b>	No	Yes, No Or higher
	<b>If Yes, Version of Bluetooth Available</b>	0	4, 4.1, 4.2, 5, 0 Or higher
	Number of USB Version 2 Point 0 Ports	0	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	8	*
Ports	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	2	*
	Number of VGA Ports	0	*
	Number of HDMI Ports	0	*
	Number of Mini DP Ports	0	*
	Number of DP Ports	4	*
	<b>Display Availability</b>	Monitor	Monitor
	<b>Display Size (cm)</b>	68- 71	68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 -
Display			

			125, 126 - 130 Or higher
	<b>Display Type</b>	Non Touch	Non Touch, Touch Or higher
	<b>Panel Type</b>	Flat	Flat, Curved Or higher
	<b>Panel Technology</b>	IPS	IPS, OLED Or higher
	<b>Display Resolution (Pixels)</b>	1920x1080	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320 Or higher
	LED Backlit	Yes	*
	TCO Compliance for Monitor	TCO 07	*
	Colour Gamut	72% Color Gamut	*
	Monitor Stand	Standard	*
Power	Maximum Power (Watts)	950	*
	Minimum Power Efficiency (%)	-	*
	Power Management Unit	Yes	*
	<b>Redundant Power Supply</b>	No	Yes, No Or higher
Input Devices	Mouse Connectivity, If available	Wired	*
	Type of Mouse, If available	Optical Scroll	*
	Keyboard Connectivity, if available	Wired	*
	Type of Keyboard, if available	Standard with Rupee Symbol	*
	Type of Keyboard in case of Mobile Workstation	NA	*
Generic	Optical Drive	-	*
	Number of External Bays	2	*
	Security	S/W Based	*
	Docking Station for Mobile Workstation	No	*
	Availability of Bundled Software	Yes	*

	Type of Bundled Software	Standard Performance Improvement Software	*
	Finger Print Reader in case of Mobile Workstation	NA	*
	Carry Case in case of Mobile Workstation	NA	*
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes	*
	BIS Registration Number and its Validity	-	*
	ROHS Compliance	Yes	*
	Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	-	*
Operating Conditions	Minimum Operating Temperature (Degree C)	5	*
	Maximum Operating Temperature (DEgree C)	35	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	90	*
Warranty	Battery Warranty in case of Mobile Workstation	0	*
	<b>On Site OEM Warranty (Year)</b>	3	3, 4, 5 Or higher

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Additional Specification Documents

#### Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	*****	*****BANGALORE	2	30	N/A



## **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
2. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
5. ISO 9001: The bidder must have ISO 9001 certification.
6. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
7. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
8. The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:
  - (i) Single order of at least 35% of estimated bid value; or
  - (ii) Two orders of at least 20% each of estimated bid value; or
  - (iii) Three orders of at least 15% each of estimated bid value.Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

[This RA is also governed by the General Terms and Conditions](#)

**---Thank You---**