

Bid Document

Bid Details	
Bid End Date/Time	28-07-2020 09:00:00
Bid Opening Date/Time	28-07-2020 09:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Mines
Department Name	Materials
Organisation Name	National Aluminium Company Limited, Bhubaneswar
Office Name	Materials
Total Quantity	6
Item Category	Air Conditioner
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Air Conditioner (6 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
CONFORMITY / CERTIFICATION	BEE Star Rating	NA	NA
	Conformity to Indian Standard	IS 1391 latest	*
CAPACITY / GENERIC	Type of Air conditioner	Floor Standing Split AC	Floor Standing Split AC
	Technology of AC	Non- Inverter (Fixed Speed)	Non- Inverter (Fixed Speed)
	Nominal cooling capacity in Ton / (kcal/hr)	3.0 Ton / 9000 kcal/hr	3.0 Ton / 9000 kcal/hr
	Coil Material	Copper	Copper
	Eco-friendly refrigerant	Yes	Yes
	Minimum length of copper pipe and suitable connecting electrical cable for installation and commissioning	NA' for Window AC / Casstte AC / Floor Standing Split AC	NA' for Window AC / Casstte AC / Floor Standing Split AC
	Packing Llist	-	*
	Any other Features	-	*
WARRANTY	Warranty on Machine	1	1.0
	Warranty on Compressor	5	5, 6, 7, 8, 9, 10 Or higher
INSTALLATION	Installation and commissioning	Without Installation and Commissioning	Without Installation and Commissioning

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days

1	USHNA RANJAN MISHRA	759145, PURCHASE DEPARTMENT, NALCO SMELTER PLANT, NALCO NAGAR	6	60
---	------------------------	--	---	----

Special terms and conditions for category Air Conditioner

1. Scope of installation and Commissioning for Cassette AC
 1. Mounting/Fitting of indoor and outdoor units at the respective locations after cutting the false ceiling / drilling holes into the roof, if required.
 2. Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
 3. Charging Refrigerant gas in the unit.
 4. Suitable electric wiring between indoor unit and switch upto 3 meters length.
 5. Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
2. Following are not included in the scope of supply for Cassette AC:
 1. Refrigerant pipe of required length.
 2. Set of 4 nos. of Rods for fixing Cassette AC to the roof.
 3. Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling.
 4. Switches/ Sockets / Plug Tops / Voltage Stabilizer.
3. Scope of installation and Commissioning for Floor Standing Split AC
 1. Mounting/Fitting of indoor and outdoor units at the respective locations.
 2. Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
 3. Charging Refrigerant gas in the unit.
 4. Suitable electric wiring between indoor unit and switch upto 3 meters length.
 5. Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
4. Following are not included in the scope of supply for Floor Standing Split AC
 1. Refrigerant pipe of required length.
 2. Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling.
 3. Switches/ Sockets / Plug Tops / Voltage Stabilizer.
5. Buyers shall ensure that wherever they opt for Air Conditioner 'with installation at Extra Cost', they have to select separately priced installation at extra cost. Similarly, the buyers may also order separately priced accessories for Air Conditioners such as Metallic mount, Set of Hanging Rods for Cassette AC, Drain pipe, Extra Refrigerant Pipe, Extra Electric Cable.
6. In addition to general terms and conditions of the GeM following special T&C shall be applicable:
 1. "Refrigerant Pipe / Refrigerant Piping", wherever is referred in this document, means, "Set of two copper pipes one for suction other for discharge with suitable insulation for carrying the Refrigerant along with suitable connecting electrical cable".
 2. The Scope of installation and Commissioning for different types of Air Conditioners when opted by the buyer shall be as under: Scope of installation and Commissioning for Window AC :-
 1. Mounting/Fitting of Window AC, with necessary alignment work, in already made window frame.
 2. Suitable electric wiring upto 3 meters length between Window AC and Power Socket / voltage stabilizer.
 3. Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
 3. Following are not included in the scope of supply for Window AC:
 1. Carpentry work for making the window frame and fixing of wooden frame.
 2. Switches/ Sockets / Plug Tops / Voltage Stabilizer.
 4. Scope of installation and Commissioning for High wall Split AC :-
 1. Mounting/Fitting of indoor and outdoor units at the respective locations.
 2. Laying of refrigerant piping and connecting with indoor and outdoor units

- after drilling hole/holes in the wall, if required.
3. Charging Refrigerant gas in the unit.
 4. Suitable electric wiring between indoor unit and switch upto 3 meters length.
 5. Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
5. Following are not included in the scope of supply for High wall Split AC:
1. Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling.
 2. Switches/ Sockets / Plug Tops / Voltage Stabilizer.

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
3. Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---